

Building Maintenance Solutions



JANITORIAL - PLUMBING - SAFET LIGHTING • HVAC • TOOLS • APPLIANCE • HARDWARE



Supporting 1000's of Trade Professionals for over 50 Years!

Log on for Wholesale Pricing



Order by 4pm for Same Day Shipping to almost anywhere in Canada!
*Delivery may vary from courier to courier.



AMRE National Call Center Mon-Fri 8am-8pm | Sat 9am-6pm (EST) 1.800.661.9891







Making A Difference YOUR WAY

AMRE Supply has been providing facility maintenance solutions across Canada for over 50 years. With this experience our business is built around YOUR NEEDS.

We believe in building strong partnerships with our clients, allowing us to customize flexible solutions to fit YOUR WAY of doing business.





Product Selection

AMRE offers the widest selection of maintenance products in the industry. With over 60,000 products in stock and endless aisle catalogs for quick access to millions of products - we have the brands you trust.

Log on to the AMRE website for NEW items and expanded selection! www.AMREsupply.com



Customized Technology & Ordering Solutions

AMRE provides customizable solutions to place orders and manage your business YOUR WAY. Working with your proprietary software, third party providers or customizing our online tools to meet your needs, we are here to help!



Dynamic Delivery

We know getting your supplies quickly is imperative. With our local AMRE fleet and courier delivery partners we can deliver YOUR WAY - and reach your door typically within 24 hours.



Customer Support

With 12 walk-in locations across Canada, a national customer care centre, and dedicated support representatives, our professional industry trained team is ready



Website

AMRE's industry designed website provides easy access to over a million products, technical data, and helpful tools. With customizable options, the capabilities are endless to manage your business YOUR WAY.

Our goal is to make procurement of your maintenance needs as EASY as possible, by helping do it YOUR WAY.





National Customer Care

1-800-661-9891 customercare@amresupply.com

Hours of Operation Monday to Friday: 8:00 am to 8:00 pm Eastern Saturday: 9:00 am to 6:00 pm Eastern

Accounts Receivable

1-888-440-4880
Payments, Reconciliation, Balances, & General Inquiries amre.receivables@wolseleyinc.ca
Cheque & EFT Payment
amre.remittance@wolseleyinc.ca
Hours of Operation
Monday to Friday: 6:00 am to 8:00 pm Eastern

Credit Department

1-888-221-2447
Account Applications, Credit Management, & Account Changes amreapplications@wolseleyinc.ca
Hours of Operation
Monday to Friday: 7:30 am to 5:30 pm Eastern



www.AMRESupply.com



AMRE carries parts, products and supplies you need for your home, facility, or office.

Suited for commercial and residential applications

Discover all the products we supply online www.AMREsupply.com



Find your nearest AMRE location!
Scan the QR Code



Did you know we read every review that comes in?

Click into your local branch on our Locations Page for a link to leave a review.

We appreciate all your feedback!

Thank You

able of Cont



JANITORIAL 6-27



PLUMBING 28-51



APPLIANCE 52-56



HVAC 57-74



LIGHTING 75-91



ELECTRICAL 92-101



HARDWARE 102-113



114-123



SEASONAL 124-130



TOOLS & SUNDRIES 131-146

Maintenance Shopping Made Easy

With more brands and more products all in one place.

Over 500 Brands - Over 70,000 items in stock Access to Millions of special order items



Hard Surface Care chemicals . disinfectants . germicidal products

General Purpose Disinfectants





3345-06 946mL 4345-04 3.78L

Purell Professional Multi-Surface Sanitizer & Disinfectant

1-step disinfectant and sanitizer with Purell brand strength. No rinse required. Approved for use on food contact surfaces.











DB52850 4L HealthGuard One-Step Disinfectant

Providing a complete disinfection with a contact time of just 5 minutes, this one-step cleaner and disinfectant offers quick action against a wide range of microorganisms. Citrus scent.









DB50232

Quat Plus Liquid Disinfectant

Disinfectant and germicidal detergent with the cleaning performance of a neutral quat. Eliminates malodour by destroying a wide range of bacteria, fungi and viruses.









DB53023 5L Vangard General Purpose Germicidal

Formulated for the healthcare industry. Cleans, disinfects and deodorizes in one labour-saving step. Neutral quat-based cleaner destroys bacteria, viruses, fungi and other microorganisms on hard surfaces.









26822 26832 26804

650mL Trigger 946mL Trigger 3.78L Refill

Spray Nine Multipurpose Cleaner

The most versatile tool in your cleaning arsenal. Removes all types of dirt, grease, grime, and stains.



Hard Surface Care

wipes, disinfectants, germicidals

General Purpose Disinfectants







DB53016

Pinosan General Purpose Germicidal

Powerful cleaning, deodorizing and disinfecting. Neutral quat formula has a broad spectrum of efficacy against bacteria, fungi and viruses. Pine scent.





DB53377 180 Wipes

Eliminate One Step Disinfectant, Wipes

Cleaning and disinfection eliminates 99.9% of contaminants in just 15 seconds and complete disinfection in only 4 minutes.



VEGA100 100 Wipes VEGA400 400 Wipes Vega Disinfecting Wipes

Disinfects all washable household and industrial surfaces. Perfect for all sanitation needs by eliminating 99.9% of all bacteria.



PG31504 3.78L

Mr Clean Multi-Surface Disinfectant

Removes soils with ease and kills 99.9% of bacteria. For kitchen, bathroom, and exterior clean-up. Fresh, summer scent.



DB53376 120 Wipes Triple Action Wipes

Cleans, degreases, and disinfects in one easy step. Reduce your inventory for your maintenance program.





15DIN 439g Sprayway Disinfectant Spray

Effictive odor conteractant that chemically neutralizes malodors and kills most germs. Refreshing, fruity scent.



LAV440154 3.6L, 6% bleach **276007A** 3.6L, 12% bleach

Professional Use bleach *DO NOT MIX WITH ANY OTHER

Removes stains, disinfects, and purifies. Made of Sodium Hypochlorite.





252465A 30 Wipes

Clorox Disinfecting Wipes

Eliminate illness-causing pathogens on many hard nonporous surfaces. EPA-registered to kill SARS-CoV-2 and can kill 99.9% of germs that can live on surfaces for up to 48 hours



3111207

Fight-Bac Broad Spectrum Disinfectant

Quaternary based, anti-bacterial cleaner ideal for use in hospitals, nursing homes, schools and hotels.

Degreasers

VEGA



Resolve Cleaner Degreaser

An A.P.E. and butyl-free cleaner & degreaser recommended for use on any washable surface where dirt, grease and oily residue become a problem.













Non-butyl water-based cleaner & degreaser. Use on any surface where grease and oil residue are a problem.





DB51410 5L

Compare Neutral Detergent A versatile, general purpose detergent. Concentrated formula makes cleaning economical and efficient.



Hard Surface Care chemicals . detergents . degreasers . drain



All Purpose Cleaners

Take the guesswork out of dilution!



DB53379 120 Tabs UniTab Disinfectant Tablets

Effervescent disinfectant and sanitizer tablet that just requires water. The single dose tablet delivers accurate strength solution every time, eliminating measure and pour guesswork.



95008 3.78L 483223

650mL Fantastik Multi-Surface Disinfectant

One multi-purpose product to streamline your inventory. Kills 99.9% of bacteria and viruses; removes 100% of soap scum and grease.



-ALLEN'S

10511 4L

Allen's Industrial Pure White Vinegar

Popular household cleanser, effective for killing most mold, bacteria, and germs. Environmentally friendly, economical cleaning solution. 5% acetic acid.





10030400 3.78L

Spectaculoso Multi-Purpose Cleaner

Cleans and deodorizes most water-washable surfaces. Economical concentrated formula saves you money.



11519 12oz 15oz 11522

Bar Keeper's Friend Cleaner & Polish

Premium household cleanser with a non bleach formula. Sprinkle Bar Keepers Friend on a wet surface and rub gently with a wet cloth or sponge.





11637 13oz Bar Keepers Friend Soft Cleanser

Liquid cleanser with the power of citric acid. Non-abrasive pre-mixed formula is thick enough for vertical applications.



Bio-Bac II Bio-Based Cleaner Deodorizer

A blend of surfactant and bio-cleaning agents that provides a revolutionary cleaning solution. Penetrates hard surfaces to remove organic soils in a safe and efficient way.



Urinal Drain Cleaner Tough drain blockages and restrictions from uric acid salt buildup and foul odors. Safe to use on ABS, PVC, and Copper pipes, as well,

it is safe to use in septic tanks.

JÄŲELIN

JL1000 946mL Tub & Sink Drain Treatment

Heavier liquid drain opener bores through standing water to the clog where it is needed. Safe on PVC, cast iron, copper and ABS drain line, rubber seals, porcelain and is safe for use in grease traps and septic systems.



Powerful and fast acting solution for drainage issues as it clears the toughest clogs from any drain quickly. Safe for all septic systems and pipes, including PVC, plastic, and old pipes.



00023 11 Powerhouse Drain Opener

FOUNDATIONS

Concentrated sulfuric acid liquid drain cleaner goes to work immediately on all waste and debris clogged drains immediately.





Appliance Care oven . freezer . laundry

Oven, Fryer, & Grills



10010400 3.78L

CBETCO.

Oven, Fryer, & Grill Cleaner

Designed to penetrate the deposits and break the chemical bond, releasing the baked-on deposits from the oven surface. This non-fuming product works fast and leaves a fresh fragrance behind.

Dishwashing Detergent



Dish Shine Liquid Dish Detergent

Detergents and foam boosters are utilized in this hand dishwashing liquid, making it tough on grease but mild on hands. Lemon scent.

Laundry



CBD95729888 18kg

Whistle® Multi-Purpose Powder Detergent effective multi-surface cleaner for floors, counters, walls, appliances and other hard surfaces

Sealed Air

★ TOP SELLER

91206 539q Sealed Air Break-Up

Professional Oven & Grill Cleaner

Institutional formula with heavy duty cleaning power for fast and easy cleaning of institutional, industrial, and commercial surfaces. Works immediately on warm or cold ovens.

Freezer / Ice Machine



Super-Kool Ice Machine Cleaner

Economical, fast-acting, non-foaming acid sequestrant formula that quickly removes soil and mineral buildup. Will not attack nickel or other metal components.



4750400 3.78L

Symplicity Duet-L Laundry Detergent

All-in-One Liquid designed for residential style machines. Brightens and whitens as it safely lifts stubborn dirt and stains. Performs well in all water temperatures.



DB53895 4L Fryer & Griddle Cleaner

Quickly penetrates and emulsifies baked on grease, oil and carbon on metal surfaces, leaving behind a clean and odour-free surface.





2480400 3.78L Symplicity L-S-R Machine Delimer

Concentrated delimer formulated with a blend of organic and inorganic acids combined with controlled foam surfactants for superior performance.





Floor Care

strippers . finishes . sealers . maintainers





Dynamite Floor Stripper & Degreaser

An effective stripper that penetrates deep to remove stubborn sealer, finishes and heavy buildups. A true odourless, fast acting stripper that is ideal for areas with sensitive air quality or involve 24/7 operations.



Film Away Neutral Detergent

Dustbane D.S.T. technology gives you a great cleaner, combined with a neutralizing feature for ice melter residues. Reduces the risk of leaving your floor with an unbalanced



pH7 Neutral Daily Floor Cleaner

This mild cleaner will emulsify and suspend dirt and grime from table tops to floors. Neutral pH won't attack, haze, dull floor gloss or leave a film. Dissolves and removes a wide variety of soils, leaving floors film free.



DB53540 5L

Dustbane Neutralizer Floor Cleaner

Penetrating action conditions floors by neutralizing and cleaning stripper residues. May also be used to remove ice melter residues.



Gard Floor Sealer

Designed as a base coat to protect floors. Boasts superior levels of durability, is detergent resistant and leaves a smooth surface for the application of floor finish.



DB53784 5L Accolade Sealer & Finish

Maintainers

Seals and finishes in one easy step; providing exceptional gloss and leveling. Specifically formulated to protect both resilient and non-resilient floors.



Hard As Nails Floor Finish

Highly durable internally cross-linked polymers blended to achieve a harder floor finish film. Unique chemistry results in an high gloss, long wearing finish that cures faster and harder than any other metal-interlock finish.



DB52020 5L

Gran-Prix XL All Systems Floor Finish

Innovative floor maintenance solution with versatile, acrylic copolymer based formula, it's the perfect floor finish for all maintenance systems.



Challenger UHS Floor Cleaner/Maintainer

Cleans and restores gloss in one operation. Specifically formulated to clean floors maintained with ultra high-speed finishes. Reducing the need to strip floors.



Mr. Clean Professional Floor Cleaner

Excellent cleaning and shine preservation for a wide range of shiny finished floors. Can be used as a versatile all-purpose cleaner for walls, tables, countertops, restrooms, and a wide variety of other surfaces.



DB52509 50lb

Biodegradable Sweeping Compound

Use to clean and reduce airborne dirt and dust during sweeping of sealed and unsealed wood, concrete and metal floors.



Floor Dry Absorbent

High-purity diatomaceous earth that has been calcined for superior absorbency to meet the demanding needs of industrial and custodial users. Absorbs twice as much liquid as competitors.



Removers



PF004806 133mL PF002416 474mL **PF002617** 650mL spray

Goof Off Remover

Works like magic to quickly remove difficult mistakes, spots and messes that ordinary household cleaners can't. Powerful, micro-emulsion formula penetrates deep to make tough cleaning easy.



236mL Goo Gone Original Adhesive Remover

Citrus power and scientific technology combine to defeat the toughest stains. Goo Gone can be used on hard surfaces, carpeting, upholstery, clothing and more.





DB50247 1L Doodle Buster Graffiti Remover

Graffiti Removers

Foaming, neutral pH formula quickly eliminates aerosol paints, markers, pen ink, makeup and hair dye stains, from a variety of surfaces.



482g **DB50174**

Graffiti Remover Fast, effective and easy to use mark remover. Use on any hard surfaces such as glazed and unglazed tile, oil based painted surfaces, baked enamel, ceramics, etc.



WD00932 650mL

prevent them from returning.

Spot Shot Carpet Stain & Odor Eliminator. Formulated to safely and permanently eliminate tough stains and odors and



4251200 946mL FibrePRO Spot Bet Stain Remover

Easy to use all purpose carpet spotter combines detergent and deodorant technology to remove the most stubborn spots and stains.

Glass Cleaners



DB53709 5L Expo Window & Glass Cleaner

Eco-friendly liquid glass cleaner leaves glass, windows and mirrors sparkling clean and free of streaks.



00309 CB006722

3.78L Windex Original Glass Cleaner

765mL

Trusted by generations of consumers for its famous streak-free shine, Windex Original is perfect for cleaning glass and more.



AD458 3.78L

conditions.

Turbo Power Windshield Washer Fluid. All season windshield washer protects from freezing down to -40°C. Provides excellent grime, salt, and snow cleaning performance under cold weather



SW050CC 539g Sprayway Glass Cleaner

Easy-to use, fast acting product uses a clinging foam to break up soils and hold them - even on vertical surfaces. No dripping, running, or streaking.



46001AG

Solstice Window Cleaning Starter Kit

Includes 3x10' extension pole, 10" and 14" scrubber refill, 10" and 14" scrubber t-bar, 10", 14", and 18" squeegee channel, and squeegee handle.



46618AG 18"

Solstice Squeegee Handle with Channel High-quality window cleaning tool designed for professional use. Ergonomically-contoured polypropylene handle has been designed to fit comfortably in the hand while ensuring a non-slip grip even when wet.



46510AG 10" 46514AG 14"

Solstice Scrubber & T-Bar

Sturdy polypropylene t-bar paired with a cut pile microfibre scrubbing sleeve. Microfibre pile maximizes the scrubber's surface area, easily trapping dust and debris.

Personal Care

hand cleaners . dispensers . refills



Deck Mount Dispensers

DISPENSER



401310 402073

Chrome/Black Chrome

Rubbermaid OneShot Liquid Dispenser

The One Shot system sets the standard for quality and reliability in counter-mounted soap dispensing. Luxurious formulas encourage healthy hand washing, and patented Smart Sensor technology detects hands, automatically delivering the perfect amount of soap - every time!

REFILLS



800mL x 4 4015411 1600mL x 4

OneShot Enriched Lotion Soap

Enriched with glycerin, silk proteins, aloe vera and Vitamin E. Hypoallergenic for sensitive skin. Rich, teal pearlized appearance with a light, passion flower fragrance.

4013131 800mL x 4

OneShot Green Certified Lotion Soap

Hypoallergenic for sensitive skin. Green Seal certified. Rich, white pearlized appearance with a fresh, light honeysuckle fragrance.

Dispensers



B-822 4" Chrome Spout **B-8226** 6" Chrome Spout

Countermount Soap Dispenser Corrosion resistant soap dispenser has vandal-resistant locking cover and free-turning spout. 34-fl. oz. capacity.



B-2111

4-3/4"W x 8"H B-2111 B-4112 7"W x 6"H

Surface Mount Soap Dispenser

Constructed of 304 stainless steel with satin-finish. Vandal-resistant with clear refill window. 40-fl. oz. capacity.



DB51701 800mL Cap. Bulk Fill Soap Dispenser

Easy to see fill level, is easy to install and diswasher safe. Dispenses 1ml of product per pump.



★ TOP SELLER 9330

887mL Cap. Clear-Vu Bulk Fill Hand Soap Dispenser

Accommodates a wide variety of liquid and lotion soaps including antibacterial and antimicrobial soaps. Dispenses 1cc of product per pump.



BETCO

9186800 1000mL Black 9186600 1000mL White

Betco Clario Touch-Free Foaming Soap Dispenser. Batteries included. Excellent foam quality. Uses same 1000 ml bag as Clario™ Manual dispensers.



BETCO

9182200 1000mL Black Betco Clario Manual Foaming Dispenser. Large site glass for easy products identification and maintenance. Precise portion control for cost-effective dispensing.

Hand Cleaners



DB55896 5L

Corsage Pink Hand Soap

Moisturizes and softens hands while cleaning. A pleasure to use because of the rich lather and pleasant fragrance.



DB50220 4L

Tradition Liquid Hand Cleaner

With its luxurious lather, this ecological liquid hand soap removes dirt and rinses clean, leaving skin feeling clean and soft.



REFILLS For Betco Clario Touch-Free & Manual Foaming Soap Dispensers

7502900 Pink 7152900 Green Earth Clear 7512907 Orange Antibacterial Tradition Liquid Hand Cleaner

Betco Clario Refill Bags, 1000mL. Foaming Skin Cleaner.





Personal Care

hand sanitizers . dispensers . refills

Wall Mount Dispensers

DISPENSER







354019201 1200mL Cap Purell LTX-12 Touch Free Dispenser

Reliable touch-free dispensing. Gojo smart, trouble-free electronics eliminate battery changes in most installations. Large sight window and skylight for at-a-glance product monitoring. ADA Compliant







1903-02-CAN00 1200mL x 2

Purell Advanced Hand Rub

Kills 99.9% of germs on hands. Green certified, fragrance-free, dye-free gel formulation. Includes a nourishing blend of four different skin conditioners. Patent-pending controlled collapse technology maintains bottle shape longer while emptying. Sanitary sealed refill helps prevent contamination.





2120-06 1000mL Cap Purell NXT Hand Sanitizer Dispenser

Space-saving dispenser that holds a whopping 1000 ml of product. ADA compliant for away-from-sink placement.



Purell

2770-08-CAN00 1000mL x 8

Purell Advanced Hand Rub

Kills 99.9% of germs on hands. Green certified, fragrance-free, dye-free gel formulation. Includes a nourishing blend of four different skin conditioners. Sanitary sealed refill helps prevent contamination.







2720-12 1200mL Cap Purell TFX Touch Free Dispenser

High capacity refill dispenser can carry up to 1200 ml. Front skylight to visually determine when a refill is needed. The dispenser will automatically turn off when it is opened. Fully ADA compliant.



Purell

5395-02 1200mL x 2 Purell Advanced Hand Rub

Kills 99.9% of germs on hands. Green certified, fragrance-free, dye-free gel formulation. Includes a nourishing blend of four different skin conditioners. Sanitary sealed refill helps prevent contamination.

Pumps



Purell

9651-24 Original, 3.9oz 20-14 Original, 8oz

9659-12 Refreshing Aloe, 12oz

Purell Hand Sanitizer

The brand people know and trust. Easy to use and as safe on hands as regular soap and water, alcohol-based Purell kills harmful germs. 70% ethyl alcohol.



Purell

9031-06EA 175 Wipes

Purell Hand Sanitizing Wipes

Antimicrobial pre-moistened hand wipes with 62% ethyl alcohol to help reduce the number of germs on hands. Kills harmful bacteria and germs; fragrance and dye free.

Washroom Care

cleaners, bowls, urinals, tub, tile



Bowl/Urinal Cleaners



Powerful 24% hydrochloric acid based cleaner for ceramic toilet bowls and urinals only. Removes heavy lime, rust, scum and common organic soils.



Presto Disinfectant Bowl Cleaner

A 10% hydrochloric acid cleaner that effectively removes rust, stains, scale, and hard water deposits instantly. Does not harm plumbing and septic systems.



Pull Heavy Duty Toilet Bowl Cleaner

23% hydrochloric acid toilet bowl cleaner was carefully formulated with added detergents, to ensure it will work quickly and remove even the most stubborn rust, scale and mineral deposits. Ideal for hard water areas.



Kling Thickened Acid Toilet Bowl Cleaner

Thickened, 9% hydrochloric acid toilet bowl cleaner contains detergents and compounds that quickly remove rust, scale, and hard water mineral deposits. Clings to vertical




JAN6 Stick w/Handle Pumie Scouring Porcelain & Tile Cleaner.

Cleans where chemicals fail. Pumie works through gentle abrasive action. Scours away mineral deposits, rust, stains and scale from sinks, tubs and showers. Removes unsightly toilet rings.



Washroom Cleaners



DB53732 1L **DB53734** 5L

Aqua Scrub Cleaner & Polish

One-step cleaner and polisher has efficient cleaning abilities. Its high viscosity allows it to cling to surfaces to give optimum contact time. An effective acid replacement cleaner.



Blu-Lite Disinfecting Bowl Cleaner

An all-in-one cleaner, disinfectant, descalent and deodorizer. Complete solution for washroom maintenance. Works quickly to dissolve scale, hard water deposits, rust, salt deposits.




00027 Powerhouse Lime Licker

This phosphoric acid oxide and scale remover is used to quickly remove scale and/or oxidation build-up from a variety of surfaces



T'N'T Tub & Tile Cleaner

This phosphoric acid washroom cleaner is designed to quickly and effectively remove uric encrustation, organic waste deposits, iron stains, hard water scale and other soils from toilets, urinals, shower stalls and other related surfaces.



Text your local branch and get a hold of the

sales desk directly!



Odour Care

air fresheners . odour removers . aerosols



DB51144 5L

AquaScent Water Soluble Deodorizer

Utilizes premium natural fragrance oils, and unprecedented residual performance to give your "clean image" a refreshing boost.



Stink Relief Odour Eliminator

Assures destruction of noxious odours while neutralizing- leaving a long lasting fragrance. Causes biocatalytic action that transforms the molecular structure of the odour into water and carbon dioxide.



Disappear Malodour Counteractant Effectively counteracts and eliminates a broad spectrum of unpleasant odours. Its ultra powerful formula makes any undesirable odour disappear quickly without using or leaving an overpowering, masking perfume.



DB51017 5L Friendly Air Air Freshener

Advanced concept in malodour removal that eliminates disagreeable and lingering odours. Safe, non-toxic and nonflammable, it will not stain any material unaffected by plain water.




DB50175 369q Citrus Air Air Freshener

fragrance that neutralizes odours trapped in carpets, rugs, and upholstery on contact.



DB50162 425g Disinfectant Deodorant

Disinfects and deodorizes in one process! The final step in leaving any hard porous surface both disinfected and smelling clean and fresh.







E301428300 E301430800 E301434400 E301433700

vent and enjoy the fragrance.

Dual Scent

E301433400 New Car & Cool Breeze Refresh Your Car® Vent Sticks. Affordable and easy-to-use, simply insert them in your

Very Cherry New Car E301434200 Alpine Mead. & Summer Brze.



07100 275g Febreze Air Effects

Sweeps away stifling odors using our patented technology & leaves only a clean, refreshing scent.



0622300 454g Smoke & Odour Eliminator

Water based aerosol with Neutrabond malodor counteractant technology and specially blended fragrances. Eliminates the toughest smoke and burnt odors in any room



Odour Care

air fresheners, dispensers, refills, urinal



Metered

DISPENSER





7531L

Hospeco AirWorks Metered Aerosol Dispenser

Spray timer adjusts to release aerosol at 5, 10, 15 or 20-minute interval. 24-hour/ day (light sensing) modes of operation. Wall mount is easy to refill. Longer-lasting battery





EcoAir 2.0 Passive Freshener System

Delivers a powerful, consistent freshness for 30 days. Capable of freshening your largest spaces without the use of batteries or fans.







Citrus Grove 7931 Very Vanilla 7915 7917 Mango Madness 7918 Fresh Linen 7908 **Tropical Tradewinds** 7932 Fresh Garden

7929 Fruit Basket

Hospeco AirWorks Aerosol Refills

Provides up to 3,400 metered sprays. 7 oz. can provides 30 days of continuous deodorization and can cover up to 6000sq.ft. V.O.C. compliant. Universal spray actuator fits most dispensers



EA36HM Herbal Mint EA36KG Kiwi Grapefruit EA36CT Citrus EA36SA Spiced Apple EA36CB Cotton Blossom Cucumber Melon EA36CM

Low Intensity Cucumber M.

High Intensity Herbal Mint

EcoAir 2.0 Passive Freshener Refill

Universal fit air freshener refill fits a variety of dispenser brands. Freshens the air for 30-days. 100% recyclable. 6/case

Urinal Supplies



WAVE CUCUMBERMELON WAVE HERBALMINT WAVE KIWI/GFRUIT WAVE OCEANMIST WAVE FABULOUS

Wave 3D Urinal Screens

WAVE COTTONBLOSSOM WAVE SPICEDAPPLE WAVE CITRUS WAVE MANGO

Combines the patented technology of a 30 day urinal air freshener/deodorizer, with the absolute splash elimination available due to it's two sided design. Unique hexagon post & lattice technology eliminates 99% of urine splash, saving custodial cleaning time and patron pant splatters. Wave 3D also provides an easy to use out indicator system to assist in timely maintenance.

Hand Dryers



307174-01 Nickel Dyson HU02 Airblade V Quiet.

- 30% Quieter
- HEPA Filtration
- Slim Profile
- Hands are dry in 12 seconds



307172-01 Nickel Dyson HU02 Airblade V Quiet.

- 30% Quieter
- HEPA Filtration
- Slim Profile
- Hands are dry in 12 seconds



247659-01 Nickel (1000W) Dyson WD04 Airblade Wash & Dry Tap, Short

- HEPA filtered
- V4 Digital motor technology spins at 81,000rpm
- Hands dry in up to 14 secs 6.25"H x 11.25"L x 12"W





247669-01 Nickel (1000W) Dyson WD06 Airblade Wash & Dry Tap, Wall.

- HEPA filtered
- V4 Digital motor technology spins at 81,000rpm
- Hands dry in up to 14 secs 12.25"L x 12"W





Dispensers hand towel . toilet tissue





Heavy Duty Dispenser

146 Single - Polished Chrome Ideal for areas requiring a heavy duty economical dispenser. Non-proprietary dispenser leads to cost savings for end users and property managers Paper: Standard toilet tissue rolls



DOUBLE ROLL

Heavy Duty Dispenser

150 Double - Polished Chrome Ideal for areas requiring a heavy duty economical dispenser. Non-proprietary dispenser leads to cost savings for end users and property managers

Paper: Standard toilet tissue rolls



TORK

SINGLE ROLL

Jumbo Toilet Paper Dispenser

66TR Smoke

High capacity for reduced costs and fewer service interruptions. Built-in pilferage control.

Paper: 05112

Size: 11.8"H x 10.6"W x 5.9"D



DOUBLE ROLL

Jumbo Toilet Paper Dispenser

56TR Smoke

See-through front reduces maintenance, allowing for quick and easy service checks and less downtime.

Paper: 05112

Size: 11.8"H x 19.3"W x 5.5"D



FOLD OR ROLL

Universal Towel Dispenser

★ TOP SELLER 101 White

103 Stainless Steel Industry-standard, straightforward design makes this product extremely user friendly and also reduces the risk of

product malfunction. Paper: 01900, 01920, 102542, 101377 Size: 9.5"H x 10.5"W x 6.75"D



FOLD

C-Fold & Multifold Dispenser

B-3699 Stainless Steel

Surface mounted paper towel dispenser and waste receptacle. 2-gallon capacity waste

Paper: 01900, 01920, 102542, 101377 Size: 14.5"W x 28"H x 4.25"D





ROLL TOP SELLER

H21 Lever Paper Dispenser

Smoke

Translucent cover is easy to clean and maintain. Only touch the paper you need. Lever controlled consumption means less waste, lower costs and stub roll auto-transfer feature.

Paper: V03570, 01240, 01501, 01600, 01855,01830

TORK Size: 15.5" H x 12.94" W x 9.25"D



ROLL

H21 Touch Free Towel Dispenser

86ECO Smoke

Electronic Touch-free dispenser virtually eliminates cross contamination while reducing towel waste. 10" towel is ready for the user at all times with a new towel dispensed as soon as one has been

Paper: V03570, 01240, 01501, 01855,

01830, 01600

Size: 14.39"H x 11.78"W x 9.12"D



ROLL

H1 Elevation Matic Towel Dispenser

551028A Black

Hands free dispensing provides a hygienic, one-at-a-time solution for your washroom. The user touches only the towel needed - reducing the risk of cross-contamination.

Paper: 290089, 290088 Size: 13.2"W x 14.7"H x 8"D



Need an answer now?

Text your local branch and get a hold of the sales desk directly!





Paper Products toilet paper . facial tissue . rolls



Toilet Tissue



White Swan 2-Ply Toilet Tissue						R	Swan	
Part #	Description	Colour	Ply	Sheet Size	Sheets/ Roll	Roll Dia	Rolls/ Case	Sheets/ Case
05144	Toilet Paper	White	2	4.2" x 3.8"	429	-	48	-

4.2" wide sheet allows the roll to fit in most dispensers. Made with 100% recycled fibre and at least 88% post-consumer content.



Purex 2-Ply	Purex 2-Ply Premium Bathroom Tissue						-600	Purex
Part #	Description	Colour	Ply	Sheet Size	Sheets/ Roll	Roll Dia	Rolls/ Case	Sheets/ Case
05705	Toilet Paper	White	2	4.2" x 4"	506	-	60	-

Premium quality, quilted embossed 2-ply bathroom tissue. Individually poly overwrapped rolls are hygienic, reduce risk of moisture damage, and recyclable. Made with 100% recycled fibre and at least 88% post-consumer content.



Metro 2-Ply	Jumbo Toilet Tissu	★ TOP SELLE	R	METRO					
Part #	Description	Colour	Ply	Foot/ Width	Sheets/ Roll	Core Dia	Rolls/ Case	Sheets/ Case	
05112	Jumbo Tissue	White	2	1000' x 3.3"	-	-3.3"	12	-	

Economical choice for cost-conscious buyers. Provides standard softness, absorbency, and strength. Jumbo rolls are ideal for high traffic washrooms as it reduces the risk of runouts and saves on service time.

Facial Tissue



White Swan				Swan				
Part #	Description	Colour	Ply	Sheet Size	Tissue/ Pack	Roll Dia	Packs/ Case	Sheets/ Case
08301	Tissue	White	2	7.4" x 8.2"	100	_	30	-

Packaging design matches White Swan bathroom tissue for a coordinated look. Flat pack carton dimensions fit into a recessed wall or in counter dispensers.

Paper Towel



Tork Univers	al 2-Ply Perforated F	Paper Towel			★ TOP SELLER	₹	Polle/ Sheets/			
Part #			Towel Size	Sheets/ Roll	Roll Dia	Rolls/ Case	Sheets/ Case			
HB1995	Perforated Jumbo	White	2	11" x 9"	210	5.45"	12	2520		

High-bulk, 2-ply construction maximizes absorbency for superior spill holding power using fewer towels. Ideal for cleaning and wiping all surfaces. Made from 100% recycled fibers has environmental benefits and is a positive image builder.



White Swar	White Swan 2-Ply Perforated Paper Towel						★ TOP SELLER		
Part #	Description	Colour	Ply	Towel Size	Sheets/ Roll	Roll Dia	Rolls/ Case	Sheets/ Case	
01702	Perforated Regular	White	2	11" x 8.3"	70	4.6"	30	2100	
01890	Perforated Regular	White	2	11" x 9"	90	4.6"	24	2160	

White Swan Professional Towels work beyond the kitchen and are suitable for use as a light duty wiper. Individually wrapped rolls with poly film help prevent contamination. Made with 100% recycled fibre and at least 88% post-consumer content.



Paper Products

hand towels . rolls . paper towels

Paper Towel





An economical choice that helps protect our environment. Standard dispensing performance and strength. Superior workmanship and consistent quality that end-users can depend on. Made with 100% recycled fibre and at least 88% post-consumer content.



Multifold 1-I	Multifold 1-Ply Hand Towel						Swan Pur		
Part #	Description	Colour	Ply	Towel Size	Sheets/ Pack	Roll Dia	Rolls/ Case	Packs/ Case	
01920	Multifold	White	1	9.5" X 9"	334	-	-	12	
101377	Multifold	Natural	1	9.5" X 9"	250	-	-	16	

Good absorbency and hand drying efficiency in a folded towel. Standard dispensing performance and strength. Made with 100% recycled fibre and at least 88% post-consumer content.



Metro M2 2	-Ply Centerfeed Towe		★ TOP SELLER	P SELLER Emb				
Part #	Description	Colour	Ply	Towel Size	Sheets/ Roll	Core Dia	Rolls/ Case	Feet/ Roll
01322	Centerfeed	White	2	7.8" x 8"	600	2.5"	6	400
01320	Centerfeed	White	2	7.8" x 11.9"	600	3.3"	6	595

High quality 2-ply centre pull towel offers better absorbency and hand drying efficiency. 12" long sheets are perforated for smooth dispensing. Made with 80% recycled fibre and 70% post-consumer content



Tork M2 2-F	Tork M2 2-Ply Advanced Centerfeed Towel						-600	TORK
Part#	Description	Colour	Ply	Towel Size	Sheets/ Roll	Core Dia	Rolls/ Case	Feet/ Roll
121202	Centerfeed	White	2	8.25" x 11.8"	610	2.9"	6	600

Tork Advanced centerfeed towels offer one-at-a-time service, and reduces waste. High capacity, reduces labor and refills. High absorbency means less towels used. Touch only dispensing towel reduces cross contamination. Made from 100% recycled fiber provides environmental benefits, and a positive image builder.



Universal 1	-Ply Roll Hand Towel								
Part #	Description	Colour	Ply	Roll Size	Sheets/ Roll	Core Dia	Rolls/ Case	Feet/ Case	
01501	Universal 205'	White	1	7.5"	205'	2"	24	4920	METRO
01830	Universal 205'	Natural	1	7.5"	205'	2"	24	4920	
01600	Universal 500'	White	1	8"	500'	2"	12	6000	SWI
V03570	Universal 800'	White	1	8"	800'	1.8"	6	4800	Silia
01855	Universal 800'	Natural	1	8"	800'	2"	6	4800	○Reliable

An economical choice that helps protect our environment. Standard dispensing performance and strength. Superior workmanship and consistent quality that end-users can depend on. Made from 100% recycled fibre and at least 88% post-consumer content.



Tork H1 1-P	ly Advanced Hand To	owel				TORK		
Part #	Description	Colour	Ply	Roll Size	Towels/ Roll	Core Dia	Rolls/ Case	Feet/ Roll
290089	Advanced	White	1	7.75"	884	1.49"	6	700
290088	Universal	Natural	1	7.75"	884	1.49	6	700

Soft, strong, and highly absorbent this towel offers the perfect combination of quality, performance, and value. Embossing enhances hand feel and maximum absorbency; fewer towels are used per hand dry. Towels are made from 100% recycled fiber provides environmental benefits, and a positive image builder.

Cleaning Equipment

sprayers . bottles . scrubbers . rags . dusters

Spray Heads & Bottles



3557 **HC0114** 3563 9.25

Multi-Purpose Trigger Sprayhead

Adjustable trigger sprayer can be a fine mist or a steady stream. Dip tubes are equipped with a filter screen.



Durable plastic withstands any harsh environment. Round shape with volume measurements

★ TOP SELLER

3571G 24oz 3572 32oz Plastic Spray Bottle

Durable plastic withstands any harsh environment. Round shape with graduations.







Designed to save time and labor **DB72000**

Handheld - Up to 2,800sq.ft. VP300ESK Backpack/with Tank - Up to 28,000sq.ft.

Victory Professional Electrostatic Sprayer

Patented electrostatic charge penetrates chemical providing a thin even spray pattern on all surfaces. Designed to save time and labor, spray less liquid, and cover more surfaces. Easy fill tank with onboard battery



Rags



3131B Blue 3131P Pink 3131Y Yellow 3131G Green

Microfibre Cloths

Microfibre is proven to pick up twice the bacteria and dirt as common hand wipes. Wash separately at 90°C. Do not use bleach or fabric softener.



★ TOP SELLER

13-536-10 10lbs Medium Duty Shop Rags

Coloured rags, similar to cotton T-shirt material. A good general purpose, medium quality wiper at a relatively low cost.



★ TOP SELLER

BARWIPES Terri-Cloth Bar Towels

Super absorbent to pick up spills. Can also be used damp to dust surfaces. All-natural and biodegradable 100% cotton.



450360EA 1 Roll 450360 30/Case

Tork Advanced ShopMax Shop Towel. Strong enough to power

through tough oil, grease and solvents, yet versatile enough to be an ideal everyday solution for general cleanup and spills. 60 Sheets/Roll.





11804 Starter Kit 10/Pack Refills 21459 Swiffer Dusters. Pick up dust and lock it away with thousands of flexible fluffy fibres. Lightly coated with Dust Lock Adhesive



82074 Starter Kit PG21620 6/Pack Refills Swiffer 360 Duster Extenders

Cleans deep into grooves and extends up to three feet to trap and lock up to 3X more dust than a feather duster. Four position swivel head and extendable handle up to 3 feet.



106AG 12/Pack Eraser Sponges

No detergent or chemicals needed. Just use dampen sponge with water to erase those tough stains on counter tops, in the shower or kitchen. Ideal for use on tough stains.





★ TOP SELLER

79009 6/Pack Mr. Clean Magic Eraser

4X stronger cleaning performance than the leading all-purpose bleach spray. It tackles your facilities most impossible dirt with



Cleaning Equipment

brushes . steel wool . lobby pans

Steel Wool



KA50SS 12/Pack Stainless Steel Scouring Sponges

Aggressive scourer will not rust and is made from one continuous piece of stainless steel - no loose ends to break



NA121158 #3, Coarse

NA121157 #2, Medium/Coarse

NA121156 #1, Medium (Household)

NA121155 #0. Fine (Scouring)

NA121154 #00, Very Fine (Metal Polish) Steel Wool



CL01346 10/Pack 98026 50/Pack

SOS Steel Wool Soap Pads

Made with powerful, durable steel wool and saturated with long-lasting soap, Makes cleaning jobs quicker and easier. Versatile enough for cleaning indoors and out.



7006 10/Pack

Medium Duty Scouring & Scrub Pads

Non-rusting and resilient, this synthetic pad is an ideal replacement for steel wool or stainless steel scrubbers.



7002G

Heavy Duty Scrub Sponge

Ideal for quick clean ups with the soft sponge side, and harder jobs with the tough scouring side.

Brushes



163

14" Radial Toilet Brush Soft Grip radial toilet brush includes a hang up hole and an under

3000

Toilet Bowl Swab

Resists acids and alkalinity, the soft bristles won't cause scratches on porcelain.



3452

18" Toilet Brush & Caddy Set

Reliable toilet bowl brush helps keep washrooms clean. Hole in the plastic handle allows for easy hanging.



4005

6" Iron Scrub Brush

Ergonomic handle for grip when scrubbing in light- to medium-duty applications.



4023G

9" Tile & Grout Brush

Hard, stiff bristles for tough scrubbing jobs such as tile, grout, and other hard to reach areas.

Lobby Dust Pans

the rim scrubber.



10182 4"H x 11"W Lobby Dust Pan

Hugs the floor for maximum pickup. Strong but light aluminum handle with ergonomic grip.



497-1 13-1/2"W x 14"D Jumbo Lobby Dust Pan

Hugs the floor for maximum pickup. Strong but light aluminum handle with ergonomic grip.



HC0353 Frame & Bag HC0356 Bag Only Litter Scoop

Heavy duty litter scoop has a metal frame and base with plastic ergonomic handle.

Brooms

interior . exterior . safety . buckets



Indoor Brooms



458-BS

Angle Broom

Ideal housekeeping broom. 48" metal handle with plastic cap



453 12" Magnetic Broom

Push Broom

Designed to pick up fine dust and dirt with ease. 3" split-tip synthetic bristles. Includes 48" metal handle.



4006

16" Jumbo Commercial Angle **Broom**

F hard to reach areas. Heavy-duty for exterior use. Includes 48" metal handle.



Lobby Corn Broom

Sturdy, short-handled corn broom for use in entrances and vestibules with 30" handle.



4001G 1 Wire/3 Strings 4002G 2 Wires/2 Strings Heavy Duty Corn Broom

For sweeping garages, deck, driveways and commercial use. Includes 48" commercial grade wood handle.



4061

4062 24" Push Broom For Fine Debris

Soft bristles ideal for sweeping smooth floors and dry debris. Includes 60" wood handle & steel brace.

18"



4063G 18" 4064G 24"

Push Broom For Medium Debris Medium bristles ideal for general sweeping. Includes 60" wood handle & steel brace.



4065G 4066G 24"

Push Broom For Heavy Debris

Rough bristles ideal for mud, leaves, rocks, landscaping. Includes 60" wood handle & steel brace

Floor Safety



Commercial Caution Wet Floor Sign. Bilingual English and French. Reduce slip and fall accidents in your facility.

MULTILINGUAL English, French

GL(S)BE

7200G 26" 7201G 36"

Commercial Caution Wet Floor Cone. Bilingual English and French. Improve safety of patrons and employees.

Buckets



800 15-quart Plastic Bucket with Wringer

Molded grip on bottom of bucket for easy pour. Steel handle with plastic grip.



16-quart Bee Mop Bucket

Graduated rectangular bucket specially designed to fit the Bee Mop. Spout ideal for pouring out dirty water without splashing.

Side Press



HC0080YE 26-quart Centurion Sidepress Mop Bucket & Wringer. 12oz or 32oz mop heads.



758088YEL 35-quart Rubbermaid Wavebrake Sidepress Mop Bucket & Wringer. Reduces splashing, for a safer environment, cleaner floors, and improved productivity.



3078 35-quart Centurion Sidepress Mop Bucket & Wringer. 12oz or 32oz mop heads



757788YEL 35-quart Rubbermaid Wavebrake Downpress Mop Bucket & Wringer. Reduces splashing, for a safer environment, cleaner floors, and improved productivity.



Mops mop handles refills

Mops



D708 8oz D7012 12oz D7016 16oz Cotton Yacht Deck Mop

Yacht mops are ideal for light duty use in an environment where laundering mops is not possible. Includes 48" metal handle.



117526 Complete Mop **117529** Refill

Classic Cotton Mop

A super absorbent classic, ideal for big cleaning jobs. The remarkable absorption and flexibility make it a tool of choice to deep clean both smooth and more irregular surfaces, but also to wipe out spills and splashes.



vileda

153029 Complete Mop **153040** Refill

Vileda SuperMop Microfibre Mop

Composed of Microfibre and cotton woven strings made to absorb, lift stubborn dirt, and polish to a shine. Ideal for cleaning rougher surfaces and deep inside grooves and



150939 Complete Mop **117612** Refill

Classic Bee Mop

Angled head makes thorough cleaning effortless. Light and easy to use. Keeps your hands dry.



3119G 54" **3120G** 60"

Fiberglass Mop Handles

Change mop heads in mere seconds. Clamps the mop head into place. Heavy-duty fiberglass for maximum strength.



Delivery may vary from courier to courier

Replacement Mop Heads







★ TOP SELLER

Part #	Туре	Band	Cut or Looped	Colour	Size
3085G	Synthetic	Narrow	Cut	White	12 oz
3086G	Synthetic	Narrow	Cut	White	16 oz
3087G	Synthetic	Narrow	Cut	White	20 oz
3088G	Synthetic	Narrow	Cut	White	24 oz
3089G	Synthetic	Narrow	Cut	White	32 oz
3012	Synthetic	Narrow	Looped	Blue	12 oz
3090	Synthetic	Narrow	Looped	Blue	16 oz
3091	Synthetic	Narrow	Looped	Blue	20 oz
3092	Synthetic	Narrow	Looped	Blue	24 oz
3832	Synthetic	Narrow	Looped	Blue	32 oz
30900	Synthetic	Narrow	Looped	Orange	16 oz

Part #	Туре	Band	Cut or Looped	Colour	Size
30910	Synthetic	Narrow	Looped	Orange	20 oz
30920	Synthetic	Narrow	Looped	Orange	24 oz
38320	Synthetic	Narrow	Looped	Orange	32 oz
3050B	Synthetic	Wide	Looped	Blue	16 oz
3051B	Synthetic	Wide	Looped	Blue	20 oz
3052B	Synthetic	Wide	Looped	Blue	24 oz
3096	Synthetic	Narrow	Cut	Blue	16 oz
3097	Synthetic	Narrow	Cut	Blue	20 oz
3098	Synthetic	Narrow	Cut	Blue	24 oz
3099	Synthetic	Narrow	Cut	Blue	32 oz

Vacuums

power heads, air mover





Vacuums



DB28560 3 Gal

Dustbane DB3 Dry Canister Vacuum

Extremely compact and easy to use. CFM..... 93 Motor..... 8 Amp dB rating...... 68 Filter...... 3 Stage Cord length ... 10'



DB28561 4 Gal

Dustbane Canister Vacuum w/Tool Kit Wet & Dry

Robust vacuum for hospitals, schools, daycare centres, or property management facilities.

CFM......93 Motor..... 1.2 HP dB rating...... 65 Filter..... 1 Stage Cord length ... 8'



Wet / Dry

0880-20

Milwaukee M18 Cordless LITHIUM-ION Wet/Dry Vacuum -Bare Tool

Works on all Milwaukee 18V slide-on batteries, RED LITHIUM™ or NiCd Powerful motor to provide strong suction and air flow. Tool box style for easy transport and storage. On-board accessory and hose storage. Built-in Blower Port. Ideal for both wet and dry applications. HEPA filter.





0882-20

Milwaukee M18 Compact Shop Vacuum Kit

High Performance Motor. Adapts from Handheld to Stationary. 40 CFM Removable HEPA Filter. Clear View and Easy to Empty Canister. Canister Volume: 36 oz



Upright Vacuum

Sanitaire

SC5845D

Sanitaire FORCE QuietClean Vacuum

The FORCE® QuietClean® upright vacuum with dirt cup and 15" cleaning path provides an exceptional clean. Featuring a washable HEPA filter to capture 99.97% of particles for cleaner emissions.

CFM...... 135 Motor..... 10 Amp dB rating...... 70.6 Cord length ... 40' Hose size..... 10' SOLD SEPARATELY

61840-1 HEPA Washable Filter



ProTeam

107330

ProTeam ProGen 15 Vacuum

Added performance and features for cleaning professionals. This commercial upright's increased maneuverability and animated dashboard display make this an upright like no other.

CFM..... 100 Motor..... 9.8 Amp dB rating 69 Cord length ... 50 Hose size..... 8' SOLD SEPARATELY 107377 Dust Bags, 12/Pack



Back Pack



107310

Proteam Super Coach Pro Backpack

Ergonomic design with patented articulating harness increases range of motion, reduces fatigue and improves productivity. Triangular shape fits closer to the body reducing the chance of bumping into doorways & walls.

CFM...... 159 Motor 9.5 Amp dB rating 66 Cord length ... 50' Hose size..... 59 x 1-1/2' SOLD SEPARATELY

107314 Dust Bags, 10/Pack





Air Movers



ProBlitz XP Air Mover

Ideal for small operations to large disaster or restoration projects. With 3 fan speeds and 3 operating positions, the ProBlitz XP AirMover tackles every air circulation requirement with ease.








Waste Containers

interior , exterior , accessories







1867531	263200RED	263288GRAY	263273BLUE
віаск	Red	Gray	Blue Recycle

166.6L (44gal) 24"D X 31-1/2"H Bag: 42" x 48"

Black	Red	Gray	Blue Recycle
264360BLA	264360RED	264360GRAY	264307BLUE

Rubbermaid Brute Series Containers

Durable, heavy-duty containers for a variety of uses. Built-in handles allow easy, non-slip lifting and anti-jam nesting. Double-ribbed base increases stability and dragging capacity. *Lids Sold Separately*.



87.1L (23gal) 20"L x 11"W x 30"H Bag: 30" x 38"

GL(S)BE

. (. 3 . / .				_	
Black	Gray	НОТ	Blue Recycle		
9512	9510G	ITEM	9513		

Lids

Black - Waste	Green - Recycle	Blue - Recycle
Swing	Bottle/Can	Paper
9515	9503	9501G

Globe Slim Containers

Globe Slim Containers are space efficient. Perfect for restaurants, bars, hotels, and anywhere with tight spaces. Colour-coded lids for waste separation and recycling.



				Connection Products
	Colour	Litres/Gallons	Size	Bag
295573BLUE	Blue Recycle	12.9L (13.58gal)	11-1/2"L x 8-1/4"W x 12"H	20" x 22"
295773BLUE	Blue Recycle	39L (41.25gal)	15-1/4"L x 11"W x 19-7/8"H	26" x 30"

Desk Side Recycling Container

An easy and effective way to recycle paper. Contains Post Consumer Recycled Resin (PCR) exceeding EPA guidelines. Designed to be used in systems with existing office containers and accessories.



26.6L (28gal)

14-3/8"L x 10-1/4"W x 15"H Bag: 20" x 24"

1+ 0/0 EX 10 1/	T TO A Day. 20 X 24
Black	Beige
295600BLA	295600BEIG

39L (41.25gal)

15-1/4"L x 11"W x 19-7/8"H Bag: 26" x 30"



Black Beige

295700BLA 295700BEIG

Desk Side Waste Container

Space-efficient and economical waste container, fits under standard desk height. All-plastic construction won't chip, rust or dent. Rolled rims add strength and are easy to clean.







	Colour	Litres/Gallons	Size	Bag
302-NL	White	54L (14gal)	13-3/4"L x 14-3/4"W x 26-3/4"H	26" x 36"
301-NL	White	80L (21gal)	13-3/4"L x 14-3/4"W x 34-3/4"H	26" x 36"



Frost free-standing series of waste containers can be used in almost any application. The medium and small garbage cans fit under most counter tops. All metal construction is ideally suited to fire protection and rugged



302-NL

				© 0.
	Colour	Litres/Gallons	Size	Bag
303-NL	White	50L (11gal)	15-3/4"L x 8"E x 33"H	26" x 36"
303-3NL	Stainless Steel	50L (11gal)	15-3/4"L x 8"E x 33"H	26" x 36"

Flip Lid Garbage Can

The Frost wall mounted waste receptacle is designed to conserve floor space in medium to light duty areas. All steel construction offers maximum fire protection with no openings on sides or bottom of unit.

Waste Containers

cigarette . garbage bags







26800 Gray

Cease-Fire Cigarette Butt Receptacle

The safe and attractive answer to cigarette butt disposal to keep your property clean. Justrite's proven Smokers Cease Fire technology & innovative self-extinguishing design safely collects unsightly cigarette butts and reduces the risk of fire.





257088BEIG 257088BRN

Black Beige Brown

Groundskeeper Smoking Post

Classic style, all-weather solution to an unsightly environmental problem. Restricted opening shields cigarette butts from view, weather and flow of oxygen. Securely holds large quantities of cigarette waste.





920F Black w/ Stainless Steel Outdoor Ash Bin

Help people butt out - Manage entrance and smoking areas with style. Easy access, large capacity receptacle. Holds 1.6 gallons of cigarettes. Concealed mounting screws for secure anchoring.



909-100



908 1 L - Ash Box 909 2.3 L - Ash Box 909-100 48"H X 6" - Post

Wall or Post Mounted Ashtrays

Heavy-duty all stainless unit is ideal for pedestrian common areas. 18 gauge stainless steel secured with a tumbler keyed lock.

Polyethics Industries

Garbage Bags



GG Series

Garbage Bags

Polyethics is the first manufacturer to use 100% recycled material to create 100% degradable products which are 100% recyclable, but that doesn't mean a lesser quality bag.

Regular General use, all purpose bag Good for heavier garbage Strong

Extra Strong Thicker, stronger and extra strength XX Strong Super strength for demanding needs XXX Strong Highest quality contractor grade 3mil thick

TOP SELLER

	Black Bags				
	Part#	Size	Capacity	Qty.	Strength
†	GG2022RB	20" x 22"	32 to 45L	500	Regular
\bigstar	GG2224RB	22" x 24"	32 to 45L	500	Regular
	GG2636RB	26" x 36"	45 to 71L	250	Regular
	GG2636SB	26" x 36"	45 to 71L	200	Strong
	GG2636XSB	26" x 36"	45 to 71L	125	Extra Strong
\bigstar	GG3038RB	30" x 38"	77 to 98L	250	Regular
\bigstar	GG3038SB	30" x 38"	77 to 98L	200	Strong
	GG3038XSB	30" x 38"	77 to 98L	125	Extra Strong
	GG3550RB	35" x 50"	115 to 187L	200	Regular
	GG3550SB	35" x 50"	115 to 187L	125	Strong
	GG3550XSB	35" x 50"	115 to 187L	100	Extra Strong
	GG3550XXSB	35" x 50"	115 to 187L	75	XX Strong
	GG3550XXXSB	35" x 50"	115 to 187L	50	XXX Strong
	234172	42" x 48"	125 to 225L	100	Strong
	GG4248XSB	42" x 48"	125 to 225L	100	Extra Strong

White Bags	

Part#	Size	Capacity	Qty.	Strength
GG2022RW	20" x 22"	32 to 45L	500	Regular
Clear Bags				

Part#	Size	Capacity	Qty.	Strength
GG2636RC	26" x 36"	45 to 71L	250	Regular
GG3038RC	30" x 38"	77 to 98L	250	Regular
GG3550SC	35" x 50"	115 to 187L	125	Strong
GG3550XSC	35" x 50"	115 to 187L	100	Extra Strong
GG4248SC	42" x 48"	125 to 225L	100	Strong
GG4248XSC	42" x 48"	125 to 225L	100	Extra Strong

Blue Bags				
Part#	Size	Capacity	Qty.	Strength
GG2636RBL	26" x 36"	45 to 71L	250	Regular
GG3038XSBL	30" x 38"	77 to 98L	125	Extra Strong
GG3550XSBL	35" x 50"	115 to 187L	100	Extra Strong

Carts



450088BLA 39"L X 17-7/8"W X 33-1/4"H

452088BLA

45-1/4"L X 25-7/8"W x 33-1/4" H
Heavy Duty Utility Cart - 500lb Capacity

Perfect for transporting materials, supplies, and heavy loads in almost any environment. Ergonomically designed push handle provides optimum hand placement and push height improving control and worker safety. Molded-in storage compartments, holsters, hooks, and notches.





Rolling Service Cart- 500lb Capacity

Easy rolling design with a built-in handle, 2 shelves and heavy duty casters. Handles up to 500 lbs while being lightweight and easy to maneuver.





GL BE

5001G

33"L x 17"W x 37"H, 200lbs cap.

5002G

40" x 19"W x 37"H, 300lbs cap.

3 Shelf Utility Cart

Ideal for offices, restaurants, healthcare facilities, and hotels. Strong sturdy handles for exceptional use.

Platform Carts





C000403

24" x 36" 660lb cap

Platform Cart

Quality steel construction with ribbed rubber mat and vinyl bumpers. 2 swivel and 2 fixed 5" castors for maneuverability.



440300BLA 36"L x 24"W, 500lb cap

440600BLA

36"L x 24"W, 1000lb cap Heavy Duty Platform Cart

Ideal for moving large, heavy loads in almost any environment. Ergonomically designed push handle improves control & worker safety. Molded-in tie-down slots for load security.









H003780 600lbs cap.

Heavy Duty Convertible Hand Truck

All steel construction with heavy-duty, solid tires converts from dolly to cart with ease.





440lbs cap.

Appliance Dolly with Ratchet

All steel construction with strap provides extra hold for appliances. Ratchet mechanism for tightening strap.

D Z

Fixtures urinals, toilets

Urinals & Toilets

Residential







Proflo Complete Toilet Kits

- 12" rough-in
- Incl. tank, bowl, toilet seat, and wax ring
- 2" glazed trapway
- Gravity fed siphon action jetted bowl
- Round/Elong bowl 15"H, ADA bowl 17"H

Complete Toilet in a Box!

PFCT100HEWH Round PFCT101HEWH Elongated 4.8L PFCT103HEWH Elongated ADA, 4.8L





Two Piece Toilet

Two Piece

Toilet

PROFLO

★ TOP SELLER

Proflo Two Piece Toilets

- Quick-connect
- 2" glazed trapway
- 2 bolt tank to bowl installation
- Gravity fed siphon action jetted bowl

BOWI:

PF1400TWH Round 15"H PF1401TWH Elongated 15"H PF1403TWH Elongated ADA 17"H

TANK - 12" Rough-In:

PF5112HEWH Unlined 4.8L PF5112UHEWH Lined 4.8L **PF5112WHM** Unlined 6L PF5112UWHM Lined 6L Dual 4.2L/6L **PF9312WH** Unlined

TANK - 10" Rough-In:

PF5110WHM Unlined

BOWL:

3517D101.020 Round 3517B101.020 Round Front, Right Height

3517C101.020 Elongated 3517A101.020 Elongated, Right Height

TANK - 12" Rough-In:

4188A004.020 Unlined 4188A104.020 Unlined 4.8L 4188A054.020 Lined 6L 4188A154.020 4.8L Lined

TANK - 10" Rough-In

4188B004.020 Unlined 6L 4188B104.020 4.8L Unlined



Commercial Toilets



Cadet Pro

- Metal trip lever and fill valve shank

- 2-1/8" glazed trapway
- PowerWash rim scrubs bowl every flush
- Round/Elong bowl 15"H
- Right Height bowl 16.5"H

Commercial Urinals







3351101.020 15" Rim Height Afwall Flowise Water Closet

High efficiency, low consumption. 1.1 to 1.6 GPF (4.2 to 6.0 LPF). 1-1/2" inlet spud.

Fully glazed 2-1/8" trapway.





3451001.020 15" Rim Height **3461001.020** 16.5" Rim Height (ADA)

Madera Flowise Water Closet

High efficiency, low consumption. 1.1 to 1.6 GPF (4.2 to 6.0 LPF). 1-1/2" inlet spud. Fully glazed 2-1/8" trapway.





6590001.020 White Washbrook Flowise Urinal High efficiency, low

consumption. 0.125 to 1.0 GPF (0.5 to 3.8 LPF). 3/4" inlet spud. Meets ANSI.







6581001.020 White Maybrook Flowise Urinal High efficiency, low consumption. 0.125 to 1.0 GPF

(0.5 to 3.8 LPF). 3/4" inlet spud. Meets ANSI.



Seat Not Included

Seat Not Included



Toilets bolts . wax rings . gaskets



★ TOP SELLER

1282102 2/Pack Toilet Floor Bolts

Plastic construction. 5/16" x 2-1/4"



PFC54A10 2/Pack

Toilet Floor Bolts

Solid brass construction. 5/16" x 2-1/4"



ULN206L 2/Pack

Extra Long Toilet Floor Bolts

Solid brass construction. 5/16" x 3"



ULN258 White Universal Toilet Bolt Caps



7115 White

Fluidmaster Toilet Bolt Caps



★ TOP SELLER

300J Hard Clear **7300J** Soft White

Wobble Wedges

Super-flexible, non-marring wedge shims that easily conform to the shape of whatever they support



Oatey

43651 4 **43654** 3

PVC Twist-N-Set Toilet Flange

Designed to replace broken cast iron closet flanges



21013

Quick Ring Repair Flange

Replaces any and all closet rings. Slotted for 1/4" or 5/16" closet bolts



386-080 386-140

386-140 Heavy 4" Closet Floor Flange

Solid brass construction



PFWR

Proflo Wax Ring

Fits 3" and 4" waste lines



PFWRWH

Proflo Wax Ring with Horn

Fits 3" and 4" waste lines



PROFLO

PFWRWHXWC Thick Heavy Duty

Proflo Wax Ring with Horn

Fits 3" and 4" waste lines



ULN209A

Toilet Tank to Bowl Kit

5/16" x 3". Includes 2 brass bolts, 2 brass nuts, 4 brass washers, 4 laminated washers and extra heavy Crane-type sponge gasket



ULN209

Toilet Tank to Bowl Kit

5/16" x 3". Includes 2 brass bolts, 2 brass nuts, 4 brass washers, 4 laminated washers and sponge gasket



<u>Uatey</u>

★ TOP SELLER





Toilets





Residential Molded Wood Seats - Closed Front

PART#	COLOUR	SHAPE	GRADE	COVER	HINGE	DESCRIPTION
500EC-000	White	Round	Residential	Yes	Easy-Clean & Change	Enameled wood
1500EC-000	White	Elongated	Residential	Yes	Easy-Clean & Change	Enameled wood



Residential Plastic Seats - Closed Front

4	TOP	SFI	LER
		0	

	(PPOETO
REMIS	(PROFILO

PART#	COLOUR	SHAPE	GRADE	COVER	HINGE	DESCRIPTION
PFTSE1000WH	White	Round	Residential	Yes	-	Impact resistant plastic
PFTSE2000WH	White	Elongated	Residential	Yes	-	Impact resistant plastic
70-000	White	Round	Residential	Yes	Easy-Clean & Change	Good quality option



Residential Slow Close Hinge Seats "Whisper" - Closed Front

BEMIS

BEMIS

PART#	COLOUR	SHAPE	GRADE	COVER	HINGE	DESCRIPTION
730SLEC-000	White	Round	Residential	Yes	Whisper-Close	Soft slow-closing lid and ring
7300SLEC-000	White	Elongated	Residential	Yes	Whisper-Close	Soft slow-closing lid and ring



Commercial Plastic Seats - Open Front

BEMIS

PART#	COLOUR	SHAPE	GRADE	COVER	HINGE	DESCRIPTION
955CT-000	White	Round	Heavy	No	304 Stainless Steel	STA-TITE fasting system
1955C-000	White	Elongated	Heavy	No	304 Stainless Steel	STA-TITE fasting system

KOHLER TOTO

Toilet, Installation and Repair Parts online www.AMREsupply.com









ULN201BK White **ULN201AK** Chrome 4" Short Toilet Lever

Plastic construction. American Standard replacement



ULN200MW White 1045 Chrome 9" Tank Lever

Plastic construction. Mansfield replacement



ULN200W White **ULN200CP** Chrome

8" Tank Lever

Plastic construction. Crane replacement



★ TOP SELLER **ULN200**

Chrome 8" Tank Lever

Full metal construction



ULN201TL Chrome 8" Tank Lever Metal/plastic construction 681C

White TOP SELLER Chrome

Fluidmaster Adjustable 4"-8" Tank Lever

Plastic construction. Lever can be trimmed and bent to fit most front, side and angle mount tanks



PROFLO

PF140990PK White ProFlo Tank Lever

Plastic construction. For use with PFCT/PF5112 toilets



MOEN

M5615 White Moen M-Line Tank Lever

Plastic construction. American Standard replacement



Toilet Repair flappers



7381193-200.0070A *American Standard 3" Toilet Flapper*Fits most Cadet Pro models



PF5112FRPKProflo 2" Toilet Flapper

Compatible with PF5112 toilets



ULN214GAmerican Standard 3" Snap-On Disc



Standard

ULN213American Standard Toilet Flapper



Standard

PROFLO

ULN213AAmerican Standard Vinyl Toilet Flapper





★ TOP SELLER

ULN214

Universal Fits All Replacement Toilet
Flapper



Fluidmaster Universal PerforMAX Toilet Flapper

Adjustable dial changes how long the flapper stays open during flush



Fluidmaster 3" Universal Toilet Flapper

Adjustable flapper arms and universal design ensure it will fit most 3" flush valve toilets



ULN213L

Crane Hornet Long Life Toilet Flapper
Includes no rust, no kink chain



Hornet 3" Long Life Toilet Flapper

Compatible with American Standard, Toto, Jacuzzi, and most 3" flush valve models



ULN214L

Hornet Long Life Vinyl Toilet Flapper Includes no rust, no kink chain

Toilet Repair flush valves . fill valves



Flush Valves



ULN218 Universal Flush Valve



PF5112FVPK Proflo 2" Flush Valve Assembly Fits most Proflo toilets

PROFLO



ULN214B American Standard Flush Valve Actuator Assembly




507A Fluidmaster 2" Universal Flush Valve



Fluidmaster 2" Universal Complete Flush Valve Repair Kit



Fluidmaster 3" Universal Complete Flush Valve Repair Kit





Includes adjustable flush valve, 3" flapper, gasket, bolts, washers and nuts



Fluidmaster Universal Fill Valve The most popular fill valve on the market! Universal fit for 1 and 2 piece toilets



PF9312FLPK ProFlo Anti-Siphon Fill Valve Compatible with PF312 toilet tanks

PROFLO



TSU99A Toto Universal Fill Valve



400CCRP4

Fluidmaster Universal Fill Valve & Flapper Kit

Universal fill valve design adjusts from 9" to 14" to fit most toilets



PRO45B Brass Shank Fluidmaster Pro Series PerforMAX Fill Valve

Constructed with a special shank that makes it the quietest fill valve on the market and reduces water hammer to almost nothing

PRO45



Sinks vanity . kitchen . laundry

Bathroom Sinks

Replaces Ovation #0222000.020 Replaces Colony II #0202004.020



PF20174WH PF20171WH

Replaces Yorkdale

#0203000.020

PROFLO

4" Centre Sinale Hole

Proflo Oval Drop-In Sink Concealed front overflow. 20-1/2"W x 17-1/2"L x 7-9/16"D



PF1714UAWH

Proflo Oval Undermount Sink Concealed front overflow. 19-1/2"W x 16"L x 7-1/2"D



PF1812UWH

Proflo Rectangle Undermount Sink Concealed front overflow. 21"W x 14-9/16"L x 8-1/4"D

Curtis Drop-In Sink

4" centerset faucet. Front overflow.

Replaces Coronette #1630004.020 contrac ★ TOP SELLER 4140BEW

> 20-5/8"W x 17-1/8"L x 7-5/8"D Faucet not included



Loland Drop-In Sink

4" centerset faucet. Front overflow. 21-1/4"W x 18-1/8"L x 7-1/8"D Faucet not included



contrac

4140BRW

Cailyn Drop-In Sink

Faucet not included

19"W x 19"L x 8-1/8"D

4" centerset faucet. Front overflow.

Kitchen Sinks

KINDRED

3-Hole, Centre Drain PSL2020/3 QSL2020-7-3 3-Hole, Rear Drain

Kindred Drop-In Sink

Constructed from 20 gauge, 18-8 stainless steel. Sink is fully undercoated. Includes 3-1/2" basket strainer waste fitting and installation kit. 20-1/2"W x 20"L x 7"D



3-Hole, Centre Drain 3-Hole, Rear Drain

Kindred Drop-In Sink

KINDRED

PDL2031-3

RDL2031/3

Constructed from 20 gauge, 18-8 stainless steel. Sink is fully undercoated. Includes 3-1/2" basket strainer waste fitting and installation kit. 31-1/4"W x 20-1/2"L x 7"D



BSL2120-9-1 Stainless Steel

Kindred Brookmore 1 Hole Kitchen Sink

Single bowl dual mount sink, rear drain hole and 21" minimum cabinet size. 18"W x 16"L x 8"D Included: 3-1/2" basket strainer waste fitting, installation hardware, instructions, templates for drop-in and undermount applications.

Service Sinks



PFMB2424S 24" x 24" x 10" **PFMB3624S** 36" x 24" x 10"

ProFlo Mop Sink Basin

Molded high density composite basin. Includes stainless steel drain.

Sink Repair

drains, strainers, waste kits



Waste Kits



3265-SJ Slip Joint Direct Connect 3265-DC

OS&B Continuous Waste Kit

20-gauge rough brass construction. 1-1/2", 16"L. *SJ shown in image



6265-SJ Slip Joint 6265-DC Direct Connect OS&B Continuous Waste Kit

Plastic construction. 1-1/2", 16"L.

*DC shown in image



808-6CP 808-8CP 1-1/4" x 8" **808-12CP** 1-1/4" x 12"

OS&B Extension Tube

22-gauge chrome plated brass construction. Slip joint connection



812-4RB 1-1/2" x 4" 1-1/2" x 6" 812-6RB 812-8RB 1-1/2" x 8" 812-10RB 1-1/2" x 10" 812-12RB 1-1/2" x 12"

OS&B Sink Tailpiece

22-gauge rough brass construction



3850A-6 1-1/2" x 6" 3850A-8 1-1/2" x 8"

OS&B Dishwasher Tailpiece

20-gauge rough brass construction. Direct connect connection

Strainer



2010DCT

Sink Strainer Assembly

Includes plastic arrow head strainer, cast nuts, and 4" tailpiece



209-801

Sink Strainer Assembly

Includes three prong basket strainer, cast nuts, and 4" tailpiece



ULN420C

Plastic Arrowhead Basket Strainer



ULN420A

Metal Arrowhead Basket Strainer



★ TOP SELLER **ULN418**

Metal Post Basket Strainer



ULN420B

Twist & Seal Basket Strainer



11-0908

Metal Post Basket Stainer



ULN502

5" Rubber Sink Stopper





ULN308C

Plastic Strainer Kit

Includes 2-3/8" and 3-1/4" strainers



Sink Repair p-traps.plugs.stoppers

110BRBLF PFPTB202

1-1/4" 1-1/2"

OS&B P-Trap

20-gauge rough brass construction. Ground joint connection





PFPTB200 110XBDCP PFPTB201

1-1/4" x 11" 1-1/4" x 18" 1-1/2" x 12-1/4'

Vanity Trap

20-gauge chrome plated brass construction. Ground joint connection





602433 1-1/2" ABS Schedule 40 P-Trap

With adjustable union and cleanout. HxH



★ TOP SELLER

602391 1-1/4" 602409 1-1/2" ABS Schedule 40 P-Trap

With adjustable union. H x H



ULN534 1-1/8" **ULN535** 1-1/4" **ULN536** 1-3/8"

ULN537 1-1/2" Lavatory Sink Plug



★ TOP SELLER

ULN501B 1" to 1-3/8" **ULN501C** 1" to 1-3/8" w/chain Fits All Lavatory Sink Plug



3697A

OS&B Plug & Chain Lavatory Drain

20-gauge chrome plated brass construction. 1-1/4" x 8", with overflow



PROFLO **PFBPUCPC**

Proflo Pop-Up Lavatory Drain

20-gauge chrome plated brass construction. 1-1/4" x 8", with overflow



3600Q-CP

OS&B Clicker Pop-Up Lavatory Drain 20-gauge chrome plated brass construction. 1-1/4" x 6", with overflow



QUALITY, VALUE, FUNCTION **Exclusive to AMRE**





0184000.020 Left Hand 0182000.020 Right Hand American Standard Colony Apron Tub

Porcelain on steel construction. Recessed bath with integral apron and tiling flange. 60"L x 30"W x 16-1/4"H

Shower Heads



★ TOP SELLER

2002 1.5 GPM P2001 2.5 GPM SureFlow Deluxe Showerhead

White/Chrome finish. Plastic construction



ULN505B 2.5 GPM Traditional Showerhead Black/Chrome finish. Plastic construction





RAI630-13 Chrome RAI630-12 White Rodam Fila Handshower 2.5 GPM. Plastic construction



0184\$00.020

Slip-Resistant Surface



Left Hand

MOEN ★ TOP SELLER

6300EP 1.75 GPM 6300M 2.5 GPM Moen Showerhead Chrome finish. Metal construction



RAI702-41 2.5 GPM Rodam Ondea Showerhead Chrome finish. Metal construction



59462-B-PK Chrome 59462-WHB-PK White Delta Handshower 2.5 GPM. Plastic construction

ODELTA



1208 1.5 GPM, Chrome LynCar Deluxe Massage Shower Head 3 function pulsating massage. Fingertip control. 1.5 GPM @ 60psi. CSA Approved.



ULN511SH 2.5 GPM

White finish. Plastic

hardware

construction. Includes

Economy Handshower Kit

wall bracket and mounting

4141-TP 2.0 GPM, Chrome Delta Touch-Clean Shower Head, with Arm and Flange.

Full Body Spray 2 1/2" Shower Head length 2 5/8" Spray face diameter



RAI130-31 2.5 GPM Rodam Shower Head

1 Setting. Water and energy saving. Concentrated Fine Spray



ODELTA

U4002-PK Chrome Delta Pin Mount Swivel Connector for Hand Shower. Lifetime Faucet and Finish Warranty



59" **ULN511C** ULN511CS 72" Flexible Stainless Steel Handshower Hose



Tub Repair

spouts . waste overflows . plugs



★ TOP SELLER

314CS-S Small Strainer / Chrome 314CS-L Large Strainer / Chrome OS&B Offset Waste & Overflow

20-gauge rough brass construction with chrome plated trim. Plug and chain stopper with upgraded SlideOn faceplate



6040CS Large Strainer / ABS OS&B Offset Waste & Overflow

OS&B Waste & Overflow Assembly, Plug & Chain Style, ABS Offset, Chrome. Features a SlideOn™ Faceplate



□□ BOW 571711

Bow Waste & Overflow Assembly, Lift & Turn Style, ABS Offset, No Pipe Included, Chrome.



★ TOP SELLER

ULN199B 1 Hole Waste & Overflow Cover Plate

Chrome plated finish. Plastic construction



OS B

324CP 2 Holes Waste & Overflow Cover Plate Chrome plated finish. Plastic construction



OS&B

338CP-S Small 1/4"Post 338CP-L Large 5/16" Post OS&B Bathtub Waste Strainer Accepts Clicker and Push-Pull cartridges



OSSE

320CP-S Small 1/4" Post **320CP-L** Large 5/16" Post OS&B Push-Pull Cartridge Chrome plated finish



OS B

330BCP-SSmall 1/4" Post **330BCP-L**Large 5/16" Post
OS&B Clicker Cartridge
Chrome plated finish



★ TOP SELLER

ULN501 1-1/2" to 2" **ULN501A** 1-1/2" to 2" w/chain Fits All Bathtub Plug



ULN196D

Universal Tub Spout 3/4" coarse thread with 1/2" fine thread bushing. Chrome plated finish



ULN195F

Universal Diverter Tub Spout 1/2" IPS, 3/4" IPS, or 1/2" nom. copper. Chrome plated finish



ULN197

Universal Diverter Tub Spout with Shower Hose Connection 1/2" or 3/4" IPS. Chrome plated finish



MOEN 3931

Moen Diverter Tub Spout
1/2" slip fit. Chrome plated
finish



2001-TP Pull Up Diverter
2003-TP Pull Down Diverter
Delta Diverter Tub Spout
1/2" slip fit. Chrome plated finish



◆ DELTA.

2002-TP Pull Up Diverter **2005-TP** Pull Down Diverter Delta Diverter Tub Spout 1/2" IPS. Chrome plated finish

Fittings





Schedule 40 Copper Adapter

Schedule 40 Copper Adapter			
PART#	HUB	SLIP JOINT	
601872	1-1/4"	1-1/4"	
601898	1-1/2"	1-1/2"	
601880	1-1/2"	1-1/4"	
601906	2"	2"	



Schedule 40 Trap Adapter

oonout of trap a tamperor			
PART#	HUB	SLIP JOINT	
601922	1-1/4"	1-1/4"	
601948	1-1/2"	1-1/2"	
601930	1-1/2"	1-1/4"	
601963	1-1/2"	1-1/2" or 1-1/4"	



Schedule 40 22.5° Elbow

PART#	HUB	HUB	
601039	1-1/4"	1-1/4"	
601047	1-1/2"	1-1/2"	
601054	2"	2"	
601062	3"	3"	



Schedule 40 45° Elbow

PART#	HUB	HUB
ABS451E	1-1/4"	1-1/4"
600890	1-1/2"	1-1/2"
600916	2"	2"
600932	3"	3"



Schedule 40 90° Elbow

PART#	HUB	HUB
600593	1-1/4"	1-1/4"
600601	1-1/2"	1-1/2"
600627	2"	2"
ABS903	3"	3"



Schedule 40 45° Street Elbow

PART#	SPIGOT	HUB	
600965	1-1/4"	1-1/4"	
600973	1-1/2"	1-1/2"	
600999	2"	2"	
601005	3"	3"	



Schedule 40 90° Street Elbow

PART#	SPIGOT	HUB	
600718	1-1/4"	1-1/4"	
600726	1-1/2"	1-1/2"	
600742	2"	2"	
600759	3"	3"	



Schedule 40 Coupling

PART#	HUB	HUB
601112	1-1/4"	1-1/4"
601120	1-1/2"	1-1/2"
601138	2"	2"
ABSCOU3	3"	3"



Schedule 40 Male Adapter

PART#	HUB	MPT
601260	1-1/4"	1-1/4"
ABSADM1K	1-1/2"	1-1/2"
601294	2"	2"
601302	3"	3"



Schedule 40 Female Adapter

Concadio 40 i cinaio Adaptoi			
PART#	HUB	FPT	
601377	1-1/4"	1-1/4"	
601385	1-1/2"	1-1/2"	
601393	2"	2"	
601401	3"	3"	



Ochedule 40 45 Wye			
PART#	HUB (A)	HUB (B)	HUB (C)
600387	1-1/4"	1-1/4"	1-1/4"
600395	1-1/2"	1-1/2"	1-1/2"
600403	2"	2"	2"
600411	3"	3"	3"



★ TOP SELLER

Schedule 40 Sanitary Tee

PART#	HUB (A)	HUB (B)	HUB (C)
ABSTY1E	1-1/4"	1-1/4"	1-1/4"
600015	1-1/2"	1-1/2"	1-1/2"
600023	2"	2"	2"
600031	3"	3"	3"



★ TOP SELLER

Schedule 40 Dishwasher Wye

PART#	HUB	Υ
600809	1-1/2"	1/2"



ABS Pipe Sold in 3' sections. Available in 12' overall length.

PART#	SIZE
114ABSP	1-1/4"
112ABSP	1-1/2"
2ABSP	2"
3ABSP	3"



NEW LOWER PRICING to help you save! www.AMREsupply.com



Fittings











End Cap

PART#	COPPER
477166	1/2"
COFCAPO	3/4"

	101	OLLL	_1\	
C	oup	ling	with	Stop

→ TOD CELLED

1 0 1				
PART#	COPPER	COPPER		
COFCOUK	1/2"	1/2"		
477059	3/4"	3/4"		

Reducing Coupler

0 1			
PART#	COPPER	COPPER	
477067	3/4"	1/2"	
470278	1"	3/4"	

45° Elbow

PART#	COPPER	COPPER
COF45K	1/2"	1/2"
477216	3/4"	3/4"



★ TOP SELLER 90° Elbow

PART#	COPPER	COPPER
477109	1/2"	1/2"
477117	3/4"	3/4"



★ TOP SELLER 45° Street Elbow

PART#	FIT	COPPER
477083	1/2"	1/2"
COF45FTGQ	3/4"	3/4"



90° Street Flhow

ou ou ou Elbon				
PART#	FIT	COPPER		
COF90FTGK	1/2"	1/2"		
COF90FTGQ	3/4"	3/4"		



Tee

PART#	Α	В	C
COFTK	1/2"	1/2"	1/2"
COFTQ	3/4"	3/4"	3/4"





Reducing Tee

PART#	Α	В	С
COFTQX1	1/2"	1/2"	3/4"
477158	3/4"	3/4"	1/2"
472423	3/4"	1/2"	3/4"

Type L (Green Pipe I.D.) Common for heating systems

PART#	SIZE	WALL SIZE
12CPTL	1/2"	.040
34CPTL	3/4"	.045
1CPTL	1"	.050
114CPTL	1-1/4"	.055
112CPTL	1-1/2"	.060
2CPTL	2"	.070

Type M (Red Pipe I.D.) Common for potable water

PART#	SIZE	WALL SIZE
12CPTM	1/2"	.028
34CPTM	3/4"	.032
1CPTM	1"	.035
114CPTM	1-1/4"	.042
112CPTM	1-1/2"	.049
2CPTM	2"	.058



Copper Pipe Type L and M.
Sold in 3' Sections. Available in 12' overall length.

Used For: Cast Iron, Plastic, Copper, Steel or Lead



PART#	SIZE
1056-100	1" X 1"
1056-125	1-1/4" X 1-1/4"
1056-150	1-1/2" X 1-1/2"
1056-150/125	1-1/2" X 1-1/4"
1056-215	2" X 1-1/2"
1056-22	2" X 2"
1056-32	3" X 2"
1056-33	3" X 3"

Flexible Couplings

Ensures leak-proof seals on virtually any pipe material: plastic, cast iron, asbestos cement, clay, concrete, steel, copper and ductile iron



PART#	SIZE
2700	1/2"
2701	3/4"
2702	1"
2703	1-1/4"
2704	1-1/2"
2705	2"

Truehugger Repair

Reuseable split repair clamps for emergency repairs



PART#	SIZE
R1-5-8A12	1" x 12'
RI-5-8K12M	1" x 16'

Masters Emergency Repair Tape

Temporarily stops leaks of up to 150 PSI (water, air or steam) at temperatures of -130°F to 500°F (-90°C to 260°C). Non-adhesive, works well on many types of piping including galvanized, copper, PVC, and cast iron



to help you save!

www.AMREsupply.com

Fittings





Brass Coupling

PART#	BARB	BARB
PEXCOUK	1/2"	1/2"
540153	3/4"	3/4"
540146	3/4"	1/2"



Female Sweat Adapter

PART#	BARB	HUB
541490	1/2"	1/2"
541672	3/4"	3/4"



Male Sweat Adapter

PART#	BARB	FITTING
540369	1/2"	1/2"
540385	3/4"	3/4"



Male Threaded Adapter

PART#	BARB	MPT
540252	1/2"	1/2"
540260	1/2"	3/4"
540286	3/4"	3/4"
540294	3/4"	1/2"



Female Threaded Adapter

PART#	BARB	FPT
540203	1/2"	1/2"
540237	1/2"	3/4"
540211	3/4"	3/4"
540229	3/4"	1/2"



90° Elbow

PART#	BARB	BARB
542001	1/2"	1/2"
542019	3/4"	3/4"
542027	3/4"	1/2"



Transition Coupling

PART#	BARB	POLY B
510131	1/2"	1/2"
510156	3/4"	3/4"




Plug

PART#	BARB
PEXPLK	1/2"
HEL25022NL	3/4"



PEX Crimp Rings, 10/Pack

TEX STIMP TRINGO, TON GOR	
PART#	SIZE
PEXRINK	1/2"
540195	3/4"



PART#	Α	В	С
542035	1/2"	1/2"	1/2"
542050	1/2"	1/2"	3/4"
542043	3/4"	3/4"	3/4"
542084	3/4"	3/4"	1/2"
542068	3/4"	1/2"	1/2"
542076	3/4"	1/2"	3/4"



For potable plumbing. Sold per roll.		
PART#	SIZE	LENGTH
588707	1/2"	20 FT
588855	1/2"	100 FT
588798	3/4"	20 FT
588939	3/4"	100 FT





plumbing fittings and parts!

www.AMREsupply.com



Push-Fit Fittings

sharkbite . supply lines





Disconnect Clip

PART#	SIZE
U710	1/2"
U712	3/4"





PART#	SIZE
U514	1/2"
U518	3/4"





Slip Coupling

PART#	SIZE
U3008	3/4"
U3016	1"





Straight Coupling

PART#	SIZE
U008	1/2" X 1/2"
U016	3/4" X 3/4"





Straight Connector

PART#	SIZE
U072	1/2" X 1/2" FNPT
U088	3/4" X 3/4" FNPT
U120	1/2" X 1/2" MNPT
U134	3/4" X 3/4" MNPT





PART#	SIZE
U248	1/2" X 1/2"
U256	3/4" X 3/4"
U274	3/4" X 1/2"
U280	1/2" X 1/2" MNPT
U308	1/2" X 1/2" FNPT





.00	
PART#	SIZE
U362	1/2" X 1/2" X 1/2"
U370	3/4" X 3/4" X 3/4"

Reducing Tee

PART#	SIZE	
U412	3/4" X 3/4" X 1/2"	
U444	3/4" X 1/2" X 3/4"	
U454	3/4" X 1/2" X 1/2"	



Drop Ear Elbow - Threaded

PART#	SIZE	
U334	1/2" X 1/2" FNPT	
U340	3/4" X 3/4" FNPT	

Supply Lines



★ TOP SELLER

PART#	LENGTH
70606	6"
55513	9"
55510	12"
55511	16"
55512	20"

Toilet Supply Line

Stainless steel #304 braided line won't kink or crease. 7/8" fill valve nut x 3/8" OD comp



★ TOP SELLER

PART#	LENGTH
70206	6"
55503	9"
55500	12"
55501	16"
55502	20"
230-300	30"
70248	48"

Faucet Supply Line

Stainless steel #304 braided line won't kink or crease. 1/2" IPS x 3/8" OD comp



★ TOP SELLER

PART#	LENGTH	
3241-480	48"	
3241-600	60"	
3241-720	72"	

Dishwasher Supply Line

Stainless steel #304 braided line won't kink or crease. Includes both 3/8" comp x 3/4" FHT 90° new style elbow and 3/8" comp x 3/8" comp 90° old style elbow



★ TOP SELLER

PART#	LENGTH
228-600	60"
228-120	120"

Icemaker/Humidifer Supply

Stainless steel #304 braided line won't kink or crease. 1/4" OD comp x 1/4" OD comp

Valves ball . shutoffs . hydrant





1102-043 1/2" 1102-044 3/4" Angle Boiler Drain

Solid brass construction. 125 PSI. 1/2" threaded and 1/2" copper sweat inlet connection. 3/4" hose thread outlet



1102-003 102-004 3/4" Straight Boiler Drain

Solid brass construction. 125 PSI. 1/2" threaded and 1/2" copper sweat inlet connection. 3/4" hose thread outlet



1103-053 1/2 1103-054 3/4" 1/4 Turn Hose Bibb

Solid brass construction. 125 PSI. 1/2" threaded and 1/2" copper sweat inlet connection. 3/4" hose thread outlet



22222-0000 1/2" 22185-0000 3/4"

Sharkbite Ball Valve

Solid brass construction. 200 PSI. Compatible with copper, CTS CPVC, and PEX tubing



1197-023 1/2" 1197-024 3/4"

Ball Valve with Drain

Solid brass construction. 600 PSI. Compression x compress



PF73ASDX PF73ASD10 10" PF73ASD12 12"

Anti-Siphon Frost-Proof Wall Hydant Solid brass construction. 125 PSI. Not for potable use





dahl ★ TOP SELLER

511-33-31 Straight 611-33-31 Angle Mini-Ball Valve

5/8"OD comp x 3/8"OD comp





511-13-31 Straight 611-13-31 Angle Mini-Ball Valve

1/2" solder x 3/8"OD comp



3326



3325 Angle Retrofit Shut-Off Valve 3/8" comp x 3/8"OD comp





dahl

511-41-31 Straight 611-41-31 Angle

Retrofit Mini-Ball Valve 3/8"F comp x 3/8"OD comp





dahl 511-PX3-31 Straight 611-PX3-31 Angle Mini-Ball Valve 1/2"PEX x 3/8"OD comp



23037 Straight 23036 Angle Sharkbite Stop Valve

1/2"Push-On x 3/8"OD comp





Customized Technology & Ordering Solutions

AMRE provides customizable solutions to place orders and manage your business YOUR WAY. Working with your proprietary software, third party providers or customizing our online tools to meet your needs, we are here to help!



Faucets kitchen, residential

Single Lever





PFXC3101CP Chrome

- 8", 3-hole install
- Ceramic disc cartridge
- Metal handle
- 1.5 GPM



American Standard

7074000.002 Chrome

- 1 or 3-hole install
- Ceramic disc cartridge
- Metal handle
- 1.5 GPM
- 24" integrated supply lines



★ TOP SELLER

67425 Chrome

- 8", 3-hole install
- Duralast cartridge
- Metal handle
- 1.5 GPM



★ TOP SELLEF

PEERLES

P88200LF-140 Chrome

- 8", 3-hole install
- Washerless ball valve
- Metal handle
- 2.2 GPM





PFXC5150CP Chrome

- 1 or 3-hole install
- Ceramic disc cartridge
- Metal handle
- 1.5 GPM



MOEN

67315C Chrome

- 1 or 3-hole install
- Duralast cartridge
- Metal handle
- 1.5 GPM



🜟 TOP SELLER

7074300.002 Chrome

- 1 or 3-hole install
- Ceramic disc cartridge
- Metal handle
- 2.2 GPM
- 20" integrated supply lines



MOEN

7365 Chrome

- 1 or 3-hole install
- Duralast cartridge
- Metal handle
- 1.5 GPM

Two Handle





25F641LF Compression **82006LF** Washerless

- Chrome finish
- 8", 3-hole install
- Chrome plated crown handles
- 2.2 GPM



WALTEL

25F643LF Compression **82009LF** Washerless

- Chrome finish
- 8", 3-hole install
- Chrome plated lever handles
- 2.2 GPM



WALTEC

82004LF Washerless

- Chrome finish
- 8", 3-hole install
- Metal lever handles
- 2.2 GPM



Faucets lavatory . residential



Single Lever



2192-330 Chrome

- 4", 3-hole install
- Stainless steel ball valve
- Metal handle
- 1.2 GPM



- 4", 3-hole install
- Ceramic disc cartridge
- Metal handle
- 1.2 GPM
- 24" integrated supply lines



MOEN ★ TOP SELLER

L64601 Chrome

- 4", 3-hole install
- Duralast cartridge
- Metal handle
- 1.2 GPM



P88620LF-140 Chrome

- 4", 3-hole install
- Washerless ball valve
- Metal handle
- 2.2 GPM
- Plastic pop-up drain included



MOEN

6190 Chrome

- 1 or 3-hole install
- Duralast cartridge
- Metal handle
- 1.2 GPM
- 20" integrated supply lines
- Metal pop-up drain included



MOEN

6710 Chrome

- 1-hole install
- Duralast cartridge
- Metal handle
- 1.2 GPM
- 20" integrated supply lines
- Metal pop-up drain included

Two Handle



191-604 Chrome

- 4", 3-hole install
- 1/4 turn washerless cartridges
- Acrylic crown handles
- 2.2 GPM



74960 Chrome

- 4", 3-hole install
- Washerless cartridges
- Chrome plated crown handles
- 1.2 GPM



MOEN

74962

- Chrome
- 4", 3-hole install - Washerless cartridges
- Chrome plated lever handles
- 1.2 GPM



WALTEL

82234LF Chrome

- 4", 3-hole install
- Metal lever handles
- 2.2 GPM



WALTEC

21F141LF Compression 82231LF Washerless

- Chrome finish
- 4", 3-hole install
- Chrome plated crown handles
- 2.2 GPM



21F143LF Compression 82339LF Washerless

- Chrome finish
- 4", 3-hole install
- Chrome plated lever handles
- 1.5 GPM







⚠ DELTA.

MOEN

T2191

T2192

T2193

Valve Trim

Shower Trim

T13020-CDN

T13220-CDN

T13420-CDN

14F525 Tub & Shower Trim 14WF324 Rough-In

Waltec Two Handle Facemount Tub & Shower Faucet

Chrome finish. Hot and cold compression cartridges. All operating parts are replaceable from the front. TouchClean showerhead and chrome plated crown handles



14F115 **Tub & Shower Trim** 14WF144 Rough-In

Waltec Two Handle Concealed Tub & Shower Faucet

Chrome finish. Hot and cold compression cartridges. TouchClean showerhead and chrome plated crown handles



Chrome finish. Maintains a balanced pressure of hot and cold water even when a valve is turned on or off elsewhere in the system. All operating parts replaceable from the front. TouchClean showerhead and metal lever handle



⚠ DELTA

MOEN

62320

62370

R10000-UN R10000-UNWS

w/stops

Delta MultiChoice Universal Tub & Shower Rough-In

1/2" outlets and connections. Universal valve, gives you the freedom to change shower trim without damaging the wall. Accepts single, dual, or dual thermostatic cartridges

MOEN **TL181** Valve Trim **TL182 Shower Trim TL183 Tub & Shower Trim** Moen Chateau Posi-Temp Tub & Shower Faucet

Chrome finish. Installed with the Posi-Temp pressure balancing control valve maintains water temperature control in the shower. All operating parts replaceable from the front. 2-1/2" showerhead and metal lever handle



Moen M-Pact Posi-Temp Universal Tub & Shower Rough-In

1/2" IPS connections. The M-PACT Common Valve System allows you to upgrade the trim style or swap out finishes on your fixtures without replacing the valves



Chrome finish. Installed with the Posi-Temp pressure balancing control valve maintains water temperature control in the shower. All operating parts replaceable from the front. 3-5/8" showerhead and metal lever handle



62370 Moen M-Pact Posi-Temp Universal Tub & Shower Rough-In

1/2" IPS connections. The M-PACT Common Valve System allows you to upgrade the trim style or swap out finishes on your fixtures without replacing the

Faucet Repair

aerators . parts





ULN401 2.0 GPM Female Aerator

Chrome finish. 55/64" thread, non-slotted



★ TOP SELLER

ULN400 2.0 GPM **Dual Thread Aerator**

Chrome finish. 15/16" male or 55/64" female thread



★ TOP SELLER

15P 1.5GPM **38D** 2.2GPM

Dual Thread Aerator

Chrome finish. 15/16" male or 55/64" female thread, slotted



2002B 2002ALF Double Swivel Aerator

White Chrome/White

15/16" male or 55/64" female thread



023529-0070A OEM American Standard Cartridge

For use with single lever faucets



994053-0070A OEM American Standard Ceramic

Disc Cartridge For use with two handle faucets



FC9K2LH Cold FC9K2RH Hot

Belanger Ceramic Cartridges

For use with two handle faucets. OEM



FC9AC008 OEM

Belanger Single Lever Cartridge

For use with single lever tub shower faucets



POWERS"

ULNCR13K Non-OEM Crane Cameo Hot & Cold Cartridge

For use with two handle faucets



POWERS"

ULNCR1K Hot ULNCR2K Cold Crane Dialese Cartridges

For use with two handle faucets. Non-OEM



Cuthbert

ULNCU1 Non-OEM Cuthbert Hot & Cold Cartridge

For use with two handle faucets



Cuthbert

ULNCU10 Non-OEM **Cuthbert Faucet Seat**

For use with two handle faucets. 9/16 x 24 TPI



⚠DELTA

ULND2A OEM Delta Stainless Steel Ball Valve

For use with single lever faucets



@DELTA

ULND12 OEM Delta Faucet Repair Kit

For use with single lever faucets



ODELTA

★ TOP SELLER

ULND9 OEM Delta Faucet Seats & **Springs**

For use with single lever faucets



ODELTA

★ TOP SELLER **RP25513** OEM

Delta Hot & Cold Cartridge

For use with two handle faucets



ODELTA!

★ TOP SELLER

ULND1 OEM Delta Hot & Cold Cartridge

For use with two handle faucets



@DELTA

RP50587 OEM Delta Diamond Seal Technology Cartridge

For use with single lever faucets



ODELTA

ULND21 OEM

Delta Single Lever Pressure Balanced Cartridge

For use with single lever tub shower faucets



★ TOP SELLER

RP46074 OEM Delta Single Lever Pressure Balance Cartridge

For use with single lever tub shower faucets



@DELTA

★ TOP SELLER

H79 OEM

Delta Single Lever Handle

Chrome finish, metal construction. For use with single lever tub shower faucets



Faucet Repair



ULNE1K Non-OEM
Emco Hot & Cold Cartridge

For use with two handle faucets



EMCO

★ TOP SELLER
ULNE25
Non-OEM

Emco Hot & Cold Cartridge
For use with two handle faucets



Emco Laundry Hot & Cold Cartridge

For use with two handle laundry faucets



ULNE12A Non-OEM

Emco Diverter Cartridge

For use with facemount tub shower faucets



EMCO

ULNE12 Non-OEM *Emco Diverter Cartridge*

For use with facemount tub shower faucets



EMCO

ULNE14 OEM, 2/pkg **ULNE14K** Non-OEM

Emco Faucet Seats

For use with two handle faucets. 9/16" x 27 TPI





EMCO

★ TOP SELLER

ULNE13X OEM, Chrome plated **ULNE13K** Non-OEM, Brass

Emco Faucet Seat

For use with two handle faucets. 9/16" x 27 TPI



EMCO

ULNE11 OEM

Emco Diverter Cartridge with Knob

For use with concealed tub shower

For use with concealed tub shower faucets







EMCO

ULN123B 1-1/2" High **2003** 1-3/4" High

Emco Corona Faucet Handles

Chrome finish, plastic construction. For use with two handle faucets. Non-OEM. Sold in pairs



MOEN

ULNMO1 OEM Moen Hot & Cold Cartridge

For use with two handle widespread faucets



MOEN

ULNMO2 Non-OEM

Moen Magnum Single Lever Cartridge

For use with single lever faucets



MOEN

222B OEM

Moen Posi-Temp Single Lever Cartridge

For use with single lever tub shower faucets



1255 OEM

MOEN

Moen Duralast Single Lever Cartridge
For use with single lever faucets



Pfister

910-900 OEM

Pfister Hot & Cold Ceramic Cartridge

For use with two handle faucets



For use with single lever faucets

Faucet Repair





Pfister 974-042 OEM

Pfister Single Lever Ceramic Cartridge

For use with single lever tub shower faucets



Pfister

970-500 OEM Pfister Faucet Seat

For use with two handle faucets. 21/32" x 18 TPI



Pfister 940-004A

OEM Pfister Single Lever Handle

Chrome finish, metal construction. For use with single lever tub shower faucets



000788-20 Hot 000789-20 Cold

T&S Eterna Cartridge Removable Insert For use with two handle faucets. OEM

002714-40 002713-40

Hot Cold

T&S Eterna Spindle & Handle Assembly For use with two handle faucets. OEM



000763-20

OEM

T&S Brass Faucet Seat For use with two handle faucets. 1/2" x 27 TPI





ULN151 Compression **ULN152** Washerless

Waltec Two Chrome Plated Handles

Plastic construction. For use with two handle faucets. OEM. Sold in pairs





ULNW1K Hot Cold **ULNW2K**

Waltec Faucet Cartridges For use with two handle

faucets, OFM



ULNW20X Hot ULNW21X Cold Waltec Faucet Cartridge

For use with two handle faucets. OEM



★ TOP SELLER ULNW12

OEM, Chrome plated

ULNW12K Non-OEM, Brass Waltec Faucet Seats

For use with two handle faucets, 9/16" x 24 TPI





ULNW15 OEM Waltec Cartridge Repair Kit

For use with two handle faucets



ULNW13 OEM

Waltec Faucet Seats

For use with two handle faucets. 9/16" x 24 TPI. Sold in pairs





ULNW8 OEM Waltec Diverter Cartridge

For use with facemount tub shower faucets





ULNW11 **OEM** Waltec Diverter Cartridge

For use with concealed tub shower faucets



Flushometers

water closet . urinal



SDELTA COMMERCIAL 81T201

Delta Manual Water Closet Flush Valve

- 1-1/2" Top inlet spud mount
- Preset at 6 LPF (1.6 GPF); field adjustable from 4.8 LPF to 25 LPF
- Quiet action, TECK exposed diaphragm flush valve
- Chloramine resistant diaphragm
- 1" FIP/Copper sweat inlet adapter



81T231

⊘DELTA

Delta Manual Urinal Flush Valve

- 3/4" top inlet spud mount
- Preset at 1/9 LPF (0.5 GPF); field adjustable from 0.47 LPF to 3.78 LPF
- Quiet action, TECK exposed diaphragm flush valve
- Chloramine resistant diaphragm
- 1" FIP/Copper sweat inlet adapter





- 1-1/2" top inlet spud mount
- Preset at 6 LPF (1.6 GPF); field adjustable from 4.8 LPF to 25 LPF
- Quiet action, TECK exposed diaphragm flush valve
- Chloramine resistant diaphragm
- 1" FIP/Copper sweat inlet adapter



@DELTA

81T231BT

Delta H2Optics Sensor Urinal Flush Valve

- 3/4" top inlet spud mount
- Preset at 1.9 LPF (0.5 GPF); field adjustable from 0.47 LPF to 3.67 LPF
- Quiet action, TECK exposed diaphragm flush valve
- Chloramine resistant diaphragm
- 1" FIP/ 3/4" Copper sweat inlet adapters

SLOAN

110XLYO 13 LPF (3.5 GPF) **111XLYO** 6.1 LPF (1.6 GPF)

Sloan Regal Manual Water Closet Flush Valve

- 1-1/2" top inlet spud mount
- ADA compliant metal lever handle
- Chloramine resistant diaphragm
- Sweat solder adapter with cover tube



SLOAN

3082653 5.7 LPF (1.5 GPF) **3082675** 3.8 LPF (1.0 GPF)

Sloan Regal Manual Urinal Flush Valve

- 3/4" top inlet spud mount
- ADA compliant metal lever handle
- Chloramine resistant diaphragm
- Sweat solder adapter with cover tube



3250400 6.0 LPF (1.6 GPF)

Sloan G2 Sensor Water Closet Flush Valve

- 1-1/2" top inlet spud mount
- Infrared sensor with multiple-focused fields for high and low target detection
- Chloramine resistant diaphragm
- Sweat solder adapter with cover tube



SLOAN

3250401 3.8 LPF (1.0 GPF) Sloan G2 Sensor Urinal Flush Valve

- 3/4" top inlet spud mount

- Infrared sensor with multiple-focused fields for high and low target detection
- Chloramine resistant diaphragm
- Sweat solder adapter with cover tube



TOTO

TET1LA-32 4.8 LPF (1.28 GPF) **TET1GA-32** 6.0 LPF (1.6 GPF)

Toto EcoPower Water Closet Flush Valve

- 1-1/2" top inlet spud mount
- ADA compliant
- Smart sensor with self-adjusting detection range
- Self-powered hydroelectric system



TOTO

TEU1UA12#CP 0.52 LPF (0.125 GPF) **TEU1GA-12** 3.8 LPF (1.0 GPF)

Toto EcoPower Urinal Flush Valve

- 3/4" top inlet spud mount
- ADA compliant
- Smart sensor with self-adjusting detection range
- Self-powered hydroelectric system



Pumps

submersible . sump . hvac





Little GIANT

505300 1/6 HP. 1200 GPH Water Wizard Submersible Utility Pump

Designed for continuous duty. 1" FNPT discharge. Pumps down to 1/8" in manual operation. Piggyback mechanical float and 10' cord



Little GIANT

506803 1/3 HP, 53 GPM Submersible Sump Pump

Designed for continuous duty. 1-1/2" FNPT discharge. Handles up to 1/2" solids. Piggyback mechanical float and 10' cord



LittleGIANT

506158 1/3 HP, 2750 GPH Submersible Sump Pump

Designed for continuous duty. 1-1/2" FNPT discharge. Integral diaphragm operation and 10' cord



Little GIANT

555112 1/10 HP, 365 GPH Pony Pump Non-Submersible, Self-Priming Transfer Pump

Self-priming for instant delivery or dewatering up to 6'. Dual threaded intake/discharge 3/4" garden hose and 3/8" FNTP. 6' power cord.



Little GIANT

505000 1/6 HP. 1200 GPH 5 Series Utility Pump

Designed for continuous duty. 1" FNPT discharge with 3/4" brass garden hose adapter. 10' power cord



Little GIANT

506807 1/3HP Multi Application Pump

Applications Basement Sumps, Dewatering, Water transfer, Light Effluent.



Little GIANT

RL-SC50 1/2HP 3840GPH 115V

Little Giant Red Lion Cast Iron Sump Pump. 1-1/2" FNPT discharge, Piggyback float switch, Clog-resistant design (1/2" solids handling) and PSC motor with 10' cord



554401 1/50 HP, 65 GPH

554405 1/50 HP, 65 GPH w/safety switch

554435 1/30 HP, 80 GPH w/safety switch*

VCMA Series Condensate Pumps

Robust design is also suitable for high-efficiency gas furnace condensation and condensing boilers. Includes 1/2-gallon tank capacity. 6' power cord. * Includes 20' of 3/8" ID clear tubing



Little GIANT

554530 1/30 HP, 84 GPH VCMX Series Condensate Pump

High-capacity option for when gravity drainage is not possible. 1/4 turn check valve allows servicing without removal of tubing, eliminating water spills. 6' power cord



Little GIANT 599303 1-1/4"

Sump Pump Discharge Hose Kit 24' long



FBP-01D

Flood Buzz Pro Water Leak Alarm

Designed to detect water and sounds a 110dB alarm upon contact. Simply place on the floor near any potential water leak or flood source like toilets, hot water tank, washers, dishwashers, sump pump etc.



Hot Water Tank

valves . elements . parts









Residential and Commercial. Electric and Gas



Call your nearest AMRE location for brands stocked & current pricing!



John Wood

58991 40 Gallon 58993 50 Gallon John Woods Thermocouple &

Manifold Door Assembly Kit Used to convert left hand thread thermocouples used

1512SIK 1500W/120V 3024SIK 3000W/240V Immersion Water Heater Element



93632 Giant Dip Tub with Nipple 33" long. Fits most domestic brands



224-47776-10 224-47776-05 38"L 224-47776-16 39.13"L 224-47782-11 43.5"L

224-47776-12 47.1"L Bradford White Anode Rod 3/4"NPT



between 2008 and 2010

18G0020

Universal Hot Water Tank Drain Valve

High-impact plastic construction. 3/4" NPT x 3/4" NPT



WATTS

0066166 0066133 Extended Shank Watts Temperature & Pressure Relief Valve

3/4", 150 PSI. For hot water heaters up to 105,000 BTU/hr.



U3088FLEX18BLCA 18" Sharkbite Hot Water Tank Connector 3/4" x 3/4", with ball valve



WATTS

0009891 3/4" 0009872 3/4 X 1/2" Dielectric Unions

Female x Solder

Thermocouples



Robertshaw 🌲

resideo


1980-818	Q340A1066	18"
1980-824	Q340A1074	24"
1980-830	Q340A1082	30"
1980-836	Q340A1090	36"
1980-848	Q340A1108	48"

Thermopiles





1951-536	36"	Α
1950-001	36"	В










resideo Q313U3000

Universal Thermopile

35" leads with 1/2" attaching nut, split nut, spade to quick connect adapter, push-in clip, and PG9 adapter. 750mV output



Refrigerator

complete units



FRIGIDAIRE

FFET1222UW

11.6 Cu. Ft. Top Freezer Refrigerator

- Apartment-Size Refrigerator
- Frost Free, Reversible doors
- Store more door bins
- Clear crisper drawers
- Bright LED lighting

Approx. Dimensions (in.): 23-3/4" W x 28-3/4" D x 59-7/8" H

Also available in Brushed Steel









23-3/4"

FRIGIDAIRE

FFET1222UV

Frigidaire 11.6 cu. ft. Top Freezer Refrigerator, Brushed Steel

- Frost Free
- Electronic Temperature ControlsFreezer: 3.2 cu. ft.Fridge: 8.4 cu. ft.

- Reversible Doors

Approx. Dimensions (in.):

23-3/4" W x 28-3/4" D x 59-7/8" H Also available in White and Black





28"

FRIGIDAIRE

FFHT1425VW

13.9 Cu. Ft. Top Freezer Refrigerator
- 2 Glass Adjustable Shelves

- 1 Clear Crisper
- Flexible Interior Storage System
- Ice Maker Ready
- Reversible, Auto-Close Door

Approx. Dimensions (in.): 27-5/8" W x 29-3/8" D x 60-1/2" H

Also available in Brushed Steel







Range complete units . microwaves

FRIGIDAIRE

CFEH2411UW

1.9 Cu.Ft. Capacity Coil Range

- Front Controls
- Coil Top
- 4 Burners (2 SM, 2 LG)
- Manual Clean
- Quick Bake Convection Fan Approx. Dimensions (in.): 23-1/2" W x 23-3/8" D x 35" H Available in White only





JCAS300DMWW

2.9 cu. ft. Freestanding Electric Range

- Front Controls
- Coil Top
- 4 Burners (3 SM, 1 LG)
- SensiTemp Coil Element Approx. Dimensions (in.): 23-3/4" W x 26-5/8" D x 42-1/8" H Available in White only





JCAS640RMSS

2.9 Cu.Ft. Electric Smooth Top Range

- Extra Large Window
- Smooth Top
- 4 Burners (2 SM, 2 LG)

Approx. Dimensions (in.): 24" W x 28-1/8" D x 41-1/2" H Available in Stainless Steel / Black





JCBS250DMWW

5.0 Cu.Ft. Freestanding Electric Range

- Coil Top
- 4 Burners (3 SM, 1 LG)
- SensiTemp Coil Element

Approx. Dimensions (in.): 29-7/8" W x 27-3/4" D x 46-7/8" H Available in White only





1.1 CU FT



JES1145WTC White JES1140STC Stainless Steel

1.1 Cu. Ft. Capacity Countertop Microwave

- 10 power levels
- Child lock-out
- Cooking complete reminder
- Add 30 secs increase cooking times with 1 touch <u>Approx. Dimensions (in.):</u> 21-1/4" W x 15-11/16" D x 11-13/16" H



1.8 CU FT

FRIGIDAIRE

FFMV1846VW White FFMV1846VS Stainless Steel

1.8 Cu. Ft. Capacity Over The Range Microwave

- 2 Speed Exhaust Fan, 105/300 CFM
- Grease and Charcoal Filter
- Auto Defrost and Reheat
- Interior LED Light
- Extra Large Turn Table

<u>Approx. Dimensions (in.):</u> 29-7/8" W x 15-3/4" D x 16-3/8" H

Rangehood

filters . motors . parts





- Convertible for vented (3-1/4" x 10") or non-ducted* operation
- 250 CFM, 1.5/5.0 Sones
- Built-in covered light
- Convenient front rocker switches
- Two high-efficiency micro filters included

*Non Ducted Operations require an odour reducing charcoal filter. Sold separately, HPF24 or HPF30



- Convertible for vented (3-1/4" x 10") or non-ducted* operation
- 160 CFM, 6.5 Sones
- Built-in covered light
- Convenient front rocker switches
- Dishwasher-safe aluminium grease filter included

*Non Ducted Operations require an odour reducing charcoal filter. Sold separately, 41F



Glacier BCS3 - Under Cabinet Series

Clean, contemporary shape complements any kitchen design. Impressive lighting and superior smoke and odor removal are a mere introduction to everything this hood has to offer.

24" Models Ducted/Non Ducted*	
BCS324WWC	White
BCS324SSC	Stainless Steel
30" Models Duct	ed/Non Ducted*
BCS330WWC	White
BCS330BLC	Black
BCS330SSC	Stainless Steel



BU - Under Cabinet Series

Designed with simplicity in mind, the BU2 range hood models are made to exacting standards and offer the most for the money.

24" Models Ducted/Non Ducted*		
BU224WH	White w/ Black Trim	★ TOP SELLER
BU224BL	Black	
BU224SS	Stainless Steel	★ TOP SELLER
30" Models Ducted/Non Ducted*		
	1	

30 Models Bucted/Non Bucted		
BU230WH	White w/ Black Trim	★ TOP SELLER
BU230WW	White w/ White Trim	
BU230BL	Black	
BU230SS	Stainless Steel	



Can't find a filter? Visit us online for a complete listing www.AMREsupply.com



★ TOP SELLER

GREASE Filters		
PART#	SIZE	FITS MODELS
K0793000	8-3/8" x 11-1/4" x 3/8"	LL6, MM6, VL6 Series
RLSM65	8-1/2" x 11-3/16" x 1/8"	48000, BU Series
RF38A	8-3/4" x 10-1/2" x 1/8"	499, 505 Series
29140	9-1/2" x 3/32"	58000, 65000 Series
RF56A	10-5/8" x 11-3/4" x 3/8"	58000 Series
RFQTA	11-1/4" x 12" x 3/8"	QT, WA Series
HPFAMM24	15-3/4" x 10-7/8" x 3/8"	BCS3 24" Series (2/pack)
HPFAMM30	15-3/4" x 13-7/8" x 3/8"	BCS3 30" Series (2/pack



OHAROUAL FIREIS		
PART#	SIZE	FITS MODELS
RF49CB	7-1/2" x 8-1/2" x 3/8"	48000 Series
41F	8-3/4" x 10-1/2" x 3/8"	BU Series
RF39C	8-3/4" x 10-1/2" x 3/8"	38000, RLX6 Series
FKM65	8-7/16" x 11-1/4" x 3/8"	BP, RL Series TOP SELLER
RF55AM	8-1/2" x 10-1/2" x 1/2"	54000 & 57000 Series
RFQTC	11-1/4" x 12" x 3/8"	WA, QT Series
HPF24	15-3/4" x 10-7/8" x 3/8"	BCS3 24" Series (2/pack)
HPF30	15-3/4" x 13-7/8" x 3/8"	BCS3 30" Series (2/pack)



S10941066

Broan Rangehood Motor Assembly

2-speed motor, 12 volts. CCW rotation. Includes bracket, blade, and motor



FB660 25° pitch **FB665** 12° pitch

Universal Rangehood Fan Blades 6-3/8" diameter, CW rotation. For use with 6-5/8" x 7/32" shaft



★ TOP SELLER

30110229 Broan Rangehood Light Lens



K6382000 Black K6381000 White Broan Rangehood Knob



Dishwasher complete units









18"

FRIGIDAIRE

FFBD1831UW

Built-In Dishwasher

- Hi-Temp Wash, Easy touch controls
- 6 Cycles
- Stainless Steel Interior
- 4 Wash Levels

Approx. Dimensions (in.): 18" W x 22-1/2" D x 32-1/2" - 35-1/4"H Also available in Stainless Steel





24"

FRIGIDAIRE

FFCD2413UW

Tall Tub Built-In Dishwasher

- Hi-Temp Wash, Easy touch controls
- 3 Cycles
- 4-Hour Delay Start
- 5 Wash Levels

Approx. Dimensions (in.): 24" W x 25" D x 33-1/2" - 35" H Also available in Stainless Steel



24"

FRIGIDAIRE

FFCD2413US

Built-In Dishwasher

- Quiet performance 60 db
- 2/4/6-Hour Delay Start Approx. Dimensions (in.): 24" W x 25" D x 33-1/2" H

Available in Stainless Steel or White



Disposers

garburators . parts





1/3 HP Induction Motor

- Rugged galvanized steel construction
- 1725RPM
- Quiet Dura-Drive induction motor
- 1 Year In-Home Warranty





BADGER5

1/2 HP Induction Motor

- Rugged galvanized steel construction
- 1725RPM
- Quiet Dura-Drive induction motor
- 2 Year In-Home Warranty





BADGER444

3/4 HP Induction Motor

- Stainless steel construction
- 1725RPM
- Quiet Dura-Drive induction motor
- 4 Year In-Home Warranty



plink

PLM12T Lemon PCO12T Orange Garbage Disposal Cleaner & Deodorizer



1027 Universal Garburator Splash Guard & Stopper Fits most brands



8219-A InSinkerErator Garburator Tailpiece



1470 InSinkErator Garburator Tailpiece Gasket



Laundry

complete units . washer . dryer















ELFW4222AW

2.8 CU FT FRIGIDAIRE

Electrolux

- 2.8 Cu.Ft Front Load Washer
- Steam Refresh Cycle
- LuxCare Wash System
- 12 Specialty Cycles
- Deep Clean Sanitization Cycle Approx. Dimensions (in.): 23-5/8" W x 25" D x 33-1/2" H

GTW223BMRWW

- 4.4 Cu.Ft. Top Load Washer
- 4 Water Levels
- 10 Cycles
- Rotary controls

Approx. Dimensions (in.): 26-7/8" W x 26-5/8" D x 43-1/2" H

4.0 CU FT

ELFE422CAW

4.0 cu. ft. Condensed Electric Front Load Dryer

- Ventless Condensation Dryer
- 7 Dry Cycles
- IQ-Touch Controls

Approx. Dimensions (in.): 24" W x 24" D x 33-1/2" H





6.2 CU FT

GTX22EBMRWW

6.2 Cu.Ft. Electric Dryer

- Reversible door
- 3 Cycles
- Rotary controls

Approx. Dimensions (in.): 26-7/8" W x 26-3/4" D x 42-5/8" H



GUD24ESMMWW

Unitized Spacemaker Washer & Electric Dryer

- 2.6 Cu.Ft Washer, 4.4 Cu.Ft Dryer
- 9 Wash Cycles
- 4 Dry Cycles
- Stainless Steel Wash Basket Approx. Dimensions (in.):

73-1/4" H x 23-5/8" W x 26-3/4" D







GUD27ESMMWW

Unitized Spacemaker Washer & Electric Dryer

- 4.4 Cu.Ft Washer, 5.9 Cu.Ft Dryer
- 9 Wash Cycles
- 4 Dry Cycles
- Stainless Steel Wash Basket Approx. Dimensions (in.):

74" H x 26-3/4" W x 29-3/4" D





AMRE Supply

Your trusted source for your appliance needs

- Updates on improved availability
- Special pricing contracts
- Delivery information
- Quantity price quotes
- Other brand and model information

1-800-661-9891

Exhaust Fans

complete units . residential . commercial





Pro-Spec Exhaust Fan

High performance super-low noise levels. Replacement parts are not available in the market: you must order the complete unit.

PART#	CFM	SONES
BPT12-02A	50	1.0 🜟
BPT12-14A1	70	0.8 🜟
BPT15-14A1	80	1.0
BPT15-24A1	110	1.5



Panasonic

WhisperCeiling Exhaust Fan

Enclosed condenser motor and a double-tapered, quiet dolphin shaped bladed blower wheel.

PART#	CFM	SONES	
FV-0511VQ1	50-80-110	0.3 🜟	
FV-1115VQ1	110-130-150	0.3	
FV-20VQ3	190	1.3	
FV-30VQ3	290	2.0	



BREAN

InVent Series Exhaust Fan

Retrofit installation can be done entirely from the room-side, no attic access required.

PART#	CFM	SONES	
A80	80	2.0	
A110	110	3.0	



Tranquil Series Exhaust Fan

Superior ventilation with whisper-quiet operations.

PART#	CFM	SONES	LIGHT	
TF80	80	0.4	NO	
TF80L	80	0.4	YES	
TF110	110	0.9	NO	
TF110L	110	0.9	YES	



BREAN

Economy Series Exhaust Fan

Versatile and compact, this exhaust fan quick vents moisture to increase the comfort level.

PART#	CFM	SONES	
E050	50	2.5	
E070	70	4.0	



Panasonic

Panasonic WhisperSense DC Exhaust Fan with Motion and Moisture Sensors. No Light.

PART#	CFM	SONES	
FV-0511VQC1	50/80/110	0.3	



Panasonic

★ TOP SELLER

Panasonic WhisperSense DC Exhaust Fan. Lowest profile ENERGY STAR® rated ventilation fan available. For residential (Single & Multi-Family) and Manufactured Homes. No Light.

PART#	CFM	SONES	
FV-0510VS1	50/80/100	0.3	




REVERSOMATIC

Reversomatic Exhaust Fan

4" Round Duct Size. Energy Star Qualified. White Grille 12-3/4" x 12-3/4"

PART#	CFM	SONES	
SA-90S	110	1.0	



Exhaust Fans

motors, kits, covers





BREAN

30110246

Broan/Nutone Exhaust Fan Grille 9-5/8" x 8-5/8"

Reversomatic Exhaust Fan Grilles

No Hole







BREAN

★ TOP SELLER 10880266

Broan/Nutone Exhaust Fan Grille 9-1/2" x 9-1/2"

REVERSOMATIC

Springs

PART#	HOLE	SIZE
011104	NO	11-1/8" x 11-1/8"
4064	NO	10" X 10-1/2"
011184	NO	13" X 13"

No Springs

PART#	HOLE	SIZE	
K100F	YES	11-1/8" x 11-1/8"	



BREAN

S97013576

Broan/Nutone Exhaust Fan Grille 11-1/4" x 10-3/4"





★ TOP SELLER

F650 50 CFM 75 CFM F675

Broan/Nutone Exhaust Motor Fan Assembly Includes motor, blade, bracket, and grille

Upgrade Kit!







EC60KIT 60 CFM

Broan/Nutone Exhaust Fan Upgrade Kit Reduces sound by up to 45%. Includes motor, blade, bracket, and grille



BROAN VERMER



\$97009745 80 CFM

Broan/Nutone Exhaust Fan Motor Assembly

Includes motor, blade, and bracket



BROAN VERMER



97015159 90 CFM

Broan/Nutone Exhaust Fan Motor Assembly

Includes motor, blade, and bracket



ALLTEMP

PART#	HP	WATT	RPM	VOLTS	AMPS	SPEED	ROTATION
T1-R670	1	125	3000	115	0.50	1	CCW
T1-R3670	1	150	3000	115/230	0.40	1	CCW

Universal Fan Motor Kit

Includes motor, blade, and hardware. Replaces all C-frame and 3-1/2" round style motors



ALLTEMP

PART#	HP	WATT	RPM	VOLTS	AMPS	SPEED	ROTATION
T1-R3549	1	115	3000	115	0.60	1	CW

Fan Motor Kit

Includes motor and blade



Thermostats

hydronic . forced air

Hydronic Heating

Used with zone valves, normally open or normally closed. These thermostats are 24V and must match valve operation.









Honeywell Home

SIEMENS

PART#	BRAND	SCALE	VOLTAGE	POSITION	FIG.
T822K1034**	Honeywell Home	10-30C	24	Normally Closed	А
T822L1000	Honeywell Home	15-30C	24	Normally Open TOP SELLER	Α
1E50N-303**	White Rodgers	10-30C	24	Normally Closed	В
1E56N-361	White Rodgers	10-30C	24	Normally Open	В
1F56N-361	White Rodgers	10-30C	24	Normally Open/Closed	D
RAA20UW*	Siemens	10-30C	24	Normally Open/Closed	С

^{*}The RAA20UW - designed to be used with either normally open or normally closed valves. It has both make on rise & break on rise circuits. ** Normally Closed thermostats will also work on Conventional Furnace systems



Honeywell Home

PART#	OPERATION	PROGRAMMING
TH5220D1029	2 Heat/2 Cool	None

Honeywell FocusPRO5000 Digital Thermostat

For use with conventional and heat pump systems.

- Adjustable Temperature Range: 4.5°C to 32°C
- 20-30VAC/750mV



Honeywell Home

★ TOP SELLER

PART#	OPERATION	PROGRAMMING
TB6575A1000	Heat/Cool	Yes

Honeywell Home SuitePRO Digital Fan Coil Thermostat

- 2 or 4 Pipe, 120-240V.
- FCC Part 15, Class B
- Adjustable Temperature Range: 10°C to 30°C
- Operating Humidity 5% 90% RH (Non-Condensing)

White Rodgers



PART#	OPERATION	PROGRAMMING	
1E78-140 Heat Only		Non-Programmable	
1E78-144 1 Heat/1 Cool		Non-Programmable	
1E78-151	1 Heat/1 Cool	7 Day/5-2 Day/None	

White-Rodgers 70 Series Digital Thermostat

For use with conventional and heat pump systems.

- Adjustable Temperature Range: 7°C to 37°C
- 20-30VAC/750mV



Honeywell Home ★ TOP SELLER

PART#	OPERATION	PROGRAMMING	
TH1100DV1000	1 Heat Only	Non-Programmable	
TH1110DV1009	1 Heat/1 Cool	Non-Programmable	

Honeywell PRO1000 Thermostat

For use with conventional and heat pump systems.

- Adjustable Temperature Range: 4.5°C to 32°C
- 20-30VAC/750mV

Thermostats

forced air . digital









PART#	BRAND	SCALE	VOLTAGE	FIG.
T827K1017	Honeywell	10-30C	12VDC/750mV	Α
T822K1034	Honeywell	10-30C	24V	Α
1E30N-311	White Rodgers	10-30C	24VAC/750mV	В

Most common single stage for heating only applications. All models have adjustable heat anticipators.





Honeywell Home	PRO2000 Thermostat	★ TOP SELLER
----------------	--------------------	--------------

PART# OPERATION		PROGRAMMING	
TH2110DV1008	1 Heat/1 Cool	5-2 Day	

For use with conventional and heat pump systems. Adjustable Temperature Range: 4.5°C to 32°C. 24VAC/750mV



Honeywell Home VisionPRO8000 Thermostat

PART#	OPERATION	PROGRAMMING
TH8320R1003	1 Heat/1 Cool	7 Day/None
TH8110R1008	1 Heat/1 Cool	7 Day/None
TH8321WF1001	3 Heat/2 Cool	Wi-Fi/7 Day/None 奈

For use with conventional and heat pump systems. Adjustable Temperature Range: 4.5°C to 32°C. 18-30VAC/750mV



Honeywell Home T6PRO Digital Thermostat

PART#	OPERATION	PROGRAMMING	
TH6220U2000 2 Heat/1 Cool		7 Day/5-2 Day/5-1-1 Day/None	
TH6210U2001	1 Heat/1 Cool	7 Day/5-2 Day/5-1-1 Day/None	
TH6220WF2006	2 Heat/2 Cool	7 Day/5-2 Day/5-1-1 Day/None	

For use with conventional and heat pump systems. Adjustable Temperature Range: 4.5°C to 32°C. 20-30VAC





1F87U-42WFC sen si must

Simple installation. Just load the app and follow the video step by step!

PART#	OPERATION PROGRAMMING	
1F87U-42WFC	4 Heat/2 Cool	7 Day/None 🛜
1F95U-42WFC	4 Heat/2 Cool	7 Day/None 🛜

Sensi Digital Thermostat. For use with conventional and heat pump systems. Adjustable Temperature Range: 0°C to 41°C and 20-30VAC.



PART#	BASE	LENGTH	HEIGHT	DEPTH
585-TG5	Solid Base	3-1/2"	3-1/4"	2-1/4"
585-TG2	Ring & Solid	5-7/8"	6-5/8"	3-5/16"
585-TG6	Ring & Solid	6-1/4"	3-3/4"	1-3/4"
585-TG	Ring & Solid	8-1/4"	4-1/2"	3-1/4"

High Impact Thermostat Guard. Durable clear plastic cover and Horizontal or vertical mounting.





YES! We carry Google Nest Products!

www.AMREsupply.com





Furnace Parts

motors . capacitors . relays

Motors



Check out our full selection of motor belts. **www.AMREsupply.com**



PTAC Fan & Blower Motor - Sleeve Bearing

PART#	HP/RPM	SIZE / FRAME	AMP/VOLTS	SPD.	ROT.	SHAFT
UE-89	1/10HP, 1050RPM	5.0", 42	3.5A, 115V	5	CCW	1/2" x 10-3/16"



Flue Exhaust Blower - Ball Bearing

PART#	HP/RPM	SIZE / FRAME	AMP/VOLTS	SPD.	ROT.	SHAFT
FB-RFB547	1/20HP, 3400RPM	3-5/16", 3.3"	1.8A, 115V	1	CW	-



Multi-HP Direct Drive Motor - Sleeve Bearing - Replaces 1/3, 1/4, 1/6, 1/7 HP Motors

PART#	RPM	SIZE / FRAME	AMP/VOLTS	SPD.	ROT.	SHAFT
DD-1314	1075RPM	5.5", 48	6.0A, 115V	4	REV.	1/2" x 6"



Multi-HP Direct Drive Rescue Motor - Sleeve Bearing - Multi-Fit 1/2, 1/3, 1/4, 1/5, 1/6 HP

PART#	HP / RPM	SIZE / FRAME	AMP/VOLTS	SPD.	ROT.	SHAFT
5460	1075RPM	5-5/8", 48Y	115V	5	REV.	1/2" x 5"
5461	1075RPM	5-5/8", 48Y	208/230V	5	REV.	1/2" x 5"



PART#	HP / RPM	SIZE / FRAME	AMP/VOLTS	SPD.	ROT.	SHAFT	
5470	1075RPM	5-5/8", 48Y	115V	5	REV.	1/2" x 5"	



Direct Drive Blower Motor - Sleeve Bearing

PART#	HP / RPM	SIZE / FRAME	AMP/VOLTS	SPD.	ROT.	SHAFT
R6-R42310	1/3HP, 1075RPM	5.5", 48	6.0A, 115V	4	CCW	1/2" x 5-3/16"



Belt Drive Motor - Sleeve Bearing

PART#	HP/RPM	SIZE / FRAME	AMP/VOLTS	SPD.	ROT.	SHAFT
840CV	1/4HP, 1725RPM	5-5/8", 48	115V	1	REV.	1/2" x 1-5/8"
841CV	1/3HP, 1725RPM	5-5/8", 48	115V	1	REV.	1/2" x 1-5/8"
1542C	1/2HP, 1725RPM	5-5/8", 48	115V	1	REV.	1/2" x 1-5/8"



Flex Mount Direct Drive Motor - Ball Bearing

PART#	HP/RPM	SIZE / FRAME	AMP/VOLTS	SPD.	ROT.	SHAFT
DD-034	1/4HP, 1075RPM	5.5", 48Y	115V	4	REV.	1/2" x 6"
DD-035	1/3HP, 1075RPM	5.5", 48Y	115V	4	REV.	1/2" x 6"
DD-036	1/2HP, 1075RPM	5.5", 48Y	115V	4	REV.	1/2" x 6"

Relays & Capacitors





Switching single or two speed fan motor, relays, solenoids, resistive loads in cooling, heating or general purpose switching applications.

- Quiet & reliable operations
- Totally enclosed compact design
- Universal mounting bracket

SPST	SPDT	COIL VOLTS
25-90290	25-90293	24
25-90291	25-90294	120
25-90292	25-90295	240





			-
PART#	MFD	VOLTS	BASE
36-5J370	5	370	Α
36-7.5J370	7.5	370	Α
36-10-370440	10	370	Α
36-15K370	15	370	А
36-255R3744	25/5	370/440	В
36-305R3744	30/5	370/440	В
36-355R3744	35/5	370/440	В

Run Capacitors

Higher voltage capacitors can be substituted for lower voltage applications with the same MFD rating.

- Heavy duty, compact design
- Dual voltage, dual MFD run capacitor.
- Built-in interrupter A 1.24" x 2.03" B 1.97" x 3.54" to 4.33"

Furnace Parts

thermocouples . ignitors . flame sensors



Ignitors



resideo Q3200U1004

Universal Glowfly 120VAC Hot Surface Ignitor

Replaces over 110 ignitor models. Silicon nitride ignitor with universal bracket design.



resideo

Q4100C9046 19" leads Q4100C9054 5-1/4" leads

Furnace Hot Surface Ignitor Silicone carbide construction.



★ TOP SELLER

41-409

Furnace Hot Surface Ignitor Silicone carbine. 5-1/4"L



768A-844 Selected Lennox 768A-815 Selected Trane Furnace Hot Surface Ignitor

Silicon nitride ignitor with .084" female socket. 250 C



41-604

Hot Surface Furnace Mini-Ignitor. 3 sec heat-up and small size, has been embraced by gas furnace OEM's.



1172827

ICP Flame Sensor Kit

Use with Select AcroAire, Bryant, Carrier, Comfortmaker, Heil, ICP, Kenmore, Sears, Snyder General and Tempstar Units.



SEN1114

Trane American Standard Flame Sensor Rod. Use with Trane & American Standard Units.



Flame Sensors





PFS014

Packard 45° Flame Sensor



TOP SELLER **PFS802**

Packard Flame Sensor



0130F00010

Goodman Flame Sensor



★ TOP SELLER

52W29

Lennox Flame Sensor

Thermocouples



Robertshaw

resideo


1980-818	Q340A1066	18"
1980-824	Q340A1074	24"
1980-830	Q340A1082	30"
1980-836	Q340A1090	36"
1980-848	Q340A1108	48"

Thermopiles





1951-536	36"	Α
1950-001	36"	В



White, Rodgers.

Robertshaw.

resideo



resideo

L4064B2228 L4064B2236 8" L4064B2210 11-1/2"

Honeywell Fan and Limit Switch

Controls high limit and fan motors in forced air heating systems. Three wiring terminal options available for easy installation. Fan switch makes and high limit switch breaks on temperature rise



Humidifier

filters . complete units



Honeywell Home

HE105C1000 12 gal. per day Honeywell Whole Home Bypass Humidifier

Fits existing evaporative humidifier space for quick and easy installation. For home sizes up to 1,500 sq ft.

- 5-year limited warranty
- Replacement evaporator pad HC22A1007
- Includes transformer, drain line, and control
- Capacity: 12 gal/day (45L/day)



The patented water-saving Pulse Flow control reduces the flow of water to the evaporative panel by 88% compared to standard flow-through humidifiers.

- Water Efficient Flow-Through
- Filter Frame
- Water Hammer Protection
- Universal Mounting
- Easy To Install





GF-1042DMM 19.2 gal. per day.

GeneralAire Legacy Flow Through Humidifier

High efficient flow-through unit. For home sizes up to 2,800 sq ft.

- 5-year limited warranty
- Replacement evaporator pad 990-13
- Includes MHX3 manual stat and all components required for a cold water application
- Capacity: 19 gal/day (70L/day)





GF-1042DMM 1.9 litres/hr.

Desert Springs Drum Humidifier

Proven and economical drum humidifier.

Easy to install

- Motor 4W, 1.2 RPM
- Unit Dimensions: 12.25" x 11.5" x 10"
- Duct Opening W x H: 7-3/4" x 8"

Includes humidistat control and plug-in transformer.



Honeywell Home

HE205C1000 17 Gallons/Day Whole House Bypass Humidifier.

- With AgION™ antimicrobial pad
- Electrical rating: 24 VAC, 60 Hz, 0.5A
- Includes H8908 manual humidity control
- Includes 24V Transformer





404073-02

Lau Humidifier
Wick Plates



★ TOP SELLER
990-13

GeneralAire Humidifier Pad

with Frame 9-3/4" x 12"



GF-GA10

GeneralAire Humidifer Pad 9-1/2" x 10"



DS00201

Desert Spring Humidifier Pad 9-1/2" x 9-3/4"



Honeywell Home

★ TOP SELLER

HC22A1007

HC22E1003 AgION Coating Honeywell Humidifier Filter Pad 9-1/2" x 10"



Honeywell Home

HC26A1008

HC26E1004 AgION Coating Honeywell Humidifier Filter Pad

10" x 13"

Pneumatic

thermostats . valves . fittings



Thermopiles



Honeywell

PART#	PIPE SIZE	SPRING RATING	CV RATING
VP525C1016	1/2" NPT	3 to 10 psi	2.0
VP525C1073	1/2" NPT	3 to 10 psi	3.0
VP525C1024	3/4" NPT	3 to 10 psi	3.0
VP525C1032	3/4" NPT	3 to 10 psi	5.0

Honeywell VP525 Series Pneumatic Radiator Valves

Normally-open, single seated valves with straight through body construction. Easily replaceable actuator assembly for convenience of service and compact size. Provide proportional control of two-pipe water or steam systems.

Thermostats



Honeywell

PART#	CONTROL	COLOUR
TP970A2234	Direct Acting	Satin Chrome
TP970B2150	Reverse Acting	Satin Chrome

Convert-A-Stat Pneumatic Room Thermostats

Converts most existing pneumatic room thermostats to Honeywell direct or reverse acting, 2-pipe units.



Honeywell

PART#	CONTROL	CONNECTION	
TP970A2020	Direct Acting	2-Pipe	
TP970B2010	Reverse Acting	2-Pipe	
TP973A2084	Direct Acting	2-Pipe	

Thermostat Chassis

Gives comparable control of pneumatic valves and damper actuators in heating & air conditioning systems.





PART#	TUBE SIZE	LENGTH
1219-13004	5/32"	3-5/32"
1219-44003	1/4"	5-13/32"

Johnson Controls Pneumatic Tubing Sold per foot.

SIEMENS

PART#	PIPE SIZE	SPRING RATING	CV RATING
257-02035	1/2" NPT	3 to 8 psi	1.0
257-02037	1/2" NPT	3 to 8 psi	1.6
257-02039	1/2" NPT	3 to 8 psi	2.5
257-02045	3/4" NPT	3 to 8 psi	6.3

Siemens Powermite 599 Series Pneumatic Valves

Suitable for normally open or normally closed control. Typical applications include control of hot or chilled water, water-glycol solutions up to 50% and steam up to 15 psi (steam only with stainless steel trim).




SIEMENS

PART#	CONTROL	COLOUR
192-850	Direct Acting	Beige
192-850W	Direct Acting	White

Retroline Powerstar Retrostat Pneumatic Room Thermostats

Converts most existing pneumatic room thermostats to a Powerstar 192 direct or reverse acting, 2-pipe, single or dual setpoint unit.

Pneumatic Tubing & Fittings



Controls			
PART#	DESCRIPTION	TUBE SIZE	FIG.
F-1000-323	Plug	1/4" & 5/32"	Α
F-300-35	Union	5/32"	В
F-300-26	Union	1/4"	В
F-300-30	Union Reducer	1/4" x 5/32"	В
F-300-21	Union Reducer	1/4" x 3/8"	В
22CA-4-4	Barb X Comp. Union	1/4" x 1/4"	С
F-700-80	Adapter Tee	1/4" x 1/4" x 1/8"	D
F-700-83	Union Tee	5/32"	Е
F-700-73	Union Tee	1/4"	Е
F-700-84	Union Tee	1/4" x 1/4" x 5/32"	Е
F-500-45	Elbow	5/32"	F
F-500-39	Elbow	1/4"	F



Zone Valves

hydronic . motors . adapters

Replaces Erie, White Rodgers, Mutt, EMC, and more!





NPT (Inverted Flare)

Honeywell Home

No End Switch

PART#	CONNECTION	POSITION	PSI
V8043C1116	3/8" Flare	Normally Closed	300
V8043D1197	3/8" Flare	Normally Open	125
V8043C3310	1/2" NPT (Inverted Flare)	Normally Closed	300
V8043D3318	1/2" NPT (Inverted Flare)	Normally Open	300
V8043C1124	1/2" NPT (Inverted Flare)	Normally Closed	125
V8043D1205	1/2" NPT (Inverted Flare)	Normally Open	125
V8043D1080	3/8" Flare	Normally Open	125

With End Switch

That End Officer				
PART#	CONNECTION	POSITION	PSI	
V8043G1034	3/8" Flare	Normally Closed	125	
V8043G1018	3/4" Sweat	Normally Closed	125	
V8043G1125	1/2" NPT (Inverted Flare)	Normally Closed	125	

Honeywell Hydronic Zone Valves

Two-way, on-off, low voltage valves. Actuator and valve assembly for controlling the flow of hot water. Valve designed for cycling (not constantly powered on) applications.

40003916-011 Fits V8043A and C series **40003916-012** Fits V8043E and G series **40003916-014** Fits V8043D series

Honeywell Replacement Powerheads Includes motor, housing, and 2 mounting screws.





Ede

PART#	CONNECTION	BODY STYLE	FIG.
VT2343	3/4" Inverted Flare	2-Way	A
VT3343	3/4" Inverted Flare	2-Way	Α

Actuators No End Switch

PART#	VOLTS	POSITION	FIG.
AG13A020	24, operating head	Normally Closed	В
AG23A020	24, operating head	Normally Open	B
AG13B020	120	Normally Closed	В
AG23B020	120	Normally Open	В

Actuators With End Switch

PART#	VOLTS	POSITION	FIG.
AG13A02A	24, operating head	Normally Closed	В
AG23A02A	24, operating head	Normally Open	В

Erie PopTop Zone Valves

Motorized valves and actuators suitable for the control of hot and chilled water in terminal unit applications such as fan coil units and baseboard heating.



File

436-220 3/4" Inverted Flare to 1/2" Sweat. **436-252** 3/4" Inverted Flare to 3/4" Sweat Zone valve adapters. Sold individually



resideo

272704B 3/8" Flare to 3/4" Sweat **272708B** 1/2" Flare to 3/4" Sweat Zone valve adapters.

Sold 2 per package



resideo 272742A

Honeywell Replacement Ball Plug Kit Includes teflon sleeve, rubber ball, o-ring

Includes teflon sleeve, rubber ball, o-ring and 4 mounting screws. Use with V8043 series zone valves





Honeywell 24V Zone Valve Motor Replacement motor for V8043 Series. Fits most brand names including Erie, Flair, EMC, etc.



Honeywell Home

40003918-006

Honeywell Head Adapter Kit.

Convert straight through (two-way) non-removable head style zone valves to removable head style



File

30-118-A AG13A/AG23A Actuators **30-118-B** AG13B/AG23B Actuators *Erie 24V Zone Valve Motor* Replacement motor for PopTop Series

Radiator

vents . valves . controls





NO.67

MAIDOMIST

PART#	SIZE	CONNECTION	PSI	
NO.66	2-5/8" x 1-1/4"	1/8" I.P. Male	50	
NO.67	3-3/4" x 9/16"	1/8" I.P. Male	50	

NO. 66 and 67 Series Auto-Vents

Float-operated vents for use on convector radiators, baseboard radiation and radiant panels. These are designed to be used in space that is limited and can be installed in trouble spots previously neglected or improperly vented. No air chamber required. For use on systems with pressures up to 50 lbs.



NO.7

MAIDOMIST

PART#	SIZE	CONNECTION	PSI
NO.7	4-3/8" x 2-1/4"	1/8" I.P. Female	75
NO.75	4-3/4" x 2-1/4"	1/2" Female & 3/4" Male	150

NO. 7 and 75 Series Auto-Vents

Reliable, automatic air eliminating valves for concealed radiators, pipe lines, tanks and other devices where water or liquids are used for heating and cooling. Equipped with a self-closing, float-operated valve. No air chamber required.

MAIDOMIST



PART#	SIZE	CONNECTION	PSI
NO.72	1-1/4" x 1/2"	1/8" I.P. Male	75

Fast venting, expansion type valve. Manual venting and tight shut-off are controlled by a value cap with screwdriver slot adjustment. Used for vertical or horizontal mounting on convectors, baseboard and free-standing radiators.

Automatic Air Vents





0590715 (FV-4M1) 1/8" IPS **0590716** (FV-4M1) 1/4" IPS

Watts Auto Vent

Provides automatic air venting for hot or cold water distribution systems. Purges air that may be in the water system. 150psi maximum working pressure.



113222 (No. 97) 1/8" IPS Bell & Gossett Auto Air Vent

Float type automatic air vend designed to vent troublesome air from hydronic heating systems. 150psi maximum pressure.



resideo **EA122A1002** 1/8" NPT

Honeywell Auto Vent

Automatic air venting purges air from high pressure mains and equipment in hot and cold closed water systems. Includes built-in brass shutoff valve for servicing without system shutdown. 150psi maximum pressure.





013G8015 1/2" Straight 013G8020 3/4" Straight 013G8025 1" Straight

RA2000 Thermostatic Radiator Valve

Regulates the flow of hot water or low pressure steam through free-standing radiators, baseboards, or convectors in hot water and two-pipe steam systems.









PART#	MOUNT	STYLE	FIG.
013G8250	Direct Mount	Internal Sensor	А
013G8252	Direct Mount	6' Capillary	В
013G8562	Remote Mount	6' Capillary	С
013G8565	Remote Mount	16' Capillary	С
013G8564	Remote Mount	6'+6' Capillary	D

Thermostatic Radiator Operators

Operators provide fast acting modulating control of the space temperature through a patented vapor charge, ensuring the highest level of comfort control.



pressure . boiler . gauges



Valves



Boiler Pressure Relief Valves

Used in hot water heating and domestic supply boiler applications. Bronze body construction with NPT threaded female inlet and NPT threaded female outlet (drain) connection.

PART#	SIZE	PSI	BTU / HR
0274431 (174A-3/4-30)	3/4"	30	650,000
0274435 (174A-3/4-50)	3/4"	50	950,000
0274446 (174A-3/4-125)	3/4"	125	2,070,000
0274447 (174A-3/4-150)	3/4"	150	2,445,000
0274840 (174A-1-30)	1"	30	1,005,000
0274844 (174A-1-50)	1"	50	3,215,000
0274855 (174A-1-125)	1"	125	3,215,000
0274857 (174A-1-150)	1"	150	3,795,000



WATTS

Pressure Relief Valves

Used in water heater and hot water storage tank applications to provide automatic temperature and pressure protection to hot water supply tanks and hot water heaters up to 105,000 BTU/hr.

PART#	SIZE	PSI	BTU / HR.
0066165 (100XL)	3/4	125	105,000
0066133 (L100XL)	3/4	150	105,000
0066166 (100XL-4/150)	3/4"	150	100,000







For a full selection of in-stock gauges and 100's more to choose from, visit

www.AMREsupply.com





PART#	SIZE	MOUNT SIZE	RANGE
PEM212	2.5"	Bottom 1/4" MPT	0-30 psi
PEM213	2.5"	Bottom 1/4" MPT	0-60 psi
PEM214	2.5"	Bottom 1/4" MPT	0-100 psi
PEM221	4"	Bottom 1/4" MPT	0-30 psi
PEM222	4"	Bottom 1/4" MPT	0-60 psi
PEM223	4"	Bottom 1/4" MPT	0-100 psi

Dry Pressure Gauges

Most economical, all-purpose pressure gauge. Features friction bezel rings, black steel case. Suitable for plumbing, heating, air conditioning, pneumatic, hydraulic, water tanks, air compressors, OEM applications.






PART#	MOUNT SIZE	RANGE
TSW174	Rear 1/2" NPT	30-250F/0-120C

Hot Water Thermometers

All-purpose, economical thermometer with vertical sensing tube and case. Separable brass thermowell and dual scale. Suitable for hot water lines, boilers, heating, ventilation, air conditioning. 5-year warranty





Wet Pressure Gauges

Pulsation resistant, liquid filled stainless steel cased gauge. Features brass internals. Suitable for pumps, compressors, hydraulic presses, machinery, pneumatic equipment, and motors in harsh environments.





PART#	MOUNT SIZE	RANGE
TTD401	Extension Back 1/4" NPT	0-75 psi-ft/lbs
TTD404	Back 1/4" NPT	0-75 psi-ft/lbs

Measures both pressure and temperature on the same dial. Dual scale readings. Suitable for hot water and steam pressure for boilers.

5-year warranty

Pumps

motors . bearings . filters







Bearings - Bronze / Iron Pumps

PART#	MODELS/SERIES
189163	Series 1-1/2", 2", HV
189105	Series PR, 2-1/2", LD-3, HD-3
189165	Series HV, 2", 1-1/2"



Bearings - Bronze Pumps

-	PART#	MODELS/SERIES	
17	189034	Series 100	
	185260	Series PD-38, PD-40, PD-39, 60-A	
	186863	Series PD-35, PD-37, 60-AA, 1522	



Includes all pumping parts (bearings, shaft, shaft sleeve, seal kit, etc) preassembled into a new pump housing. Also includes volute cover gasket and pump lubrication oil.

Hydroniclean System

Complete side stream filtering system. An engineered system for removing suspended solids from heating water, glycol, brine and other closed recirculating hydronic systems.

Clean Water In Your **Boilers** Improves Energy Consumption Guaranteed!



Complete Unit

PART#	MODELS/SERIES
H-10	Hi-Temp Plastic
RHB-997	Stainless Steel

H-10 Parts

PART#	DESCRIPTION
HPB-70-FI	Flow indicators
HPB-70-FB	Flow indicator ball
HPB-70-IG	EPDM 1/8" inner gasket
HPB-70-OG	1/16" outer gasket
HPB-70-RL	Tempered glass lens
HPB-70-SOCKET	Tightening socket
H-10-HOUSING	Housing only
H-10-CAP	Replacement cap
H-10-O-RING	Silicone "O"-ring
H-10-WRENCH	Canister wrench

RHB Parts

PART#	DESCRIPTION	
RHB-329	Housing "O"-ring	
RHB-330	Housing "O"-ring	
RHB-118	Tightening rod	
RHB-137	Housing petcock drain valve	



🦺 Booster Pumps - Iron, Single Phase, 115V



PART#	H.P.	SIZE (INCHES)
106189	1/12	3/4 to 1-1/2
102214	1/6	2

Three Piece Booster Pumps

Three-part configuration offers complete field repairability and compact construction.



PART#	H.P.	VOLTS	ROTATION
111034	1/12	115V	CW
111031	1/6	115V	CW
111040	1/4	115V	CW
111042	1/3	115/230V	CW
111044	1/2	115/230V	CCW
111047	3/4	115/230V	CCW

Power Pack Motors

Single Phase, 1725RPM. Two-piece motor bracket makes service a snap.



PART#	MICRONS
CU5R97T	5
CU10R97T	10 ★ TOP SELLER
CU20R97T	20 ★ TOP SELLER
CU25R97T	25
CU30R97T	30
CU50R97T	50 ★ TOP SELLER

Standard Boiler Filters. Unbleached Cotton, string wound, economy 9-7/8 x 2-1/2"



CHECH103500 Pink

Chemfax Chem-Frost 100% Propylene Glycol. A high quality non-toxic heavy duty heat transfer fluid specifically blended for our harsh Northern climates. APPLICATIONS

Hydronic heating systems, plumbing systems, heat transfer systems, solar and anywhere a high quality heat transfer fluid is required.



Return Air Grilles



PART#	SIZES
RG0553	6" X 6"
RG0564	8" X 6"
RG0351	10" X 6"
RG0385	12" X 6"
RG0358	10" X 8"
RG0392	12" X 8"
RG0428	14" X 8"
RG0455	16" X 8"
RG0522	24" X 8"
RG0550	30" X 8"



PART#	SIZES
RG0033	14" X 6"
RG0049	16" X 6"
RG0057	18" X 6"
RG0077	24" X 6"
RG0095	30" x 6"
RG0042	14" x 8"
RG0053	16" x 8"
RG0061	18" x 8"
RG0086	24" x 8"
RG0104	30" x 8"

B Imperial

Metal 3/16" Flush Return Air Grilles

One-piece all steel construction for reliability. Durable painted white powder-coat finish.

B Imperial

Metal 7/8" Baseboard Return Air Grilles

One-piece all steel construction for reliability. Durable painted white powder-coat finish.

Floor Registers







Plastic Floor Heat Registers

High-impact polystyrene construction for durability. Rust and scratch resistant. Three position louvers with 100% damper shut-off. Featuring knockouts at each end for ceiling installation. Easy-to-clean, just put in the dishwasher!

PART#	SIZES	COLOUR
RG1289	3" x 10"	White
RG1290	3" x 10"	Brown
PART#	SIZES	COLOUR
RG1292	4" x 10"	White
RG1293	4" x 10"	Brown
PART#	SIZES	COLOUR

PART#	SIZES	COLOUR
RG1449	2-1/4" x 12"	White
RG1451	2-1/4" x 12"	Brown





SIZES



@ Imperial

PART#	SIZES	COLOUR
RG0222	3" x 10"	White
RG0203	3" x 10"	Brown
RG1994	3" x 10"	Pewter

PART#	SIZES	COLOUR
RG0246	4" x 10"	White
RG0234	4" x 10"	Brown
RG1995	4" x 10"	Pewter

RG0179	2-1/4" x 12" White		
RG0168	2-1/4" x 12"	Brown	
RG1996	2-1/4" x 12"	Pewter	
•			
PART#	SIZES	COLOUR	

COLOUR

PART#	SIZES	COLOUR
RG0267	4" x 12"	White
RG0257	4" x 12"	Brown
RG1997	4" x 12"	Pewter

PART#	SIZES	COLOUR
1	2-1/4" x 14"	
RG0189	2-1/4" x 14"	Brown

Metal Floor Heat Registers

All-steel construction for reliability. Easy to operate damper control. Rolled find for strength and safety. Durable powder-coat painted finish.

PART#

Filters

furnace . polyester . fiberglass



Pleated



(Other sizes Available)



Series HC MERV 10 High Capacity Pleated Filters. 50-55%

SIZES	PART# 1" (12/Case)	PART# 2" (12/Case)	PART# 4" (6/Case)
20" X 24"	10489	10461	10470
20" X 25"	10448	10462	10471

Filtration Group Aerostar Series 400 Pleated Filters

Series 400 pleated air filter utilizes a state-of-the-art 100% synthetic media that is laminated to an expanded metal grid on the air exiting side to provide exceptional strength during installation. The media support grid prevents fluttering and maintains pleat uniformity for optimum performance. *Designed for use in all applications*.



Polyester Media Pads & Rolls

Effective, economical and user-friendly. It is an upgrade from fiberglass due to its greater level of efficiency and non-shed characteristics. Commonly used in rooftop units, industrial, commercial and residential.

Available in bulk rolls or pre-cut pads. 1" or 2" thicknesses

A tackifier can be added to the media to enhance performance. Designed to operate in 100% humidity conditions Rated Class 2



Fiberglass Media Pads & Rolls

Manufactured from glass fibres that create a progressive density barrier to effectively trap and hold particulates from the air stream. Very effective in heavy dust HVAC systems as well as paint collection processes. Effective as a pre-filter to higher efficiency products.

Available in bulk rolls or pre-cut pads. 1", 2", or 4" thicknesses

An adhesive can be added to the media to enhance performance. Will withstand temperatures up to 150° F



Series SC MERV 8 Standard Capacity Pleated Filters. 30-35%

SIZES	PART# 1" (12/Case)	PART# 2" (12/Case)	PART# 4" (6/Case)
10" X 20"	10364	10379	-
14" X 25"	10370	10382	-
16" X 20"	10372	10384	10394
16" X 24"	10411	10385	-
16" X 25"	10373	10386	10395
18" X 24"	10415	10387	10396
20" X 20"	10375	10388	10397
20" X 24"	10416	10389	10398
20" X 25"	10376	10390	10399
24" X 24"	10377	10391	10400



SoniQ Pocket Filters

Constructed with a non-shed, moisture resistant, synthetic media consists of a layered and blended melt-blown polypropylene able to capture small particles from the air stream. The ultrasonic welding process provides a product with no stitch holes to prevent any possible air leakage. Available in a wide range of sizes, depths and number of pockets.

Available in a MERV 11, 12, 13 and 15. Open throat design for optimum air flow Low initial pressure drop and superior dust holding capacity



-

Fiberglass Rigid Cell Filters

An extended surface, medium to high efficiency filter.
The high lofted ultrafine fiberglass media provides
excellent dust holding capacity and coupled with its rich

excellent dust holding capacity and coupled with its rigid construction virtually eliminates dust particle unloading downstream of the filter. Filter is suitable for most commercial and industrial HVAC systems.

Available in box style or single header design.

- Available in a MERV 10, 11, 13 and 15
- 6" or 12" depths
- Galvanized steel frame
- Use as pre-filter/final filter depending on appl.
- Robust filter withstands unfavorable conditions especially variable air volume (VAV)



1-800-661-9891



Heaters portable fans

Heaters



Royal Sovereign Oscillating Ceramic Heater.

Power indicator light. 2 heat settings 750/1500W. Quiet heat or fan-only settings and adjustable thermostat



HFN-03

Compact Fan Heater 2 heat settings 750/1500W. Fan only mode. Tip over & overheat protection



SHOPRO.

H005135Prestige Portable Ceramic
Heater. Power indicator light.
2 heat settings 750/1500W.
4 position switch and
adjustable thermostat



d king PUH1215T

King Electric Portable
Utility Heater, 750/1500W.
Built-in thermostat (45°-85°F).
Permanently lubricated motor
ensures long life. Dual On/off
rocker switches (750W ea.).
Comfort grip handle



KBP1230

950W to 2850W 120V **KBP2406**

950W to 5700W 208/240V King Garage & Shop Heater
Features Pic-A-Watt element allowing you to choose from a range of wattage options.
2 heat settings. Wall or ceiling mount bracket included



₫ king

PH-15T
King Portable Utility Heater

2 heat settings 750/1500W. 3 position switch. Adjustable tilt control. 6ft cord and easy carry handle



₫ king

PHM-1
King Portable Utility Heater

2 heat settings 1300/1500W. Adjustable thermostat. 6ft cord and easy carry handle



₫ king

PSH1215T *King Mini Portable Heater*

1 heat setting 1500W. Adjustable tilt control. 6ft cord and easy carry handle



₫ king

PAW1215-W

King Electric Wall Heater 250-1500W Pic-A-Watt 5120Btu 120V. 12.5" W x 6" H x 4.5" D



₫ king

SRP126-6 6'

SRP126-12 12'

SRP126-18 18'

SRP126-24 24'

SRP126-50 50'



King Self-Regulating Heating Cables

Automatically adjusts heat output based on surface temperature. 6 watts per linear foot. Used on metal and plastic pipes



h king BKT1BW

King Electric K Series Baseboard Heater Thermostat Built-In Kit, SPST

₫ king

120 Volt Baseboard Heaters

PART#	Size	Watts
2K1205BW	27"	500
3K1207BW	36"	750
4K1210BW	48"	1000
5K1212BW	60"	1250
6K1215BW	72"	1500



240 Volt Baseboard Heaters

PART#	Size	Watts
4K2410BW	48"	1000
5K2412BW	60"	1250
6K2415BW	72"	1500

Fans

portable . air conditioners



Fans

Wide selection of fans online www.AMREsupply.com



High Velocity Pedestal Fan Easily converts from stand fan to floor fan. 3-speed powerful motor with control easily accessible mounted on the front.



PBKD30-3SP 30" Stationary PBKD30-OSC 30" Oscillating Canarm Commercial Circulating Fan. Features a sturdy base and an adjustable pole. 3-speeds




GLACIER E 80605 80610 18"

Glacier PRO High Velocity Floor Fan High velocity fan produces maximum air movement making them ideal for any commercial or industrial need. 3-speed motor. Delivers over 1480 CFM.








- Auto, Sleep, Dry and Energy-Saver Modes
- 24-hour on/off timer
- Full function remote control w/Follow Me portable thermostat technology for total room coverage
- Includes window slider kit and quick-connect vent hose







- Easy-to-Clean Washable Filter
- 3-in-1 with Multi-Speed Fan + Dehumidifying Dry Mode
- 3 Different Fan Speeds
- 24-Hour On/Off Timer Programmable
- Remote Control

Mini Split



		ſ	perfect aire
PART#	BTU	Size W x H x D	Cools Sq. Ft.
3PAMSHQC09	9,000	Indoor 32-7/8" x 11" x 8-11/16" Outdoor 31-7/8" x 23" x 11"	Up to 350
3PAMSHQC12	12,000	Indoor 32-7/8" x 11" x 8-11/16" Outdoor 31-7/8" x 23" x 11"	Up to 500
3PAMSHQC18	18,000	Indoor 43-5/16" x 12-13/16" x 9-5/8" Outdoor 33-7/8" x 25-9/16" x 12-3/16"	Up to 800
3PAMSHQC24	24,000	Indoor 43-5/16" x 12-13/16" x 9-5/8" Outdoor 34-7/8" x 31-5/16" x 14-3/8"	Up to 1000
3PAMSHQC36	36,000	Indoor 53-1/8" x 14-1/2" x 10-1/2" Outdoor 34-7/8" x 31-5/16" x 14-3/8"	Up to 2500

- Auto and Sleep Modes and 24-hour on/off timer
- Full function remote control w/Follow Me portable thermostat technology for total room coverage
- Includes wall unit, outdoor unit, cable and line set




Air Conditioners

window . thru-the-wall

Window Units



Also Available with Heat! Check it out on www.amresupply.com



- 3-speeds in both cool and fan mode
- Auto, Sleep, Dry and Energy Saver Modes
- Remote control with Follow Me portable thermostat technology for total room coverage
- Expandable window mounting kit for vertical sliding, double-hung windows with a 23" 36" width and 13" minimum height



Electronic Window Mount



FRIGIDAIRE [

perfect aire



PART#	BTU	Size W x H x D	Sq. Ft.	Pints/HR.
FHWW064WD1	6,000	18" x 15" x 15-1/2"	Up to 250	1.3/hr
FHWW084WD1	8,000	18-1/2" x 13-7/32" x 16-5/16"	Up to 350	1.7/hr
FHWW124WD1	12,000	19" x 14-1/2" x 21-7/8"	Up to 550	3.8/hr

- Full-range air direction control
- 3 Fan Speeds
- PureAir RAC-10™ Advanced Filter
- Sleep Mode

Through The Wall



Also Available with Heat! Check it out on www.AMREsupply.

- PART# BTU Size W x H x D Cools Sq. Ft. 4PATW8000 8.000 24-1/4" x 14-1/2" x 20-1/2" Up to 350 4PATW10000 10,000 24-1/4" x 14-1/2" x 20-1/2" Up to 450 4PATW12000 12,000 24-1/4" x 14-1/2" x 20-1/2" Up to 550
- 24-hour on/off timer
- Auto, Sleep, Dry and Energy-Saver Modes
- Remote control with Follow Me portable thermostat technology for total room coverage
- Full-range air direction control

Accessories

PAWS2

24" Through-The-Wall Sleeve



Through-The-Wall Built-In

Built-In		FRIGIDA	AIRE [
BTU	Size W x H x D	Cools Sq. Ft.	Pints/Da
8.000	24" x 14-1/2" x 21-1/2"	Up to 350	43.2

PART#	BTU	Size W x H x D	Cools Sq. Ft.	Pints/Day
FFTA083WA1	8,000	24" x 14-1/2" x 21-1/2"	Up to 350	43.2
FFTA103WA1	10,000	24" x 14-1/2" x 21-1/2"	Up to 450	67.2
FHTC103WA1	10,000	24" x 14-1/2" x 19"	Up to 450	67.2
FHTC123WA1	12,000	24" x 14-1/2" x 19"	Up to 550	84

- Easy-to-Clean Washable Filter
- 24-Hour On/Off Timer
- Remote Control

Accessories

EA109T 5304514429

Decorative Grille, White 18" Deep Sleeve, White

Dehumidifiers

residential, commercial



Dehumidifiers



Electronic Dehumidifier With Built-in Pump





PART#	Per Day	Size W x H x D
FFAP5033W1	50 Pints	16" x 24-1/4" x 12"

- Continuous Drain Option
- Custom Humidity Control
- Multi-Speed Fan, three speeds.
- Washable Air Filter - Automatic Shut Off








PART#	PER DAY	Size W x H x D	Holds (Pints)
FFAD2233W1	22 Pints	15-1/2" x 19-4/5" x 11"	Up to 22.6
FFAD5033W1	50 Pints	16" x 24-1/4" x 12"	Up to 50
FFAD6022W1	60 Pints	18-25/32" x 24-3/5" x 14-23/32"	Up to 60

- Easy-to-Clean Washable Filter.
- Custom Humidity Control.
- Automatic Shut Off.
- Front Loading Bucket with Carrying Handle and Splash Guard.
- Low Temperature Operation

FRIGIDAIRE.




Electronic Dehumidifier



- Continuous Drain Option
- Custom Humidity Control
- Multi-Speed Fan, three speeds
- Washable Air Filter
- Automatic Shut Off





These units continuously counter dampness to keep allergens like mold and mildew at bay. It's easy to transport, durable fixed metal handle and heavy duty "never flat" tires.

- Easy access panel to pump
- Direct-to-drain hose access with 40 ft hose
- Built-in duct attachment ring for connecting a vent hose to direct the heated exhaust air and assist in water evaporation
- Automatic defrost control (hot gas bypass)

Lighting

Residential and Commercial



Stanpro has you covered for all your lighting applications!

Ceiling Luminaires

68972 11" 68973 14" Standard Lighting Flush



Emergency Lighting



SLA-2L LED Emergency Light, 2 Heads, 6V/36W. High efficiency, rapid recovery, precision control charging system



RMPN0WH-IB1-T 120 min run time RMPN0WH-UDC Plastic Stanpro Exit Sign, Running Man, 90 Minute Self-Powered LED, **Universal Faces**



Stanpro Combination Running Man Exit Sign & Emergency Light, 6V, 2 Heads



PRMPN-2 Stanpro Plastic Running Man Combo, 2 Head, 3.6V/1W, White

LED Bulbs

i i	LED A19 OMNI Lamp, 120V, Non-Dimmable, Sold 4/Pack							ST_NPRO
- 12	PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
	68594 😃	9.5	E26	2700	82	15,000	900	60
	66272 🤮	9.5	E26	3000	83	15,000	850	60
	66273 🤮	9.5	E26	4000	85	15,000	850	60
	68595 🤮	9.5	E26	5000	85	15,000	900	60
	66267 🦺	6	E26	2700	80	15,000	450	40
	66268 急	6	E26	3000	84	15,000	568	40
	68593 釓	9.5	E26	2700	82	15,000	922	60
	66270 急	9.5	E26	3000	80	15,000	750	60



Fixtures

sconces . track . semi-flush . pendants



213140BN

L213140BN012A1 (LED)

Brushed Nickel - Satin White Glass 12W LED/1140 lumen/3000K 5-3/4"W x 11-3/4"H x 4"E, 1/A/100W



211690BN

L211690BN012A1 (LED)

Brushed Nickel - Frosted White Glass 12W LED/1140 lumen/3000K 9"W x 12"H x 5"D, 1/A/100W





208612PTR

208612WH L208612PT012A1

Pewter (LED) 12W LED/1140 lumen/3000K 12"W x 6-1/4"H x 3-3/4"E, 1/A/100W Marbled Glass

Pewter





CANARM

LWL147A13BN **Brushed Nickel** LWL147A13ORB Oil Rubbed Bronze

lumen/3000K 13"W x 6-1/2"H, 11.5W LED/900 Acrylic Lens



250480PTR Pewter 13-1/2"W x 5"H x 6-1/2"D, 1/A/100W Alabaster Glass





Pewter

White

724131BN **Brushed Nickel** 724131CH Chrome White Satin Glass. 1/A/100W. 4-1/2"W X 8"H X 6-3/4"D

Also available in Oil Rubbed Bronze.





754181BN/FR Single Head Round Pan 754182BN/FR Double Head Round Pan 754183BN/FR Triple Head Round Pan Double Head Track 754172BN/FR 754173BN/FR Triple Head Track 754174BN/FR **Quad Head Track**

Use with 60W A15 or R20 lamps. Brushed Nickel with Frosted Glass



Double Head Round Pan





660480PT Pewter Marbled Glass 15"D x 9-7/8"H, 3/A/100W



CANARM

LFM101A13CH Chrome White Fabric Shade & Glass Diffuser 15"D x 3-1/4"H, 20W LED/1100 lumen



★ TOP SELLER 614298CH Chrome White Opal Glass

14-1/2"D x 9"H, 3/A/60W





811871PT Pewter 16"D x 11"H, 1/A/100W Marbled Glass



White 811331WH 18"D x 9-1/4"H, 1/A/100W Clear Ribbed Glass



811480PT Pewter 15"D x 18"H, 3/A/100W 811481PTR Pewter 19-1/8"D x 19-1/2"H, 3/A/100W Marbled Glass



815116PTR Pewter 15-3/4"D x 22" H, 3/A/60W Marbled Glass



Fixtures interior . disc . flush mount

Disc Flush Mount



LED - Blink Plus F	SATCO				
PART#	WATTS	LUMENS	COLOUR	SIZE	
S29691	25	1800	4000	13" x 1	"
62-1291	26	2100	4000	15" x 1"	



65455 White Frosted Standard Lighting 6" LED Round Flush Mount, 11W, 4000K, 896 Lumens.



LED - Slimline Surface Mount, Plastic and PC - 120V							
PART#	WATTS	LUMENS	COLOUR	SIZE			
L648240WH	18	1470	4000	9" x 5/8"			
L648340WH	22	2000	4000	11-7/8" x 1/2"			
L648330WH	22	2000	3000	11-7/8" x 1/2"			



\$29650 Warm White Satco 13" x 1" Flush Mount Blink,Round, 25W LED, 3000K 1800 Lumens.

Flush Mount



Frosted Swirl Glass					
11"D x 4-3/4"H	COLOUR	BULB	13"D x 4-7/8"H	COLOUR	BULB
IFM211T-WH (x2)	White	1/A/75W	IFM213-WH (x1)	White	2/A/60W
IFM211T-BPT (x2)	Brushed Pewter	1/A/75W	IFM213-BPT (x1)	Brushed Pewter	2/A/60W



Frosted Melon Glass						
11"D x 4-3/8"H	COLOUR	BULB		13"D x 5"H	COLOUR	BULB
625021WH	White	2/A/40W		635022WH	White	2/A/60W
625021PTR	Pewter	2/A/40W		635022PTR	Pewter	2/A/60W



Satin White Glass			
12"D x 3-3/8"H	COLOUR	BULB	15-1
612392BN	Brushed Nickel	2/A/40W	612
			642

		GRUARY
15-1/4"D x 4-1/8"H	COLOUR	BULB
612394BN	Brushed Nickel	2/A/60W
612394CH	Chrome	2/A/60W



LED - Frosted Plastic Lens				
11"D x 3-13/16"H	WATTS	LUMENS	COLOUR	
68047	20	1000	4000	

			3/1/ASHKO
13"D x 3-1/4"H	WATTS	LUMENS	COLOUR
68048	26	1820	3000
68049	26	1820	4000



LED - Frosted Plastic Lens					
11"D x 3-1/2"H	WATTS	LUMENS	COLOUR		
68041	16	1200	3000		
68042	16	1200	4000		

			ST_NPRO
15"D x 3-1/2"H	WATTS	LUMENS	COLOUR
68930	25	1875	3000
68045	25	1875	4000



Marbled Glass		
12-1/4"D x 4"H	COLOUR	BULB
680112MB-WH	White	2/A/60W
680112MB-PTR	Pewter	2/A/60W

			The state of the state of
16"D x 4-7/8"H	COLOUR	В	ULB
680116MB-WH	White	3	/A/60W
680116MB-PTR	Pewter	3	/A/60W

LED - Marbled Glass - 3000K - 2/A/60W			GRUNKY
12-1/4"D x 4"H	WATTS	LUM.	COL.
L680112MW010A1	12	1140	White
L680112MP010A1	12	1140	Pewter

LED - Marbled Glass - 3000K - 3/A/60W			CHLAXY
16"D x 4-7/8"H	WATTS	LUM.	COL.
L680116MW016A1	16	1520	White
L680116MP016A1	16	1520	Pewter

STANPRO

Fixtures interior . vanity . strip





A. 18" Wide Vanity 3/60W

> 713618 Chrome 713200 White **713318** Pewter

B. 24" Wide Vanity 4/60W

> **714624** Chrome 714200 White **714324** Pewter

C. 36" Wide Vanity 6/60W

> 716636 Chrome 716200 White 716336 Pewter

D. 48" Wide Vanity 8/60W

718648 Chrome 718200 White Pewter 718348

★ TOP SELLER Α

В



С M-L MIN CE n.C



Note: Bulbs not included







790515-INC Pewter 24"W x 6-3/4"H x 4-3/8"E, 2/A/100W

790518PTR Pewter 32-5/8"W x 6-3/4"H x 4-3/8"E, 3/A/100W Frosted Linen Pattern Glass





L921224BN022A1 Brushed Nickel 25-1/4"L x 6"H x 4-1/4"E, 24W LED/2800 lumen/3000K

L921236BN033A1 Brushed Nickel 36-1/4"L x 6"H x 4-1/4"E, 36W LED/4200 lumen/3000K

L921248BN044A1 Brushed Nickel 49-1/4"L X 6"H X 4-1/4"E, 48W LED/5500 lumen/3000K White Acrylic Lens







CANARM

LVL113A24BN Brushed Nickel 24-3/4"W x 6"H x 4-3/8"E, 20W LED/1700 lumen/3000K LVL113A36BN Brushed Nickel 36-3/4"W x 6"H x 4-3/8"E,

32W LED/2400 lumen/3000K Acrylic Lens







IVL370A02BPT **Brushed Pewter** 18"W x 8-1/2"H x 6-1/2"E, 2/A/100W

IVL370A03BPT Brushed Pewter 24"W x 8-1/2"H x 7"E, 3/A/100W

IVL370A04BPT Brushed Pewter 32"W x 8-1/2"H x 7"E, 4/A/100W

Line Painted Glass

Also available in Chrome, Matte Black, and Oil Rubbed Bronze





783002PTR Pewter 18"W x 9-1/4"H x 8-3/4"E, 2/A/100W

783003PTR Pewter 24"W x 9-1/4"H x 8-3/4"E, 3/A/100W

Frosted Alabaster Glass





Fixtures

wrap . strip . ceiling fans

Wrap Fixtures

Other Sizes Available www.AMRESuppply.com

Installation Options T-grid / surface / recessed.



62900S 1' x 4', 35W, 3500K, 3445 LUM. **67158** 2' x 4', 50W, 4000K, 5312 LUM.
Dimmable LED Panel, and 50,000 Average Hours.
Accessories required for surface or recessed mounting.



EFW848232



CANARM

LW12A19

24-1/4"L x 5-3/8"W X 2-1/2"E, 20W LED/1230 lumen/4000K

LW14A40

46-5/8"L x 5-3/8"H x 2-1/2"E, 39.5W LED/2765 lumen/4000K Acrylic Lens



CANARM

LU14A42

50-1/2"L X 12-1/2"W x 3-1/2"H, 42W LED/3100 lumen/4100K *Acrylic Lens*



CANARM

FT8181 18"L x 2-3/4"W x 3-1/2"E, 1/F15W T8 Fluorescent

EFT824117 24"L x 2-3/4"W x 3-1/2"E, 1/F17W T8 Fluorescent

EFT836125 36"L x 2-3/4"W x 3-1/2"E, 1/F25W T8 Fluorescent

Fans

ceiling fans



₩/c	ANA	RM
-----	-----	----

PART#	COLOUR	REVERSE BLADES	# BLADES
CATALYST-VI	White	White Only	4
CATALYSTII	Brushed Pewter	White or Gray	5

42" Catalyst

6W LED/800 lumen/3000K Dual mount, remote control adaptable.



PART#

PART#	COLOUR	REVERSE BLADES	# BLADES
CF42SEY5WH	White	Pine or White	5

42" Seymour

6W LED/800 lumen/3000K Dual mount, remote control adaptable.



CANARM

PART#	COLOUR	REVERSE BLADES	# BLADES
CF9042551S	Brushed Pewter	Bleached Oak or White	5

42" Eclipse

6W LED/800 lumen/3000K Dual mount, remote control adaptable.



WCANARM!

PART#	COLOUR	REVERSE BLADES	# BLADES
CF42RUE5BN	Brushed Nickel	Walnut or Cherry	5

42" Rue

6W LED/800 lumen/3000K Dual mount.

Fixtures

exterior . residential . commercial







305611WH White **305611BK** Black 4-1/2"W x 8"H x 5-7/8"E, 1/A/60W





313218WH White **313218BK** Black 4-1/2"W x 6-5/8"H x 5-7/8"E, 1/A/60W



301830BK Black 6-1/4"W x 11-1/2"H x 7-1/2"E, 1/A/100W





C102-1-B Black Fitter **C102-1-WH** White Fitter **61035GW** 6" Glass Globe Only
4-1/2"W x 7-1/2"H x 5-1/2"E, 1/A/60W



C102-1-B Black Fitter
C102-1-WH White Fitter
12301-GC Jam Jar Glass Only
6"W X 8-1/2"H X 6-1/4"E, 1/A/60W



IOL143TBK-C Black 8-1/8"H x 6"W x 6-1/2"E, 1/G/60W



Wall Pack S	Square - Inte	egrated Du	sk to Dawr	Photoce	ell - Bron	ze

Selectable	Colour Ten	np. Switch
3500K	4000K	5000K

STANPRO

The state of the s							SIGNORIO
PART#	WATTS	VOLTS	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	HID EQU. (W)
68722	20	120-277	3000/4000/5000	70	50,000	2450	70

High performance multi-purpose luminaire that can be used in most commercial installations. Prismatic wall pack diffuses and distributes the highly efficient LED output to maximize spread while minimizing wattage consumption.



Wall Pack Classic - Bronze

STANPRO

PART#	WATTS	VOLTS	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	HID EQU. (W)	
WPS-LC31	50	120-277	4000	70	54,000	5850	160-200	

A classic and familiar design integrated with modern LED technology to promote better energy efficiency and long life. The tough die cast aluminum housing is moisture and dustproof. It comes standard with a prismatic glass lens.



Slim Wall Pack - Bronze

STANPRO

PART#	WATTS	VOLTS	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	HID EQU. (W)
68768	15 or 30	120-347	3000/4000/5000	70	50,000	3900	100
68769	50	120-277	3000/4000/5000	80	50,000	5193	150-175

Efficient LED wall mount luminaire, adjustable mounting that can be tilt up to 90°. Fixture is best suited for entrances, underpasses, or anywhere controlled security lighting is required. Tough die cast aluminum housing - IP65 rated.



Flood Light Series - Bronze

STANPRO

•								
PART#	WATTS	VOLTS	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	HID EQU. (W)	
65589	30	120-277	4000	80	50,000	3400	100	
65592	50	120-277	4000	80	50,000	6000	175	

The Flood Light Luminaires are perfect for various applications such as wall washing, lighting pathways, landscape or signage lighting. They are offered in multiple wattages to fit both residential and commercial uses, and have a wide flood distribution for a large and uniform light pattern.




Fixtures glass . fitters . replacement glass



★ TOP SELLER

61035-W White 3-1/4" Fitter, 60W Max.




BLAZU TAKEL

61035GW White 6" White Globe, 3-1/4" Neck



61038-W White 4" Fitter, 100W Max.



GUNAXA. D. ..

61038GW White 8" Globe, 4" Neck



61008H-CH Chrome **61008H-WH** White 5-1/4" Swedish Globe Holder, 100W Max.



CAOOSC A

61008G A = 8" **61010G** A = 10" White Swedish Globe, No Neck



31288 White Bedroom Light Holder, 60W Max.



31288-12 12" Square Glass Shade







22611-H White Vanity Light Holder, 60W Max.



22611-G-14 14" U-Shaped Bathroom Glass



GSG-907 11-1/2" Curved Bathroom Glass



8827-CW1 Plastic **29816-C** Porcelain Pull Chain Lamp Holder, 660W Max., Medium Base



8829-CW4 Plastic 49875 Porcelain Keyless Lamp Holder, 660W Max., Medium Base



replacement lenses?

Visit AMRE online for universal and custom made replacement lenses!

www.AMREsupply.com

Bulbs emergency lamps . exit . type A







LED Exit Lamp, 120V, U Shaped, Sold 2/Pack							STANPRO
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
68969	1.2	E12/E17/DC	Red	N/A	100,000	450	40

T6 Lamp, 145V,	ST_NPRO						
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
15T6/CL/E12	15	E12 🛨 TOP SELLER	Clear	N/A	7,500	90	N/A
15T6/CL/E17	15	E17	Clear	N/A	7,500	90	N/A

(4)	
A15	

A15 Lamp, 130\	A15 Lamp, 130V, Dimmable								
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)		
15A15CL	15	E26	Clear	N/A	5,000	85	N/A		
15A15F	15	E26	Frost	N/A	5,000	80	N/A		
40A15CL	40	E26 🙀 TOP SELLER	Clear	N/A	2,500	300	N/A		
40A15F	40	E26 ★ TOP SELLER	Frost	N/A	2,500	290	N/A		



LED A15 OMNI	SATCO						
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
S9030	5.5	E26	2700	80	25,000	450	40
S9031	5.5	E26	3000	80	25,000	450	40
S9032	5.5	E26	4000	80	25,000	450	40
S9033	5.5	E26	5000	80	25,000	450	40



LED A19 OMNI		STANPRO					
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
68594	9.5	E26	2700	82	15,000	900	60
66272	9.5	E26 ↑ TOP SELLER	3000	83	15,000	850	60
66273	9.5	E26	4000	85	15,000	850	60
68595	9.5	E26	5000	85	15,000	900	60



Omni A19 Dimmable & Long Life

PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INC EQ
67948	6	E26	2700	80	25,000	480	40
67949	6	E26	3000	80	25,000	480	40
67950	6	E26	4000	80	25,000	480	40
67951	6	E26	5000	80	25,000	480	40
67952	9	E26	2700	80	25,000	800	60
67953	9	E26	3000	80	25,000	800	60
67954	9	E26	4000	80	25,000	800	60
67955	9	E26	5000	80	25,000	800	60
67956	12	E26	2700	80	25,000	1100	75
67957	12	E26	3000	80	25,000	1100	75
67958	12	E26	4000	80	25,000	1100	75
67959	12	E26	5000	80	25,000	1100	75
66188	15	E26	2700	82	25,000	1630	100
66189	15	E26	3000	81	25,000	1630	100
66190	15	E26	4000	85	25,000	1630	100
66191	15	E26	5000	85	25,000	1725	100







Omni	A19	(GU24)	
------	-----	--------	--

.19 (GU2	4)
G.	7	

B11 (E12)	













LED A19 OMNI	LED A19 OMNI GU24, 120V, Dimmable						IPRO SSATCO
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
66275	9.8	GU24	2700	83	25,000	800	60
66276	9.8	GU24	3000	82	25,000	850	60
66277	9.8	GU24	4000	86	25,000	850	60
S29814	11	GU24	2700	80	25,000	1100	75
S29819	15	GU24	2700	80	25,000	1600	100

LED B11 Decora	SAICO						
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
S8950	2.8	E12	3000	80	25,000	160	25
S8951	4.5	E12	2700	80	25,000	300	40
S8952	4.5	E12	3000	80	25,000	300	40
S8953	4.5	E26	3000	80	25,000	300	40

LED G16.5 Globe, 120V, Dimmable								ST ≜NPRO
	PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
	66766	5	E12	2700 / Clear	82	15,000	350	40
	66767	5	E12	2700 / Frost	81	15,000	361	40

LED G25 Globe	, 120V, Dim	mable	★ TOP SELLER		SATCO		
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
S9200	6	E26	2700 / Frost	80	25,000	450	40
S9201	6	E26	3000 / Frost	80	25,000	450	40
S9202	6	E26	4000 / Frost	80	25,000	450	40
S9203	6	E26	5000 / Frost	80	25,000	450	40

LED R20 Floo	d, 120V, Dim	mable			SATCO °		
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
S9630	6.5	E26	2700	80	25,000	525	50
S9631	6.5	E26	3000	80	25,000	525	50
S9632	6.5	E26	4000	80	25,000	525	50
S9633	6.5	E26	5000	80	25,000	525	50

LED BR30 Floor	LED BR30 Flood, 120V, Dimmable						SAICO		
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)		
S9620	9.5	E26	2700	80	25,000	750	65		
S9621	9.5	E26	3000	80	25,000	750	65		
S9622	9.5	E26	4000	80	25,000	750	65		
S9623	9.5	E26	5000	80	25,000	750	65		

LED BR40 Floo	d, 120V, Din	nmable			SATCO"		
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	INCAND. EQU. (W)
S9638	16.5	E26	2700	80	25,000	1200	85
S9639	16.5	E26	3000	80	25,000	1200	85
S9640	16.5	E26	4000	80	25,000	1200	85
S9641	16.5	E26	5000	80	25,000	1200	85

Bulbs type JC . JD . T3





JC Bipin, 12V, N	STANPRO						
PART#	WATTS	INITIAL LUMENS	HALOGEN EQU. (W)				
10T3Q/BL	10	G4	Clear	N/A	2,000	130	N/A
20T3Q/BL	20	G4	Clear	N/A	5,000	300	N/A
50T4Q/BL	50	GY6.35	Clear	N/A	4,000	900	N/A



LED Silicon JC I	SATCO"						
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	HALOGEN EQU. (W)
S9542	1.6	G4	3000 / Clear	80	25,000	200	10
S9543	1.6	G4	5000 / Clear	80	25,000	200	10
S9544	3	G6.35	3000 / Clear	80	25,000	300	20
S9545	3	G6.35	5000 / Clear	80	25,000	300	20



JD G9 Glass Base, 130V	STANPRO						
PART#	WATTS	BASE	INITIAL LUMENS	HALOGEN EQU. (W)			
H25JD/42MM/CL/G9	25	G9	Clear	N/A	2,000	255	N/A
H40JD/42MM/CL/G9	40	G9	Clear	N/A	2,000	480	N/A
H50JD/42MM/CL/G9	50	G9	Clear	N/A	2,000	600	N/A



LED JD G9, 120		STANPRO					
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	HALOGEN EQU. (W)
63444	3.5	G9	2700 / Frost	80	30,000	225	18
63445	3.5	G9	3000 / Frost	80	30,000	225	18
63446	3.5	G9	4000 / Frost	80	30,000	245	18



T3 R7s Base, 130V,	STANPRO							
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	NOM. LEN (MM)	HALOGEN EQU. (W)
HJ75W/S/130V	75	R7S	Clear	N/A	2,000	750	79	N/A
H100T3/79MM	100	R7S	Clear	N/A	2,000	1300	79	N/A
H100T3/119MM	100	R7S	Clear	N/A	2,000	1300	119	N/A
H150T3/79MM	150	R7S	Clear	N/A	2,000	2400	79	N/A



LED T3 R7s I		STANPRO							
PART#	PART# WATTS BASE COLOUR CRI AVG. HRS.								
69190	6	R7S	3000 / Clear	80	15,000	78	50		
64467	64467 8 R7S 3000 / Clear 80 15,000								



Bulbs plug-in . magnetic ballast





Magnetic Ballast, 2 Pin,	Magnetic Ballast, 2 Pin, Vertical or Horizontal Operation, Non-Dimmable							
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	FLUOR. EQU. (W)	
CF5DS/827	5	G23	2700	80	8,000	240	N/A	
CF5DS/841	5	G23	4100	80	8,000	240	N/A	
CF7DS/827	7	G23	2700	80	8,000	350	N/A	
67854	7	G23	4100	80	8,000	350	N/A	
CF9DS/827	9	G23	2700	80	8,000	580	N/A	
CF9DS/835	9	G23	3500	80	8,000	580	N/A	
CF9DS/841	9	G23	4100	80	8,000	580	N/A	
CF9DS/850	9	G23	5000	80	8,000	580	N/A	
67859	13	GX23	2700	80	8,000	790	N/A	
CF13DS/835	13	GX23	3500	80	8,000	790	N/A	
CF13DS/841	13	GX23	4100	80	8,000	790	N/A	
67862	13	GX23	5000	80	8 000	790	N/A	



LED Magnetic B	★ TOP SELLER	STANPRO							
PART#	WATTS	BASE	INITIAL LUMENS	FLUOR. EQU. (W)					
65366	6	GX23	2700	83	50,000	525	13		
65367									



Magnetic Ballast, 2 Pin, V	STANPRO STRANDARD										
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL FLUOR. LUMENS EQU. (W					
CF13DD/827	13	GX23-2	2700	80	8,000	790	N/A				
CF13DD/841	13	GX23-2	4100	80	8,000	790	N/A				
67866	8,000	1200	N/A								
67868	18	G24D-2	4100	80	8,000	1200	N/A				





LED Magnetic B	SATCO'						
PART#	WATTS BASE COLOUR CRI AVG. HRS.						FLUOR. EQU. (W)
S9854	9	G24D	3000	82	50,000	850	26
S9855	9	G24D	3500	82	50,000	850	26
S9856	9	G24D	4000	82	50,000	900	26
S9857	9	G24D	5000	82	50,000	900	26





LED Magnetic E	SATCO"						
PART#	WATTS	BASE	COLOUR	INITIAL LUMENS	FLUOR. EQU. (W)		
S9862	9	G24D	3000	82	50,000	850	26
S9863	9	G24D	3500	82	50,000	850	26
S9864	9	G24D	4000	82	50,000	900	26
S9865	9	G24D	5000	82	50,000	900	26

Bulbs

plug-in . electronic ballast














Electronic Ballast, 4 Pin,	Vertical or F	Horizontal (Operation, No	able	★ TOP SELLER	STANPRO	
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	FLUOR. EQU. (W)
CF13DD/E/827	13	G24Q-1	2700	80	8,000	790	N/A
CF13DD/E/830	13	G24Q-1	3000	80	8,000	790	N/A
CF13DD/E/835	13	G24Q-1	3500	80	8,000	790	N/A
CF13DD/E/841	13	G24Q-1	4100	80	8,000	790	N/A
67877	18	G24Q-2	2700	80	8,000	1200	N/A
67876	18	G24Q-2	3000	80	8,000	1200	N/A
CF18DD/E/835	18	G24Q-2	3500	80	8,000	1200	N/A
CF18DD/E/841	18	G24Q-2	4100	80	8,000	1200	N/A
CF26DD/E/827	26	G24Q-3	2700	80	8,000	1600	N/A
67881	26	G24Q-3	3000	80	8,000	1600	N/A
67882	26	G24Q-3	3500	80	8,000	1600	N/A
67883	26	G24Q-3	4100	80	8,000	1600	N/A





G24q-2











PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	
S29858	9	G24Q	3000	82	50,000	
						П

LED Electronic Ballast, 4 Pin, Vertical Operation, Non-Dimmable

LUMENS EQU. (W) 1050 42 G24Q 3500 50,000 1050 42 **S29859** 9 82 9 G24Q 4000 82 50,000 1100 42 **S29860 S29861** 9 G24Q 5000 82 50,000 1100 42



Med

T8 U-Bent Tube, Non-Din	STANPRO						
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	NOM. LEN (INCHES)
FB32T8/30K/U6	32	Med Bipin	3000	85	20,000	2800	22.5
FB32T8/35K/U6	32	Med Bipin	3500	85	20,000	2800	22.5
FB32T8/41K/U6	32	Med Bipin	4100	85	20,000	2800	22.5
FB32T8/50K/U6	32	Med Bipin	5000	86	20,000	2800	22.5



T9 Circline Tube, Non-Dir		STANPRO					
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	NOM. LEN (INCHES)
FC8T9/CW/RS	22	4-Pin	4100	60	6,000	1150	9
FC8T9/DL/RS	22	G10Q-4	6500	82	10,000	1210	8.25
FC12T9/CW/RS	32	G10Q-4	4100	82	10,000	2300	12
FC12T9/DL/RS	32	G10Q-4	6500	82	10,000	2000	12
FC16T9/CW/RS	40	G10Q-4	4100	82	10,000	3150	16

SATCO'

FLUOR.

INITIAL



Bulbs T5. T8. linear



T5 Tube, Non-Dimmable, Sold Each STANPRO INITIAL LUMENS NOM. LEN (INCHES) AVG. HRS. PART# **WATTS BASE** COLOUR CRI F13T5/CW 13 Min Bipin 4100 62 7,500 740 FP14/830/ECO 14 Min Bipin 3000 85 30.000 1350 22 22 F14T5/35K/8 14 Min Bipin 3500 85 30,000 1350 F14T5/41K/8 14 Min Bipin 4100 85 30,000 1350 22 F21T5/41K 21 Min Bipin 4100 85 30,000 2100 34 F28T5/35K/8/PS 28 Min Bipin 3500 85 30,000 2900 46 28 4100 85 30,000 2900 46 F28T5/41K/8/PS Min Bipin F28T5/50K/8/PS 28 5000 85 30,000 2750 46 Min Bipin

T5

1		i	
		ï	١
			l
			l
	TΑ		

T8 Tube, Non-Dimmable,	★ TOP SELLER	STANPRO					
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	NOM. LEN (INCHES)
F17T8/30K/8	17	Med Bipin	3000	85	30,000	1400	24
F17T8/35K/8	17	Med Bipin	3500	85	30,000	1400	24
F17T8/41K/8	17	Med Bipin	4100	85	30,000	1400	24
F25T8/30K/8	25	Med Bipin	3000	85	36,000	2150	36
F25T8/35K/8	25	Med Bipin	3500	85	36,000	2150	36
F25T8/41K/8	25	Med Bipin	4100	85	36,000	2150	36
F32T8/830	32	Med Bipin	3000	85	42,000	3050	48
F32T8/835	32	Med Bipin	3500	85	42,000	3050	48
F32T8/841	32	Med Bipin	4100	85	42,000	3050	48
F32T8/850	32	Med Bipin	5000	85	42,000	3050	48
F32T8/865	32	Med Bipin	6500	85	42,000	2900	48

Specialty lighting solutions

AMRE has the expert knowledge to support energy efficient upgrades.

www.AMREsupply.com









LED T8 Tub	oe, Dimmal	ole, Sold Each,			SATCO			
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	NOM. LEN (INCHES)	FLUOR. EQU. (W)
S49934	11	Med Bipin	3000	82	50,000	1800	48	32
S49935	11	Med Bipin	3500	82	50,000	1800	48	32
S49936	11	Med Bipin	4000	82	50,000	1800	48	32
S49937	11	Med Bipin	5000	82	50,000	1800	48	32
S49975	14	Med Bipin	3000	82	50,000	2200	48	32
S49976	14	Med Bipin	3500	82	50,000	2200	48	32
S49977	14	Med Bipin	4000	82	50,000	2200	48	32
S49978	14	Med Bipin	5000	82	50,000	2200	48	32



LED T8 Tube, Non-Dimmable, Sold Each, 10/Case SATCO" NOM. LEN (INCHES) **WATTS BASE** COLOUR FLUOR. PART# CRI AVG. INITIAL HRS. **LUMENS** EQU. (W) 3000 82 50,000 1200 24 **S49946** 8 Med Bipin 18 **S49947** 3500 82 50,000 8 Med Bipin 1200 24 18 4000 50,000 1250 **S49948** 8 Med Bipin 82 24 18 **S49949** 8 Med Bipin 5000 82 50,000 1250 24 18 S49990 10 Med Bipin 3000 82 50,000 1450 36 25 3500 82 50,000 1450 36 25 S49991 10 Med Bipin Med Bipin 4000 82 50,000 1450 S49992 10 36 25 **S49993** 10 Med Bipin 5000 82 50,000 1450 36 25 S29918 4000 50,000 40 Single Pin 82 5500 96 59 S29919 40 Single Pin 5000 82 50.000 5500 96 59 82 **S21925** 40 Single Pin 6500 50,000 5500 96 59 **S29924** 40 Recessed 4000 82 50,000 5500 96 59 **DB** Contact Recessed 5000 50,000 S29925 40 82 5500 96 59 **DB** Contact S29942 40 Recessed 6500 82 50,000 5500 96 59 **DB** Contact




LED T8 Tub	oe, Non-Dir	mmable, Sold E			STANPRO			
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	NOM. LEN (INCHES)	FLUOR. EQU. (W)
65473	9	Med Bipin	4000	80	50,000	1350	24	18
67000	11	Med Bipin	4000	80	50,000	1625	36	25
67972	10.5	Med Bipin	3500	80	50,000	1800	48	32
67973	10.5	Med Bipin	4000	80	50,000	1800	48	32
67977	10.5	Med Bipin	5000	80	50,000	1800	48	32
65474	13	Med Bipin	3500	80	50,000	1800	48	32
65475	13	Med Bipin	4000	80	50,000	1900	48	32
65476	13	Med Bipin	5000	80	50,000	2000	48	32
65477	15	Med Bipin	3500	80	50,000	2000	48	32
65478	15	Med Bipin	4000	80	50,000	2100	48	32
65479	15	Med Bipin	5000	80	50,000	2200	48	32



Bulbs MR11 . MR16 . PAR . floods







MR16 GX5.3, 12V, Dimmable								STANPRO
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU. (W)
20MR16FL	20	GX5.3	Clear	N/A	4,000	260	38	N/A
35MR16FL	35	GX5.3	Clear	N/A	4,000	530	38	N/A
50MR16FL	50	GX5.3	Clear	N/A	4,000	850	38	N/A



LED MR16, 12V, Dimmable								SATCO'
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)
S9491	6.5	GU5.3	3000	80	25,000	500	25	50
S9493	6.5	GU5.3	4000	80	25,000	500	25	50
S9496	6.5	GU5.3	3000	80	25,000	500	40	50
S9498	6.5	GU5.3	4000	80	25,000	500	40	50



LED MR16 GU10, 120V, Dimmable ★ TOP SELLER SATCO STANPRO AVG. HRS. INITIAL LUMENS BEAM ANGLE (°) HALOGEN EQU.(W) PART# **WATTS BASE** COLOUR CRI 66306 6.5 **GU10** 3000 80 15,000 500 40 50 GU10 4000 25,000 500 S9384 6.5 80 40 50 6.5 GU10 500 40 50 S9385 5000 80 25,000 64634 7 **GU10** 3000 25,000 550 25 50



LED MR16 E26, 120V, Dimmable								STANPRO	
F	PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)
•	66354	7	E26	3000	83	15,000	500	35	50



LED PAR16, 120V, Dimmable								SATCO
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)
S9388	6.5	E26	3000	80	25,000	500	40	60
S9389	6.5	E26	5000	80	25,000	500	40	60



LED PAR20, 120V, Dimmable, Silver Back								SATCO"
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)
S29403	6.5	E26	4000	90	25,000	520	25	50
S29404	6.5	E26	5000	90	25,000	520	25	50
S29408	6.5	E26	4000	90	25,000	520	40	50
S29409	6.5	E26	5000	90	25,000	520	40	50



LED PAR20,	120V, Dimr	mable				5T_NPRO				
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)		
68222	7	E26	4000	90	50,000	550	25	50		
68225	7	E26	5000	90	50,000	550	25	50		
68221	7	E26	3000	90	50,000	550	40	50		
68224	7	E26	4000	90	50,000	550	40	50		
68226	7	E26	5000	90	50,000	550	40	50		







LED PAR30SI	N Short Ne	ck, 120V, I	Dimmable, Sil	ver Bac	k	5 54				
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)		
S29413	12.5	E26	4000	90	25,000	1000	25	75		
S29414	12.5	E26	5000	90	25,000	1000	25	75		
S29418	12.5	E26	4000	90	25,000	1000	40	75		
S29419	12.5	E26	5000	90	25,000	1000	40	75		



LED PAR30SM	N Short Ne	ck, 120V, I	Dimmable			STANPR				
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)		
68231	12	E26	4000	90	54,000	1050	25	75		
63975	10	E26	5000	94	40,000	865	25	75		
68232	12	E26	4000	90	54,000	1050	40	75		



LED PAR30LN	N Long Ned	ck, 120V, [Dimmable, Silv	er Back	(SATO				
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)		
S29428	12.5	E26	4000	90	25,000	1000	25	75		
S29429	12.5	E26	5000	90	25,000	1000	25	75		
S29433	12.5	E26	4000	90	25,000	1000	40	75		
S29434	12.5	E26	5000	90	25,000	1000	40	75		



LED PAR30LN	N, Long Ne	eck, 120V, I	Dimmable			ST NPRO				
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)		
68239	12	E26	4000	90	54,000	1050	25	75		
68241	12	E26	5000	90	54,000	1050	25	75		
68240	12	E26	4000	90	54,000	1050	40	75		
68242	12	E26	5000	90	54,000	1050	40	75		



LED PAR38, 1	LED PAR38, 120V, Dimmable, Silver Back							SATCO'				
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)				
S29443	15	E26	4000	90	25,000	1200	25	90				
S29444	15	E26	5000	90	25,000	1200	25	90				
S29448	15	E26	4000	90	25,000	1200	40	90				
S29449	15	E26	5000	90	25,000	1200	40	90				




LED PAR38,	120V, Dimr	mable				STANPRO				
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	BEAM ANGLE (°)	HALOGEN EQU.(W)		
68247	16.5	E26	4000	90	54,000	1370	25	100		
68250-SD	16.5	E26	5000	90	54,000	1370	25	100		
68249	16.5	E26	4000	90	54,000	1370	40	100		
68251	16.5	E26	5000	90	54,000	1370	40	100		











ED17 Compact Metal Ha	lide, Univer	sal Operation	ED17 Compact Metal Halide, Universal Operation								
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	ANSI				
MH50/U/MED	50	E26	Clear	65	10,000	3400	M110/E				
MH70W/U/PS	70	E26	Clear	65	15,000	5600	M98/E				
MH100/U/MED	100	E26	Clear	65	15,000	9000	M90/E				
MH150/U/MED	150	E26	Clear	65	15,000	14000	M102/E				
MH175/U/MED	175	E26	Clear	65	10,000	14000	M57/E				



ED28/ED37 Metal Halide	, Universal	Operation				STANPRO		
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	ANSI	
MH175/U	175	E39	Clear	65	10,000	14000	M57/E	
MH250/U	250	E39	Clear	65	10,000	21000	M58/E	
MH400/U	400	E39	Clear	65	20,000	36000	M59/E	



Hi-PRO LED OMNI, 100-	Hi-PRO LED OMNI, 100-277V, Non-Dimmable									
PART#	WATTS	BASE	COLOUR	CRI	AVG. HRS.	INITIAL LUMENS	HID EQU. (W)			
\$49390	18	E26	5000	80	50,000	2610	70			
S39391	22	E26	5000	80	50,000	3080	100			
S39392	36	E26	5000	80	50,000	5148	150			
S 49393	45	EX39	5000	80	50,000	6435	175			
S39394	54	EX39	5000	80	50,000	7722	250			





Switches



LEVITON



1451-I Ivory **1451-W** White *Toggle Wall Switch* 15-Amps, 120V. Quickwire

push-in and side.



LEVITON.



1453-I Ivory **1453-W** White 3-Way Toggle Wall Switch 15-Amps, 120V. Quickwire push-in and side.



★ TOP SELLER

LEVITON

5601-I Ivory 5601-W White Decora Wall Switch

15-Amps, 120/277V. Quickwire push-in and side.



LEVITON.

COMMERCIAL SPECIFICATION GRADE

5634-I Ivory **5634-W** White Combination Decora Wall Switch 15-Amps, 120/277V. Side

wired. Includes wall plate.



COMMERCIAL SPECIFICATION GRADE

5625-I Ivory 5625-W White

Includes wall plate.

Combination Decora Wall Switch & Receptacle 15-Amps. 120V. Side wired.



LEVITON.

6674-P0W White Decora SureSlide Dimmer Single pole or 3-way control, 120V. 150W LED/ CFL, 600W incandescent.

Wall plate sold separately.

DSM10-1LZ

LEVITON

Decora RockerSlide Dimmer

120V. Single pole or 3-way slide. 1000W incand, 450W LED/CFL. Includes white, ivory, and light almond color



Ivory

White

LEVITON DSL06-1LZ

Decora Slide Dimmer Single pole or 3-way control, 120V. 300W LED/CFL, 600W incandescent. Includes white, ivory, and light almond colour kits.



Receptacles

GFCI . wall . appliance . cover plates



Tamper Resistant

T5320-I Ivory **T5320-W** White

Duplex Wall Receptacle

15-Amps, 125V. Quickwire push-in and side.



Tamper Resistant

T5325-I Ivory **T5325-W** White

T5325-W White ★ TOP SELLER Decora Wall Receptacle

15-Amps, 125V. Quickwire push-in and side.



GFTR1-I Ivory
GFTR1-W White

SmartlockPro Slim GFCI Receptacle

15-Amps, 125V. Device automatically self-tests to ensure it can respond to ground faults. *Includes wall plate.*



Tamper Resistant

GFTR2-I Ivory GFTR2-W White

SmartlockPro Slim GFCI Receptacle

20-Amps, 125V. Device automatically self-tests to ensure it can respond to ground faults. *Includes wall plate*.



GFNL1-W

GFNL1-W White SmartlockPro Slim GFCI

Receptacle/Guide Light 15-Amps, 125V. Dual LED guide lights turn ON/OFF automatically based on light levels and use only 1W of electricity. *Wall plate sold separately*.



LEVITON.

AFTR1-W White

SmartlockPro OBC AFCI Receptacle

15-Amps, 125V. Designed to detect a wide range of potentially hazardous arc-faults and responds by interrupting power. *Includes wall plate*.



LEVITON



LEVITON.

45125

Universal Dryer Receptacle 30-Amps, 120/240V.



86014 Ivory 88014-W White ★ TOP SELLER 84014 Stainless Steel

Blank, Single Gang Wall Plate

LEVITON.

© EDMINERCIAL
SPECIFICATION OFFICE

86001 Ivory 88001 White

Toggle, Single Gang Wall Plate

45126 *Universal Range Receptacle*50-Amps, 120/240V.



LEVITON.

"Oversized" Perfect for covering up imperfections

COMMERCIAL SPECIFICATION GRADE

86101 Ivory **88101L** White Oversized Toggle, Single Gang Wall Plate. 3-1/2"W x 5-1/4"H



LEVITON.

SPECIFICATION CHADE

86009 IVORY

88009 White Two Toggle, Two Gang Wall Plate



LEVITON.

COMMERCIAL SPECIFICATION CRADE

86011 Ivory **88011** White

Three Toggle, Three Gang Wall



O

LEVIT<mark>ON</mark>.

COMMERCIAL SPECIFICATION GRADE

86005 Ivory 88005 White One Toggle/One Duplex Receptacle, Two Gang Wall Plate

Cover Plates

toggle, receptacle, plates, decora





LEVITON.

COMMERCIAL SPECIFICATION GRADE

86003 Ivory

TOP SELLER 88003 White

84003 Stainless Steel Duplex Receptacle, One Gang Wall Plate

"Oversized" Perfect for covering up *imperfections*

LEVITON.

COMMERCIAL SPECIFIC<u>ATIO</u>N GRADE

86103 Ivory 88103 White Oversized Duplex Receptacle, Single Gang Wall Plate. 3-1/2"W x 5-1/4"H



LEVITON

C COMMERCIAL SPECIFICATION GRADE

86016 Ivory **88016** White Two Duplex Receptacle, Two Gang Wall Plate



40249-I Ivory/4 conductor 40249-W White/4 conductor 40238-W White/6 conductor Standard Flush Mount

Telephone Wall Jack

Remodel cover covers "old style" Nortel wall jacks



ATRON White

DP440-02 Decorative Remodelling Telephone Wall Jack Cover



LEVITON

COMMERCIAL SPECIFICATION GRADE

80414-I Ivorv White 80414-W

Decora Blank Wall Plate Insert



80401-I Ivory 80401-W White Decora, Single Gang Wall Plate



86601 Ivorv 88601 White Oversized Decora, Single Gang Wall Plate. 3-1/2"W x 5-1/4"H



LEVITON.

COMMERCIAL SPECIFICATION CRACE

★ TOP SELLER

80409-I Ivorv 80409-W White Two Decora, Two Gang Wall Plate



LEVITON

COMMERCIAL SPECIFICATION CRACE

80411-I Ivory 80411-W White Three Decora, Three Gang Wall Plate



LEVITON COMMERCIAL SPECIFICATION GRADE

6198-W White 6198-CR Chrome Steel GFCI Receptacle Wall Plate. 4-1/2" x 4-1/2"



COMMERCIAL SPECIFICATION CRADE

4976-GY Grey 4976-W White

Weather-Resistant, Outdoor Receptacle Cover. For duplex receptacles. Two independent, self-closing lids.



LEVITON COMMERCIAL SPECIFICATION CRACE

4996-GY Grey Weather-Resistant, Outdoor Receptacle Cover. For use with decora receptacles. Self-closing lid.



5980-UCL Vertical 5981-UCL Horizontal Extra Duty Weather-Resistant, Outdoor Receptacle Cover. Protects from moisture, debris and insects. For

use with decora or duplex



Cable Covers

LEVITON. **C**COMMERCIAL

80781-I Ivory 80781-W White Standard F-Connector Cable Video Wall Jack



LEVITON

COMMERCIAL SPECIFICATION CRADE

40681-I Ivory 40681-W White Decora F-Connector Cable Video Wall Plate Insert



LEVITON. COMMERCIAL SPECIFICATION ORADE

86018 Ivory 88018 White Cable Video Wall Plate with Knockout Hole

receptacles.



Batteries alkaline, lithium, sealed lead

Alkaline



 DURACELL

 MN1604B1Z
 9V*

 MN2400B4Z
 AAA
 4/Pack

 MN1500B4Z
 AA
 4/Pack

 MN1400B2Z
 C
 2/Pack

 MN1300B2Z
 D
 2/Pack

Duracell Coppertop Alkaline Battery.
Dependable, long lasting Coppertop batteries. Lasts 10 Years in Storage.
* Lasts 5 Years in Storage

Rechargeable



DURACELL
DX1500R4 AA

Duracell AA Rechargeable NiMH Batteries.

Duracell Rechargeable Pre-Charged NiMH batteries let you charge hundreds of times, helping you save money. Long-Life Ion Core technology. Plus, they come pre-charged and ready to use.

Lithium



Energizer

L92BP-2 AAA 2/Pack **L522BP** 9V

Energizer Ultimate Lithium Batteries. The #1 longest-lasting AAA batteries in high tech devices. Performs in extreme temperatures from -40°F to 140°F. Holds power for 20 years in storage

Alkaline

DURACELL TOR SELLED

↑ TOP SELLER

PC1604 9V 12/Pack PC2400 AAA 24/Pack PC1500 AA 24/Pack PC1400 C 12/Pack PC1300 D 2// A//Pack

Duracell Procell Alkaline Constant Power Battery, 1.5V. For powering low drain professional devices which require constant current such as security keypads and automatic faucets. Lasts 10 Years in Storage.

Rechargeable



Energizer.

NH35BP-2

Energizer Recharge Rechargeable. Save money and have less impact on the planet by reducing the number of disposed batteries, creating less waste. Can be charged hundreds of times.

Lithium

PC2016



PC2025 2025 PC2032 2032 DURACELL

Procell Lithium Coin Battery

2016

High energy density (3V) with a flat and low self-discharge. Operating in -4°F to 140°F.

Alkaline



Energizer.

E96BP-2 AAAA

Energizer MAX® family is all about long-lasting power. For powering toys, digital cameras and other valuable devices Lasts 10 Years in Storage.

Lithium



DURACELL DLCR2BPK

Duracell CR2 Lithium Battery. High-power lithium round cells. Consistent performance Longer lasting to increase productivity Reliable operation in extreme temperature from -40 to 60°C.

Lithium



ECR1616BP ECR1620BP ECR1632BP ECR2016BP ECR2025BP



Energizer Coin Lithium Batteries

3V for use in keyless entry devices, watches, calculators, remotes, medical devices & more.

PART# **VOLT** CAP. L" x W" x H" **HEIGHT W/ TERMINALS** SLA6-5 6 5 2.75 x 1.84 x 3.97 4.2 SLA6-7 6 7.2 5.95 x 1.34 x 3.70 3.94 **SLA6-8.5** 6 8.5 3.86 x 2.20 x 4.65 4.65 12 **SLA6-12** 6 5.95 x 1.97 x 3.70 3.94

Visit us online for a full selection of sizes and styles!

www.AMREsupply.com





Sealed Lead Acid Batteries

Non-spillable and useable in any position. Rechargeable providing hundreds to thousands of recharge cycles (depending on depth of discharge).



MORE BEYOND THE CATALOG
Reminder to change your fire alarm batteries
www.AMREsupply.com


Alarms/Detectors

smoke . ionization . photoelectric



IONIZATION SMOKE ALARMS

Responds first to fast, flaming fires. These type of fires consume combustibles, spread rapidly & generate considerable heat with little smoke







Battery only	BATTERY	THUM	ABUT	ON TO	\ \ \
0916KCA	9V N	Y	Y	4.9"	1.5"
SAFC-318A	9V N	Y	Y	4.4"	1.5"
I9040CA	9V N	N	Y	4"	1.45"








0916KCA ★ TOP SELLER

SAFC-318A

19040CA











112010S-CA


1276CA ★ TOP SELLER

€Kidde 1275CA ★ TOP SELLER

BRKascroncs 9120BA

PHOTOELECTRIC SMOKE ALARMS


Respond first to slow smouldering fires which produce thick black smoke with little heat before bursting into flames.








P4010ACLEDSCA





P3010K-CA

PE9KCA





lonization:

For rooms that contain highly combustible materials that can create flaming fires. These types of materials include flammable liquids, newspapers, and paint cleaning solutions.

Photoelectric:

For living rooms, bedrooms and kitchens.
This is because these rooms often contain large pieces of furniture, such as sofas. chairs, mattresses, counter tops, etc. which will burn slowly and create more smouldering smoke than flames.

Carbon Monoxide:

Detect an invisible, odourless, poisonous gas that can be fatal when inhaled. It is the #1 cause of unintentional poisoning deaths in North America.

It's impossible to say one sensor photo or ion - is universally better at detecting all types of fires.

Why?

Because both sensors are designed to respond to combustion particles produced by smouldering or flaming fires, and because fires themselves are different.



Alarms/Detectors

smoke.co.combination

COMBINATION SMOKE & CO DETECTORS

	/ \	ARDWRE	ingt.	ATERY HI	SHBUT	ON EST BUT	TON BAY	SKUP	
CO/Photoelectric 900-0213 CO/lonization	Y	120V	N	Υ	Y	Y	6"	1.9"	
900-0220	N	2xAA	Υ	Υ	Υ	N	4.8"	1.3"	
900-0119	Υ	120V	N	Υ	Υ	Υ	4.8"	1.3"	
SC9120BA	Υ	120V	N	Υ	Υ	Υ	5.58"	1.97"	







900-0213


900-0220 900-0119 ★ TOP SELLER

SC9120BA

No need to replace battery, simply replace unit	SEA	ED LTHE	ARDW ARDW	RE BUT	TON TA	ON A	§ / \ \	
CO/Photoelectric P3010L-CO-CA	Y	N	Υ	Υ	Y	5.22"	1.4"	
CO/lonization I12010S-CO-CA	Y	Y	Υ	Y	Y	5.5"	1.5"	



CO DETECTORS









€Kidde 900-0263CO-CA

900-0233







CO. NATURAL GAS. & PROPANE DETECTORS

120V & 9V Battery I		JP ROWRE	GIN VOLTAG	je bai	TERY BACY	OTH HEI	jut /
900-0113-05	N	Y	120V	Y	3.7"	6.1"	



900-0113-05







Extending Smoke Detector Tester

Just a flick of the wrist.

- More tests per can
- Faster detector activation and clearing
- No residue, silicone free



Order by 4pm for Same Day Shipping

to almost anywhere in Canada! *Delivery may vary from courier to courier.

Emergency battery units . exit signs





STANPRO

Steel Battery Units

Commercial steel battery unit is efficient and reliable emergency lighting. Utilizing a sturdy, all steel housing, these models have a modern and unobtrusive design.

- High efficiency, rapid recovery, precision control charging system
- 30 Minutes emergency power duration standard
- Complete battery recharge in 24 hours
- *comes with cord installed

PART#	VOLTS	WATTS	# OF HEADS	TYPE
SLA06036-2N09T	6	36	2	SLA*
SLB06072-2N09T	6	72	2	SLB
SLA12036-2N09T	12	36	2	SLA*
SLA12072-2N09T	12	72	2	SLA*
SLB12100-00	12	100	0	SLB
SLB12100-2NT9	12	100	2	SLB
SLC12360-00	12	160	0	SLC
SLC12360-2N09T	12	360	2	SLC



N Series Plastic Remote Head

Commercial thermoplastic remote heads provides the perfect balance of value and performance.

- 5" diameter thermoplastic canopy standard
- Fully adjustable, both tilt and swivel



PART#	VOLTS	# OF HEADS	LAMP
N1-06V09WT	6	1	TUNGSTEN
N1-12V09WT	12	1	TUNGSTEN
N1-24V09WT	24	1	TUNGSTEN
N1-06-12V3WLJ	6 or 12	1	LED
N2-06V09WT	6	2	TUNGSTEN
N2-12V09WT	12	2	TUNGSTEN
N2-24V09WT	24	2	TUNGSTEN
N2-06-12V3WLJ	6 or 12	2	LED





SLEXPCOWH

SLEXPCOWH/IB with internal backup

Commercial Thermoplastic Exit Sign

The SLEXP series of commercial plastic exit signs is designed using durable and lightweight high impact thermoplastic. Signs and canopy quick snap together for speedy installation.

- Ultra bright LED light source
- 2.7W power consumption
- Snap out directional chevrons/arrows
- 120/347VAC dual input voltage



SLEXSCOWH

SLEXSCOWH/IB with internal backup

Commercial Steel Exit Sign

The SLEXS series of commercial steel signs features a slim profile that eliminates light leaks combined with a simple, easy to install design. 20 Gauge steel construction.

- Ultra bright LED light source
- 4W power consumption
- Snap out directional chevrons/arrows
- 120/347VAC dual input voltage





RMPN0WH-IB RMS0WH/IB

Plastic Steel



Running Man Exit Sign

RMP/RMS series of commercial running man signs present a fully modern appearance. Quick snap faceplates and universal canopy for rapid and simple installation.

- Ultra bright LED light source
- 1.9 W power consumption
- Comes standard with three pictogram legends for direction selection.
- 120/347VAC dual input voltage

IMPORTANT

New running man signs cannot be combined with regular exit signs in a building. All signs MUST be changed to qualify for code.









Communication door bells, intercoms

Door Bells

BK125LWH

and transformer.



Broan Builder Door Bell Chime Kit

5" x 9" x 2". Includes two push buttons







- Doorbell connects to your phone
- HD Video with Night Vision and 145 degree field of view
- Battery Powered





Nest

- Doorbell connects to your phone
- HD Video with Night Vision and 160 degree
- Installs into doorbell and chime wire



2 Lit Buttons

667-1 Black Door Bell Push Button For use with wired door chimes.



Air King Lit Door Bell Push Button For use with wired door chimes.



Intercoms



NESGA01317CA

Nest

Google Nest Outdoor Security Camera, Indoor/Outdoor, 1080P

- 24/7 Security Rain, Snow, or Shine
- High Definition Day or Night
- 1080p with 8x Zoom
- Phone Alerts from Anywhere
- Listen in and Speak Back



Nest

NESGA00426CA Chalk

Google Nest Hub Max Smart Display

- Nest Hub Max
- Stream Netflix, YouTube, Spotify & more
- Control your whole Home Nest system
- Display Photos
- Built-in Nanny Cam



Mille Mircom IS-489 4-Wire

Mircom IS Series Single Gang Suite Station

Designed to mount onto standard single gang electrical boxes. Contemporary, vertical styling. 3 buttons with 2" speaker. 6" x 4"





IS-401B 4-Wire

Mircom IS Series Suite Station

Used most commonly with G series or M3000 lobby panel. Low profile, 3-button intercom. Traditional, horizontal styling with 3.5" speaker. 8" x 5-3/8"





1150

Mircom Intercom Handset

Sleek, compact handset comes with buzzer and release button. Exceptionally clear audibility as well as a pleasant electronic call tone to announces a visitor's call.





SW-065 White Intercom Push Button

Supplies

boxes.covers.connectors





★ TOP SELLER

L16 3/8" One Screw Connector Zinc-alloy.



★ TOP SELLER

P-SC2038 3/8" C1806 3/4" Two Screw Connector Zinc-alloy.



CI2210 3/8" CI2214 3/4"

90° Angle Box Connector Zinc-alloy.



BC54151-K 1-1/2" D BC54171-K

4" Octagon Box 1/2" and 3/4" concentric knockouts. 1-1/2"D



BC777-LRB

3" x 2" Rework Device Box Pivoting ends for rework installation. 1/2" knockouts. 2-1/4"D



★ TOP SELLER

BC1110 4" x 2-3/8" Utility Box 1/2" knockouts. 1-7/8"D



BC72171-K

4-11/16" Square Box For use with range and dryer receptacles. 1/2" and 3/4" concentric knockouts. 2-1/8"D



BC54-C-6 1/2" Knockout BC54-C-1 Blank 4" Round Box Cover



1/2" Knockout BC52-C-6 BC52-C-1 Blank 4" Square Box Cover



BC11-C-4

2-3/4" Rectangle Box Cover



BC11-C-5

Toggle Switch 2-3/4" Rectangle Box Cover



★ TOP SELLER

BC11-C-1 Duplex Receptacle 2-3/4" Rectangle Box Cover



9001-WH White

4" Round Decorative Box Cover



Single, Car Plug Head 2" Hub



Double, Car Plug Head 2" Hub.



connectors, extension cords, tools





P-WC-GREY 22-14 Grey (100/pkg) 22-14 Blue P-WC-BLUE (100/pkg) **P-WC-ORANGE** 22-14 Orange (60/pkg) P-WC-YELLOW 22-10 Yellow (50/pkg) 22-8 Red P-WC-RED (35/pkg)

Bulk quantities for the biggest projects!

WCB-J300	22-14 Blue	(300/jar)
WCO-J300	22-14 Orange	(300/jar)
WCY-J200	22-10 Yellow	(200/jar)
WCR-J125	22-10 Red	(125/jar)

Twist-On Wire Connectors

Sure-Grip ribs improve grasping ability and comfort. Deep skirt entry provides protection from flash-over and shorts.



★ TOP SELLER

Natural (100/pkg each)

CT0540ST-0-C	5.8"	40 lb
CT0750ST-0-C	7.5"	50 lb
CT1150ST-0-C	11.2"	50 lb
CT1450ST-0-C	14.5"	50 lb
Black (100/pkg ea	ch)	
CT0540ST-X-C	5.8"	40 lb
CT0750ST-X-C	7.5"	50 lb
CT1150ST-X-C	11.2"	50 lb

Wiring Pro Cable Ties

CT1450ST-X-C



WiringPRO MG-1400

WiringPro Cable Tie Removal Tool & Wire

Safety guards prevent the blades from contacting the bundled items.



AT-WS

WiringPro Heavy Duty Wire Stripper &

Adjustable stopper enables user to pre-determine required strip length and can be swiveled if user does not require.





2216-20

Digital Multimeter

Heavy duty True-RMS meter for professional residential, commercial and industrial applications. AC voltage range 6 millivolts to 600 volts; DC voltage range 600 millivolts to 600 volts DC; Resistance measurement 600 ohms to 40 Mohm; Frequency measurement 10Hz to 50 kilohertz; Detects continuity at less than 30 ohms; Current measurement to 10amps AC/DC. Includes test lead set.



50 lb

14.5"



2202-20

Voltage Detector with LED

Used for residential, commercial and industrial applications. Can detect between 50 and 1000V AC. Durable tip allows for easy checking of power outlets. Designed with a green "Power On" indicator light so you know the voltage detector is working properly before use.



15M / 50ft 30M / 100ft P010816 Shopro Outdoor Extension Cord

Light duty 16-3 gauge SJTW extension cord with single outlet plug. Weather rated from -40°C to 60°C.







P011000 3M / 10ft P011010 4.5M / 15ft

Shopro Light Duty Block Heater Cord With lighted plug in block. 16/3 gauge, 3 outlet







515PV-LIT Male 515CV-LIT Female

Leviton Lit 15-Amp Commercial Grade Cord Ends.

PVC body, 125V, NEMA 5-15P, 18-12AWG. For use with .245-.655 cord.







101-EP Male. Black 102-EP Female, Black

Leviton Non-Grounded 15-Amp Cord Ends. Thermoplastic body, 125V, NEMA 1-15P, 20-16AWG. For use with .250 max













5256-VY Male 5259-VY Female

Leviton Python 15-Amp Industrial Grade Cord Ends. Nylon body, 125V, NEMA 5-15P, 18-10AWG. For use with .245-.700 cord.







CCOMMERCIAL

515PV Male Female 🙀 TOP SELLER 515CV

Leviton 15-Amp Commercial Grade Cord Ends. PVC body, 125V, NEMA 5-15P, 18-12AWG. For use with .245-.700 cord.



Doors

interior . closets . hinges





Colonist Molded Panel Interior Door

Textured surface with a modified cove and bead sticking profile. Hollow core, MDF frame. 1-3/8" thickness

BOSTSLAB18X80 18" x 80" BOSTSLAB24X80 24" x 80" **BOSTSLAB28X80** 28" x 80" **BOSTSLAB30X80** 30" x 80" **BOSTSLAB32X80** 32" x 80" **BOSTSLAB34X80** 34" x 80"

BOSTSLAB36X80 36" x 80"

JELD WEN



Primed Hardboard Interior Door

Long-lasting, dependable performance and a look that will work effortlessly in your home's interior. Hollow core, combination wood/MDF frame. 1-3/8" thickness

PHSLAB18X80	18" x 80"
PHSLAB24X80	24" x 80"
PHSLAB28X80	28" x 80"
PHSLAB30X80	30" x 80"
PHSLAB32X80	32" x 80"
PHSLAB34X80	34" x 80"
PHSLAB34X80	34" x 80"
PHSLAB36X80	36" x 80"

JELD WEN



Bostonian Molded Bifold Interior Door

Textured surface with a modified cove and bead sticking profile. Hollow core, MDF frame. 1-3/8" thickness **BOSTBIFOLD18X80** 18" x 80" **BOSTBIFOLD24X80** 24" x 80" BOSTBIFOLD30X80 30" x 80" **BOSTBIFOLD36X80** 36" x 80"

JELD WEN



Primed Hardboard Bifold Interior Door

Long-lasting, dependable performance and a look that will work effortlessly in your home's interior. Hollow core, combination wood/MDF frame. 1-3/8" thickness

PHBIFOLD18X80 18" x 80" PHBIFOLD24X80 24" x 80" **PHBIFOLD30X80** 30" x 80" PHBIFOLD36X80 36" x 80"

Taymor.



25-PK8345A 3" x 3"

25-PK8345B 3-1/2" x 3-1/2"

1/4" Radius Residential Butt Hinges.

Satin Chrome C26D. Packed in pairs with screws.

Taymor.

25-PK8346A 3" x 3"

25-PK8346B 3-1/2" x 3-1/2" 5/8" Radius Residential Butt Hinges.

Satin Chrome C26D. Packed in pairs with screws.

Taymor.

25-PK8244A 3" x 3"

25-PK8244B 3-1/2" x 3-1/2"

Square Corner Residential Butt Hinges

Satin Chrome C26D. Packed in pairs with screws.



Residential Grade - Locksets



Basic Ball Builders Series

- Fully reversible
- · Adjustable 4-in-1 latch
- All-metal construction
- · Fits standard doors
- ANSI Grade 3

	★ TOP SELLER		Builders Taymor.
Colour	Passage	Privacy	Entrance (Keyed)
Satin Chrome (C26D)	36-D4205SC	36-D4203SC	36-D4210SC



Villa Ball Professional Series

- Fully reversible
- Universal 6-in-1 latch
- All-metal construction
- Fits standard doors
- ANSI Grade 3

1

Orleans Builders Series

- Fully reversible
- All-metal construction
- Fits standard doors
- ANSI Grade 3



- Adjustable 4-in-1 latch



- ANSI Grade 3

	★ TOP SELLER		Series layinor.
Colour	Passage	Privacy	Entrance (Keyed)
Satin Chrome (C26D)	34-FV1334	34-FV1324	34-FV1314
Stainless Steel (C32D)	34-FV5334	34-FV5324	34-FV5314

Builders Series	Taymor
--------------------	--------

Builders

Colour	Passage	Privacy	Entrance (Keyed)
Satin Nickel (C15)	36-D8305SN	36-D8303BSN	36-D8310CSN



Perspective Builders Series

- Adjustable 4-in-1 latch
- All-metal construction
- Fits standard doors

	★ TOP SELLER		Series Taymor.
Colour	Passage	Privacy	Entrance (Keyed)
Satin Chrome (C26D)	36-D6205SC	36-D6203SC	36-D6210SC



Hampton Professional Series

- Fully reversible
- Universal 6-in-1 latch
- All-metal construction
- Fits standard doors
- ANSI Grade 3

Colour	Passage	Privacy	Entrance (Keyed)
Satin Chrome (C26D)	36-D6205SC	36-D6203SC	36-D6210SC
PS			Taymor,





Vega Premier Line

- Fully reversible
- Universal 6-in-1 latch
- All-metal construction
- Fits standard doors
- ANSI Grade 3

		TOP SELLER	layino
Colour	Passage	Privacy	Entrance (Keyed)
Polished Chrome (26)	30-D006434PC	30-D006424PC	N/A

WAC301



Beverly Element Series

- Fully reversible
- Universal 6-in-1 latch
- All-metal construction
- Fits standard doors
- ANSI Grade 3

				WEISER
Colour	Passage	Privacy	Entrance (Keyed)	Storeroom/Exit



★ TOP SELLER

Professional Series Deadbolt

- · Drive-in or mortise latch
- · Hardened cut-proof steel pin
- · Adjustable 6-in-1 latch
- · Fits standard doors

Taymor. ANSI Grade 3

711101 01440 0	
Colour	Deadbolt
Satin Chrome (26D)	33-D4964
Stainless Steel (C32D)	33-D4364



Bright Bronze/Satin

Chrome, (9/26D)

★ TOP SELLER

Professional Series Deadbolt

- · Drive-in latch
- · Adjustable 6-in-1 latch
- Fits standard doors
- ANSI Grade 2

WEISER

WAC101

Colour	Deadbolt
Satin Chrome (26D)	D9471X26D
Bright Brass (C3)	D9471X3



The Smart alternative to mastering! Perfect for property management!

WAC581

SmartKey allows you to re-key the lock yourself in seconds, leaving lost or unreturned keys obsolete. *Top concealed cylinder provides 1-key control for the property manager.

Welcome Home Series Deadbolt w/SmartKey

- · Adjustable, mortise latch
- Fits standard doors
- ANSI Grade 2

WEISER

Function	Satin Chrome (26D)
Deadbolt	GD9471-X26D-SMTBSL
Concealed Cylinder*	GCD9571-26D-SMTBSL

Door

stops . chains . viewers . wraps



Residential Door Stops



Taymor.

25-P4634N Satin Nickel 25-P4634SC Satin Chrome Wide Angle Hinge Pin Door Stop



Taymor.

★ TOP SELLER

25-4671N Satin Nickel 25-4671B Polished Brass 3-1/8" Spring Door Stop



★ TOP SELLER

Satin Nickel 2163SNV 2163CV Chrome 3" Rigid Door Stop

Door Viewers



74PB Black 4" Wedge Door Stop

Door Chains



25-D3080SC Satin Chrome

Door Guard

Swings to lock or unlock and allows partial door opening while deterring forced access.



Taymor.

25-D4804SN Satin Nickel 25-D4804SC Satin Chrome

Chain Door Guard

Allows partial door opening while deterring forced access.



Taymor.

25-D4846B Polished Brass 25-D4846N Satin Nickel 25-D4846SC Satin Chrome

180° Door Viewer

Adjustable from 1-3/8" to 2-1/4".

Wall Protectors



Wall Protector

Protects interior walls from impact damage by shielding contact point of wall and door knob.



Please note: other models and



maximum protection to corners of walls that are in heavily used areas and are susceptible to

Door Wrap Arounds

finishes available - give us a call!



PART#	Backset	Door
61-S-CW	2-3/8"	1-3/4"
71-S-CW	2-3/4"	1-3/8"
81-S-CW	2-3/4"	1-3/4"

Cylindrical Door Lock Wrap Around

4-1/2"H, 2-1/8" hole. 22-gauge stainless steel construction.



PART#	Backset	Door
4-S-CW	2-3/4"	1-3/4"
55-S-CW	5"	1-3/4"

Cylindrical Door Lock Wrap Around

9"H, 2-1/3" hole. 22-gauge stainless steel construction.



PART#	Backset	Door
6-S-CW	2-3/8"	1-3/4"
8-S-CW	2-3/4"	1-3/4"

Deadbolt Wrap Around 4-1/2"H, 1-1/2" hole. 22-gauge stainless steel construction.



40" Corner Guard

Stainless steel corner guard designed to provide damage.


Commercial Protectors



Silver Coated LP-211-SL **Duro Coated** LP-211-DU

11" Latch Protector

For use with key in knobs, levers, and out-swinging doors. 12-gauge stainless steel construction.



ILP-212-SL Silver **ILP-212-BP Brass**

12" Latch Protector

For use with key-in-knob and deadbolt locks and in-swinging doors. 14-gauge stainless steel construction.



Commercial Door

locksets . stops . door closers



York Ball Knob Commercial Series

- · Fully reversible
- Fixed backset 2-3/4"
- · Schlage C keyway
- · 3-hour fire rated
- ANSI/BHMA 156.2 Grade 2

Satin Stainles	s Steel (C32D))
Passage	Privacy	E

Satin Stainless Steel (C32D)				Taymor.
Passage	Privacy	Entrance (Keyed)	Storeroom/Exit	Classroom
32-8910	-	32-8953	32-8980	32-8970



Duke Commercial Series

- · Fully reversible
- Fixed backset 2-3/4"
- Schlage C keyway
- · 3-hour fire rated
- · ANSI/BHMA 156.2 Grade 2

★ TOP SELLER

Satin Chrome (C26D)

32-7910	32-7940	32-7953	32-7980	32-7970	
Passage	Privacy	Entrance (Keyed)	Storeroom/Exit	Classroom	



1900 Series Door Closers

Delayed Action

- ANSI Grade 1, ADA Compliant
- UL and c-UL listed; c-UL10c for positive pressure
- · Closing power adjustable from sizes 1 to 6
- Universal mounting (regular and parallel bracket included)
- 10 year mechanical warranty

Taymor.

Part#	Α	В	Door Size	Door Weight
13-1900AL	3/4"	11-1/8"	48" x 96"	266lbs (121kg)
13-1900BFDAAL	3/4"	11-1/8"	48" x 96"	266lbs (121kg)





Taymor.

Taymor.

Taymor.

25-4610DN Satin Nickel High Profile Floor Stop



13-552APAL

13-553APAL

13-554APAL

Part#

550 Series Door Closers

- ANSI Grade 2
- UL and c-UL listed; c-UL10c for positive pressure

8-3/16"

8-3/16"

9-1/16"

- · Two independent adjustable valves control sweeping and latching speed
- Universal mounting (regular and parallel bracket included)

Door Size

36" x 84"

38" x 84"

42" x 96"

· 5 year mechanical warranty

Taymor.



Door Weight

55-100lbs (25-45kg)

88-144lbs (40-64kg)

132-187lbs (60-84kg)

25-4612DN Satin Nickel 25-4612DC Satin Chrome Concave Wall Stop







600 Series Door Closers

3/4"

3/4"

3/4"

- ANSI Grade 3
- UL and c-UL listed; c-UL10c for positive pressure
- Two independent adjustable valves control sweeping and latching speed
- Universal mounting (regular and parallel bracket included)
- · 5 year mechanical warranty



Taymor







25-R4650T Black, Threaded 6800IP Grey, Screw-in Replacement Kick Down Door Stop Tip



TOI SELLER				layirioi.
Part#	Α	В	Door Size	Door Weight
14-HC602AL	3/4"	6-5/8"	36" x 84"	55-100lbs (25-45kg)
14-HC603AL	3/4"	8-1/8"	38" x 84"	88-144lbs (40-64kg)
14-HC604AL	3/4"	9-1/16"	42" x 96"	132-187lbs (60-84kg)

Door

guards . sweeps . weather seal . tapes





DS121AV36R Aluminum **DS121DVBL36R** Brown **DS121WV36R** White

DraftSeal 36" Bumper Threshold with vinyl insert..
Refill: DSV20G36R



DS140A36R Aluminum **DS140D36R** Brown DraftSeal 36" Door Bottom Sweep with vinyl insert



DS136C36R Aluminum *DraftSeal 36" Door Bottom Sweep* with rubber insert reinforced rubber sweep



DS138C36R Aluminum *DraftSeal 36" Door Bottom Sweep* with rubber insert

Just slide on!



DS127B36R Brown
DS127W36R White
DraftSeal 36" PVC Door Shoe



DS124B36R Brown
DS124W36R White
DraftSeal 36" PVC Door Shoe
with fibers and rain deflector



CF10576 White Climaloc 36" Adjustable Vinyl Door Shoe. Adjustable from 1-3/4" to 2-1/2" thick.



CF74065
Climaloc Slide & Save Door
Bottom. Blocks the air flow
from one room to another.
36"L x 6"W x 1-3/8"H



CF10570 White Climaloc 36" Interior Door Sweep with fibres.



CF10070 Aluminum
CF10074 Brown
CF10075 White
Climaloc Aluminum Door Jamb
with vinyl insert. Includes
2 x 82", 1 x 36"



CF10695 White

Climaloc Vinyl Door Jamb

with adjustable spring action.
Includes 2 x 82", 1 x 36"



DS422B17R Brown **DS422W17R** White **DraftSeal Retrofit Door Weather sealing Kit.** Includes 2 x 86", 1 x 36"

Insulating Foam Tapes

Open Cell	Size	Color
CF12001	3/16" x 3/8" x 16.4'	White
CF12003	3/16" x 1/2" x 16.4'	White
Closed Cell	Size	Color
CF12005	3/16" x 3/8" x 16.4'	White
CF12010	3/16" x 3/8" x 40'	White
CF12012	1/4" x 3/8" x 30'	White
CF12014	1/2" x 1" x 15'	White
CF12007	1/4" x 3/8" x 9.8'	Black
CF12015	1/2" x 1" x 15'	Black



PSID144
Climaloc Expanding
Sealant Tape. Gradual
expansion fills joins
and gaps perfectly. Use
indoor or outdoor.
1" x 13' long.
Expands 1/4" to 1".



CF22000 K-Profile
CF22002 P-Profile
CF22004 D-Profile
CF22005 M-Profile
Climaloc Premium Rubber
Foam Tape. Designed to
compress easily and return
to its original shape.

Window Shrink Kits

	Size	Application
CI12781	42" x 64"	1 Window
CI12783	64" x 210"	5 Windows
CI12782	80" x 86"	1 Patio Door
CI12295	84" x 25' (ft)	Multiple Patio Doors

Climaloc Insulating Shrink Film Kits.

Reduces heat loss and prevents frost and condensation. 0.6mil thick.





Window & Patio Door

foam tapes . shrinks . sliding . glass . screen

Screening

Adfors Window & Door Screening Available in black fiberglass or silver aluminium!



Check out our "How to" for screening! https://www.youtube.com/c/AmreSupplyCanada





aluminium



fiberglass







Pre-Cut Screen


Part#	Colour	Material	Size
FCS8550-M	Black	Fiberglass	24" x 84"
FCS8553-M	Black	Fiberglass	30" x 84"
FCS8558-M	Black	Fiberglass	36" x 84"
FCS8561-M	Black	Fiberglass	48" x 84"
FCS9219-M	Silver	Aluminium	24" x 84"
FCS9220-M	Silver	Aluminium	30" x 84"
FCS9222-M	Silver	Aluminium	36" x 84"
FCS9224-M	Silver	Aluminium	48" x 84"

Rolled Screen			◎ •
Part#	Colour	Material	Size
FCS8589-M	Black	Fiberglass	24" x 100'
FCS8611-M	Black	Fiberglass	30" x 100'
FCS8555-M	Black	Fiberglass	36" x 25'
FCS8641-M	Black	Fiberglass	36" x 100'
FCS8559-M	Black	Fiberglass	48" x 25'
FCS8678-M	Black	Fiberglass	48" x 100'
FCS8704-M	Black	Fiberglass	60" x 100'
FCS9296-M	Silver	Aluminium	36" x 100'
FCS9335-M	Silver	Aluminium	48" x 100'

Splining

Black Polyfoam Spline Other sizes available! POPORS





Frames

No Mitre Window Screen Frame Corner



Part#	Size
FCS8522-U	0.140" x 100'
FCS8523-U	0.160" x 100'
3-SS-160-50M	0.160" x 164'
3-SS-160-R	0.160" x 2700'



Colour	A= 7/16"	A= 3/8"
White	3-SB-7/16-W-98	3-SB-3/8-W-9 <u>8</u>
Brown	3-SB-7/16-B-98	3-SB-3/8-B-98

Colour	A= 7/16"	A= 3/8"
White	3-SCW-7/16	3-SCW-3/8
Brown	3-SCB-7/16	3-SCB-3/8

1-275

Plastic Handle Spline Roller With Plastic Wheels

Patio Door Repair

FSP8567-U

Wood Handle Spline Roller With Metal Wheels

Check out our complete line of window and door hardware and repair parts.



SK910W SK910B Brown

Push Button Handle Set. Out swinging doors 1" to 2" thick. Mounts 1-3/4" center to center. Latch & strike incl.



4-5009W White Sliding Glass Door Handle Set



10-1/2" Standard Storm Door Closer

Pneumatic door closer for light to medium weight storm and screen doors. For doors 7/8" to 1-1/4" thick.



Storm Door Chain

High quality steel and is plated to protect it from the elements.



10-1/2" Heavy Duty Storm Door Closer

Heavy duty pneumatic door closer with torsion bar. For doors over 1-1/2" thick for superior closing.



Storm Door Inside Latch

For storm doors that feature push button or pull handles that have 1-3/4" hole centers.



Vanguard'

629V 12" **631V** 16"

Vanguard Closet Shelf Support



Vanguard'

634

Vanguard Closet Centre Shelf Support
Can be used with 12" or 16" deep shelves.



4822-012 12" **4822-016** 16"


ACME Closet Wall Brackets



Vanguard'

630V 12" **632V** 16"

Vanguard Closet Shelf & Rod Support



Vanguard'

633V

Vangard Closet Centre Shelf & Rod Support Can be used with 12" or 16" deep shelves.



4823-012 12" **4823-016** 16"

ACME Closet Center Shelf Brace



650V

Closet Rod Socket Set

Supports closet rods up to 1-3/8" diameter.



494W16B *Heavy Duty Shelf Bracket*For use with 16" deep shelves.



498WIBC Adjustable Heavy Duty Closet Shelf & Rod Support Can be used with 12" or 14" deep shelves and rods up to 1-1/2" diameter.

Vanguard





Length	Zinc	White
30" - 48"	25-MR3048	25-MR3048W
48" - 72"	25-MR4872	25-MR4872W
72" - 96"	25-MR7296	25-MR7296W
96" - 120"	25-MR96120	-

Taymor Adjustable Closet Rods
1" diameter

	vangua a
Length	White
30" - 48"	652V
48" - 72"	653V
72" - 96"	654V

Vanguard Extendable Closet Rod 1-1/8" diameter.

Residential I-Beam Kits

Part# Length I-06R 72" I-08R 96" I-10R 120"

I-Beam Track with Hardware





Comes with Hardware



R-511Nylon I-Beam Rail Runners



E-01-02 Screw Eye End Stops



BL-01-02 Metal Block I-Beam Brackets



Cabinet hinges . pulls . knobs

Guides



BPA12

Adjustable Drawer Backplate Set Fits center-mount drawer slides from 1" to 1-1/2" wide.



BPC12

Drawer Central Guide For use with wooden drawers.



BPD12

Drawer Central Guide For use with metal rails.

Cabinet Catches



BP52030 20-1455AC

White TOP SELLER Antique Copper

Magnetic Door Catch



20-1410Z Zinc Double Roller Door Catch



★ TOP SELLER **BP6032G**

Zinc Double Roller Door Catch

Hinges



★ TOP SELLER

UC91M255180 100° UC91A650180 170° Overlay Cabinet Hinge

Nickel finish.

BP134195 Brushed Nickel BP134242 **Brushed Pewter BP13430** White **BP13426** Chrome

BP134MAE Antique Brass BP134BORB Oil Rubbed Brz.

Self-Closing Flush Hinge 2/pack



BP138195 Brushed Nickel BP13830 White **BP13826** Chrome **BP138130 Brass BP138MAE** Antique English

BP138BORB Oil Rubbed Brz. Semi-Concealed Self-Closing

Hinges 2/pack



BP139195 **Brushed Nickel BP139130 Brass BP139MAE Antique Brass** Self Closing Hinges

2/pack

Pulls/Knobs



DP33203195 **Brushed Nickel** 3" Metal Pulls

30mm projection, 8/32" screws included.



DP3511195 Brushed Nickel DP3511BORB Oil Rubbed Bronze 3-3/4" Metal Pulls

28mm projection, 8/32" screws included.



DP65076195 DP65076BORB DP65096900

Brushed Nickel Oil Rubbed Bronze Matte Black

3-3/4" Metal Pulls

27mm projection, 8/32" screws included



DP9041195 **Brushed Nickel** 1-3/16" Metal Knobs 8/32" screws included.



DP4443195 **Brushed Nickel** 1-1/4" Metal Knobs 8/32" screws included.





DP3295195 **Brushed Nickel** 1-1/4" Metal Knobs 8/32" screws included.

Ceiling Tiles









Dune Fine

Random Textured

Cortega Medium

Part#	Texture	Size	Fire Rating	Package
ARM1774	Dune Fine	24" x 24"	Class A	16
ARM1773	Dune Fine	24" x 48"	Class A	10
ARM933	Random	24" x 48"	Class A	10
ARM769	Cortega Medium	24" x 48"	Class A	12
ARM772A	Cortega Medium	24" x 60"	Class A	10



Visit AMRE online for more options and styles

www.AMREsupply.com

Matting

dgewood

FPP050002

FPT000164





RBS220000 Rubber Boot Scraper

13" x 15.5"

Durable boot scraper designed to be mounted in place. Effectively scrapes off heavy soil and debris.



BTT221632 16" x 32"

Rubber Boot Tray

Inexpensive solution for containment of water, snow and soil from outdoor footwear.



★ TOP SELLER

38" x 100ft Floor Protection

construction. Moisture resistant, reusable, and 100% recyclable.

3" x 164ft Tape

Easy-Lay Board is an environmentally responsible, heavy

duty floor protection. Protect finished flooring in areas under

TWR200203 2' x 3' TWR200305 3' x 5'

Twin Rib Matting

PTF110306

PTF110310

PTF110406

Needlepunch linear ribbed matting designed to wipe and scrape footwear clean. Charcoal colour.



SRT221236 12" x 36" x 12mm **SRT221248** 12" x 48" x 12mm

Stair Treads

Tough recycled rubber stair treads for increased traction and stair protection.



Poly-Tuft - Roll length 60 ft. (+/- 5%) Poly Brown Charcoal Size PTF110203 PTF200203 2 ft. x 3 ft. PTF110304 PTF200304 3 ft. x 4 ft. PTF110305 PTF200305 3 ft. x 5 ft.

PTF200306 3 ft. x 6 ft. PTF200310 3 ft. x 10 ft. PTF200406 4 ft. x 6 ft.





BROWN

Cut Pile, 100% Polypropylene, (PVC) Vinyl backing, Face wt.15 oz./yd.2. Total wt.70 lbs./ft.2. Roll width 3 ft., 4 ft. or 6 ft. +/. Tuff is a solid value in a cut pile wiper mat. A "perennial favorite", complete with edging. Other Colours available



Herringbone	- Roll length	60 ft. (+/- 5%) - medium to Heavy Traffic
Chanalata	Characal	Ci-o

Chocolate Charcoal HBN100304 HBN200304 3 ft. x 4 ft. HBN100305 HBN200305 3 ft. x 5 ft. HBN100310 HBN200310 3 ft. x 10 ft. HBN100406 HBN200406 4 ft. x 6 ft. HBN100408 HBN200408 4 ft. x 8 ft.

Custom sizes available

Custom sizes

available





10 CHOCOLATE

Needlepunch, 85% Polypropylene, (PVC) Vinyl backing. Face wt. 27 oz./yd.2, Total wt. 80 lbs./ft.2 Roll width 3 ft., 4 ft. or 6 ft. +/. Herringbone "V" pattern adds a dynamic look to an excellent wiper/ scraper mat, complete with edging. Other Colours available



General

handrails . padlocks . hasps . latches

Locks & Hinges



363-607 P002610 2/Pack, Keyed Alike Brass Padlock Solid brass with hardened

steel shackle.



Master

shackle.

ML-1D 1-3/4"W ML-5D 2"W Masterlock Padlocks Laminated steel body with steel



Mastęr,

3008D 4/Pack, Keyed Alike Masterlock Padlocks Laminated steel body with steel shackle.



Master

ML-1DLJ ML-1TRILJ 3/Pack, Keyed Alike Masterlock Long Shackle Padlock Laminated steel body with steel shackle.



301XV Steel 301FBV Black Steel Gate Latch & Strike Kit Designed for both left and right handed applications.



925CXB 926CXB 6" 927CXB 8"

Heavy Duty Steel T-Hinge



316XV 4-1/2" 318XV Regular Duty Hasp For interior and exterior use.



Part# Size 97X10B 97X15B 1-1/2" 97X20B 2" 97X25B 97X30B 97X40B 97X50B 6" 97X60B

Corner Brace L-Brackets For interior and exterior use.



Need an answer now?

Text your local branch and get a hold of the sales desk directly!

Handrail Brackets



25-P6350SC Satin Chrome 25-P6350B Polished Brass Regular Duty Handrail Bracket 3" projection



2284BCV **Brushed Chrome** 2284BV **Brass** Extended Arm Handrail Bracket 4-1/16" projection.

Address Numbers



Taymor.

Size **Brushed Aluminum** 4" 25-ANB4(?) 25-ANC4(?) 25-ANB6(?) 25-ANC6(?)

Classic Aluminum House Numbers

Solid metal construction with exposed screws. Note: (?) this symbol is where you indicate which number you are looking for.

Easy application for installing your house



Klassen 2" Metal Adhesive House Numbers & Letters Available in #'s 0-9 and letters A-Z

Bathroom

mirrors . medicine cabinet . shower

Medicine Cabinets

Only available in Eastern Canada





20-1120 20" x 24" 24" x 36" 20-1200 30" x 36" 20-1240 20-1260 30" x 42"

Beveled Edge Frameless Mirrors. 3mm thick. Includes mounting hardware.







20-0240 24" x 31" (2/pk) Renin Brazin Framed Mirror. 3mm thick. Includes mounting hardware.



18"W x 24"H 941-1824FT 18"W x 30"H 941-1830FT 24"W x 30"H 941-2430FT 941-2436FT 24"W x 36"H

Barrier Free Fixed Tilt Mirrors

Vandal resistant concealed mounting. One piece 24 gauge stainless steel channel frame provides rigid assembly.

★ TOP SELLER



14" x 16" MC-1317PE Surface MC-1418PE 14" x 18" Polished Edge Mirror Medicine Cabinets

Powder coated interior.



MC-2426PE 24" x 26" 2 Doors MC-3026PE 30" x 26" 3 Doors MC-3630PE 36" x 30" 3 Doors

Polished Edge Medicine Cabinets

Surface mount cabinets feature frameless design and 2 hinged doors for easier access.








Taymor.

Polished Chrome TOP SELLER 02-D9688 02-D9688SN Satin Nickel

Adjustable Curved Shower Rods Adjustable from 52" to 72". Provides up to 25% more shower space with over 8" more elbow room.



1596 5' Aluminium TOP SELLER 01-R9686 6' Aluminium 🙀 TOP S 597 5' Steel

01-R9696 6' Steel

Shower Rod 1" O.D.



01-9629W White Shower Rod Covers

White finish. For use with 1" O.D. shower rods, 5' long.





Q511SP Tub Splash Guards 7" x 5-1/2"





Fits standard 1" shower rods. Chrome finish.

Metal Shower Rod Flanges









ULN508 Metal

Adjustable Plastic Shower Flanges Fits standard 1" shower rods. Chrome finish.


631A





Bathroom

accessories, grab bars



MOEN

Double Robe Hook YB2403CH **YB2408CH** Paper Holder YB2486CH 9" Towel Bar YB2418CH 18" Towel Bar YB2424CH 24" Towel Bar

Method Series

Chrome finish. Pro-Fit installation system eliminates set screws for faster, more secure mounting. Other colours available special order.



01-9402 Double Robe Holder 01-9404 Towel Ring

9408 Paper Holder 01-940024 24" Towel Bar

Sunglow Series

Chrome finish. Exposed surface mount.

Soap Holder

MOEN



2565CH Chrome Moen Recessed Soap Holder

Use with 5-3/4"W x 5-3/4"H wall openings.

Commercial Grab Bars



Concealed Screw Mount



01-R112 Replacement Soap Dish



Taymor. 01-TC220018 18" 24" 01-TC220024 01-TC220030 30"

01-TC22120 24" x 24", 120° Angle Taymor Commercial/Industrial Grade Grab Bars

ADA compliant, barrier free accessibility. Concealed surface mount. Peened, non-slip grip. Maximum 300lb weight load.



YB8003CH Double Robe Hook

YB8086CH Towel Ring YB8000CH Towel Bar & Paper Holder Posts YB8099CH Toilet Paper Roller Only

YB8098CH 18" Towel Bar Only YB8094CH 24" Towel Bar Only

Mason Series

Chrome finish. Order toilet paper holder and/or towel bars with posts for a complete accessory. Other colours available special order.



Taymor.

9400 **Towel Bar Posts** 01-R940018 18" Towel Bar Only 24" Towel Bar Only 01-R940024 01-R940030 30" Towel Bar Only

Taymor Towel Bar

Chrome finish. Order posts separately for a complete accessory.

Paper Holder



Taymor.

01-1015 Chrome Sunglow Recessed Toilet Paper Holder

Use with 5-1/2"W x 5-1/8"H wall openings.



★ TOP SELLER

01-R111W White Replacement Toilet Paper Roller



Need an answer now?

Text your local branch and get a hold of the sales desk directly!



Protection eye . face . hearing . head



7092500AFC Clear 7092500YEL Yellow 7092500BLM Blue Mirror

Degil Jazz Safety Glasses

Wide-vision, anti-fog coated lens, impact & scratch resistant lenses. Provides 99.9% UV protection. Meets CSA Z94.3-07 specs.

7037000AFC 7037000IOM

Clear Indoor Mirror

er X-10 Safety Glasses with Strap. Full eye protection, from impact and flying particles & anti-fog. Provides 99.9% UV protection. Adj. elastic strap & quick release. Meets CSA Z94.3-07 ANSI Z87.1 specs.

★ TOP SELLER

7020000CLR Clear

Degil J10 Over-the-Glasses Safety Glasses

All polycarbonate lens and frame. Fits over most Rx frames. Impact and scratch resistant coating. Provides 99.9% UV protection. Meets CSA Z94.3-07 specs.

Head Gear BALB12 **VISORPC** Visor Only

Degil Mach Lite Professional Visor

Polypropylene molded head crown eliminates forehead injury while providing the best protection and comfort. Adjustable ratchet suspension. Flip-up visor can be positioned to user preference. . Visor and head gear sold separately



7750000 CONIC200JA il Uncorded Ear Plugs

6 Pairs 100 Pairs

Specially formulated polyurethane foam material offers excellent comfort and is non-allergenic. Tapered fit shape provides effective and comfortable fit. NRR 29dB



7751000 3 Pairs Deail Corded Ear Pluas Specially formulated

polyurethane foam material offers excellent comfort & is non-allergenic. Corded for loss prevention. Conforms to ANSI S3.19-1974, NRR 29dB.



INTERLAGO

Degil XP008 Earmuffs Adjustable height with soft reinforcement for better

comfort. CSA Class A, NRR 28dB.





81CHSR0YEL 81CHSR0WHT

Yellow White

ead Guard Supreme Hard Hat

New design, shorter peak, continuous edge. Added comfort, and stability. Shell headband 100% HDPE. Meets CSA Z94.1-05 Type 1 Class E.



81CR000YEL 81-CHSR-RED

Yellow Red

Degil Wave Ratchet Hard Hat

Crown and lateral impact penetration force transmission protection and dielectric protection up 20 20kV. Shell molded, special UV radiation protection additive. Meets CSA Z94.1-05 Type 1 Class F



Protection clothing, knee

Clothing Protection



7845375-LXL

egil High-Visability Traffic Vest

4" 3M Scotchlite reflective tape in WCB configuration. 5-point tear-away design with 2 inside storage pockets. Compliant with NEW CSA Z96 and ANSI Standards.



7825301-RET

Degil Reflex Wear Safety Vest

4" reflective tape configuration. 5-point tear-away design with 4 front storage pockets. CSA Z96-02 and WCB Compliant.



SHUBEEDB SHUBEEDBWP

Regular, 50/Pack Waterproof, 40/Pack

Shubee Original Shoe/Boot Covers

Bigger design made specifically for service industry professionals. Prevents tracking dirt and dry debris into client's homes. Stronger than other shoe covers on the market. Fits up to a size 18 work boot.



PVC-45W White

Degil PVC Bib-Style Apron

100% PVC apron with adjustment buckle on the neck. 35" wide x 47" long, 30mil thick.



7720 Medium **7721** Large **7722** X-Large

Globe Disposable Coveralls

Breathable non-woven polypropylene material provides a lightweight protective barrier. Protects against dust and grime. Coveralls have a zip front, fold-down collar, elastic wrists and ankles.



#13940. FDA and CE Approved

Manufactured from high-quality polypropylene. Sleeve stays fully extended with thumb hole to keep proper coverage on wrists. With waist and neck ties. Health Canada Approved, MDEL



7711 X-Large

★ TOP SELLER

7710

Globe Shoe Covers - Comes 100/Pack Dense heavy-duty non-woven polypropylene fabric that resists tearing and ripping. Slip-resistant tread on bottom for increased safety. 100% recyclable, non-toxic and PVC free.

Prevent slips and falls!



MY-12201

Ice Cleats

Aggressive spike helps prevent dangerous slips and falls, one size fits most, durable material for long lasting effectiveness.



Product Selection

AMRE offers the widest selection of maintenance products in the industry. With over 60,000 products in stock and endless aisle catalogs for quick access to millions of products.

We have the brands you trust.



Knee Protection



32612 Rok Gel Knee Pads

Gel cushion with high density foam for all-day comfort. Abrasion resistant PVC cap protects against rough surfaces. Suitable for working on all surfaces.



ewood Kneeling Comfort Pad

Convenient, portable, anti-fatigue mat is designed to help relieve knee trauma and back stress for workers that kneel for extended periods. Will not absorb liquids. Built-in handle is convenient to carry & store.



Protection

respiratory . masks . repellents . repa



See website for up-to-date mask approval information www.AMREsupply.com



★ TOP SELLER

7738 50/Pack

Globe 3-Ply Surgical Masks

Standard ear-loop design is soft and comfortable. Fluid resistant. 99% bacterial filtration efficiency. Health Canada Approved, MDEL #13940, ASTM Level 2



Designed to make it easier to get on with your daily business, while still offering protection. Washable for continued use and sustainability. Made from high quality spandex and polyester. Widened ear hooks are flexible and stretchable for maximum comfort.



7740-2PK 2/Pack

Globe Reusable Anti-Fog Face Shield

It effectively block dust, water droplets, and other liquids contaminating the face for protection and to improve your personal hygiene.



75RWS-54035D Mask w/ 2 Cartridges **75RWS-54043D** Replacement Cartridges Degil MC/P100 Multi-Purpose Respirator

Contoured sealing flange helps eliminate pressure points on face. Collapsible headstrap is easy to adjust. Soft, non-allergenic silicone construction for better fit and comfort. P100 cartridges for use when both gases or vapors and particulates are present. 99.97% filter efficiency. NIOSH Approved.



7450200 5/Pack

Degil Utility Dust Masks

Offers relief from non-toxic dusts and pollen. Lightweight, easy to breathe through. Fits easily and comfortably with no-metal nose



against non-oil particulates. Foam nose cushion and flexible head strap. 42 CFR 84 Approved.

Skin Repair Products





K1710102 Cooling **K1700102** Original O'Keeffe's Lip repair for Extremely Dry, Cracked Lips



K1700002 7oz O'Keeffe's Skin repair for Extremely Dry, skin



K1320001 91q K1280003 3oz O'Keeffe's Healthy Foot Cream. For dry cracked or split feet



K1350001 91g **K1290003** 3oz O'Keeffe's Healthy Hand Cream. For dry cracked or split hands



99500 100mL Doktor Doom Jungle Juice

12-hour effective protection from mosquitoes and ticks, and 10-hour protection from black flies. Ideal size for carry-on luggage. DEET-Free, 20% Icaridin Formula



99501 200g 400g 99504 Doktor Doom Jungle Juice

12-hour effective protection from mosquitoes and ticks, and 10-hour protection from black flies. DEET-Free, 20% Icaridin Formula



11101 230g Doktor Doom Maximum Strength

Repels ticks, mosquitoes, black flies, biting midges, deer flies, stable flies, and chiggers. Multi-directional valve sprays upside down for hard to reach areas.30% DEET Formula





Gloves work . gardening . outdoor

412-XS X-Small 412-S Small 412-M Medium 412-L Large 412-XL X-Large

that Gloves, For Touch Screen Devices. Nylon/Lycra liner with New Foam Nitrile conductive coating on palm and fingertips can be used on all touch screen devices.



353-S Small 353-M Medium 353-L Large 353-XL X-Large

Watson Stealth Dynamo Gloves Aramid fibre shell with level 3 cut resistance

for extra protection. Foam nitrile coating provides abrasion and puncture resistance with superior wet/dry grip.



388-S Small 388-M Medium 388-L Large 388-XL X-Large

Stealth Cyclone Foam Nitrile Gloves

13gg WasteNot Recycled polyester with Steel/ glass/spandex shell is cut resistant offering excellent protection. 15g WasteNot polyester seamless knit liner made from 33.2% recycled post consumer PET bottles.

Thinsulate

WATSON

9005W-M Medium 9005W-L Large 9005W-XL X-Large

extime Winter Gloves

Lightweight 3M Thinsulate™ C40 lining keeps hands warm in cold conditions. Breathable HY+DRY® waterproof barrier Goatskin leather palm is hard wearing and durable. Form-fitting memory.



034ALY24-M 034ALY24-L 034ALY24-XL

X-Large Puncture Resistant Gloves

Needlestick Resistant - 2/4 Alycore™ Microfibre Palm provides strength and durability. PVC Palm Patch and Silicone Texture.

Large



Thinsulate

WATSON

9502-M Medium 9502-L Large 9502-XL X-Large

lorth of 49 gloves. 3M Thinsulate™ LiteLoft lining is a high density lightweight material to ensure maximum warmth in cold climates.



WATSON

9503-M Medium 9503-L Large 9503-XL X-Large

North of 49 Mitts. 3M Thinsulate™ LiteLoft lining is a high density lightweight material to ensure maximum warmth in cold climates.



WATSON

9281

One Size Watson North Paws Thinsulate Gloves.

Warm 3M superior hand protection in cold conditions. Great for: Construction, Farm & Ranch, General Purpose, Industrial



Thinsulate

WATSON

94006HW-L 94006HW-XL 94006HW-XXL

X-Large XX-Large

Warm 3M Thinsulate™ C100 lining. Smooth full-grain cowhide leather, breathable cotton. Full leather index finger, knuckle bar, hooded fingertips and pulse protector

Large



390-S 390-M Medium 390-L Large 390-XL X-Large

'Stealth' Original Gloves.

Exceptionally strong nitrile coating with a textured grip has excellent abrasion and puncture resistance; handles well in oil slick applications.



WATSON

005-S Small 005-M Medium 005-L Large 005-XL X-Large

Watson Flextime Gloves. Full grain goatskin leather palm. Leather hooded fingertips & knuckle bar reinforcement. Form-fitting spandex back.

104X One Size

on Guard N' Duty, Split Leather Gloves

Split cowhide leather for strength and durability with breathable cotton drill back for a comfortable wear. Full leather index finger, hooded fingertips, knuckle bar and pulse protector.





Gloves

latex . rubber . nitrile . vinyl . disposable





5553PF-L Large 5553PF-XL X-Large

Blue Rubber Latex Disposable

Grease Monkey Blue Rubber Latex Gloves 15mm thick. Textured surface offering better grip in wet and oily applications. 11" rolled cuff. Non-sterile.



Creese Allies

5555PF-M Medium 5555PF-L Large 5555PF-XL X-Large 5555PF-XXL XX-Large

Grease Monkey Black Nitrile Gloves

8mm thick. Exceptionally durable with superior abrasion and puncture resistance. 11" rolled cuff. CFIA approved.





5554PF-M Medium 5554PF-L Large **5554PF-XL** X-Large

Grease Monkey Black Nitrile Gloves

5mm thick. Exceptionally durable with superior abrasion and puncture resistance. 9.5" rolled cuff. CFIA approved.



4444PF-S Small 4444PF-M Medium 4444PF-L Large 4444PF-XL X-Large

Total Coverage Teal Nitrile Gloves

5mm thick. Chemically resistant to oils, solvents and grease. Industrial grade; not for medical applications. Rolled cuff. CFIA approved, non-sterile.



8888PF-S Small 8888PF-M Medium 8888PF-L Large 8888PF-XL X-Large

atson 360 Total Coverage Nitrile Powder Free Gloves. 4 mil blue nitrile, resistance to punctures and tears, chemically resistant to oils, solvents and grease. Powder free. CFIA approved. Non-sterile.







Powdered 57760276 Medium 57760275 Large

57760267 X-Large **Powder Free**

75006230 Medium **577602755** Large

HandsOff Clear Disposable Vinyl Gloves 5mm thick. Increased sensitivity and stretch-to-fit without restriction of circulation.

10" Rolled cuff.



★ TOP SELLER

603-M Medium 603-L Large 603-XL X-Large

on Winter Glove Liner. Perfect for added warmth in cold conditions. Snug fit wrist, poly cotton blend.



302-M Medium 302-L Large 302-XL X-Large

atson Gloves Junk Yard Dog

Heavy duty rubber latex palm coating for strength and durability. Sure-grip crinkle textured finish, exceptional wet/dry grip. Poly/cotton seamless knit shell keeps hands cool & comfortable.





Website

AMRE's industry designed website provides easy access to thousands of products, technical data, and helpful tools. With customizable options, the capabilities are endless to manage your business

YOUR WAY.



First Aid kits . eye wash stations

First Aid





Regulation first aid kits meet regulations required by each jurisdiction; regulations change on a continuing basis. Check with your local government agencies for minimum requirements, specific kits may be required in each province. Plastic boxes provide quick identification of first aid kit contents and maintain a neater, more attractive looking kit.

50420

16 Units: 6-15 Workers 50449 #2: 16-199 Workers

51610 CSA #2 16 Units: 2-25 Workers 51625 CSA #2 36 Units: 26-50 Workers 51640 CSA #2 Large: 51-100 Workers

51611 CSA #2 24 Units: 2-25 Workers 51625 CSA #2 36 Units: 26-50 Workers 51640 CSA #2 Large: 51-100 Workers

50100 #1: 1-15 Workers 50124 #2: 10-49 Workers 50140 #3: 50+ Workers

50006 Basic 10 Units: 1-30 Workers 50026 Level 1 36 Units: 30+ Workers



SI65FB

3D First Aid Sign

Plastic, 3D angle mounted sign. Flush side panels equipped with holes for mounting. 5"W x 6"H per face.





Once full, just toss the whole internal liner away!

878 Container Internal Liners, 4/Pack 878-500

Frost Biomedical Sharps Disposal

Heavy duty clean design is vandal resistant and ideal for any installation. Composed of 14 & 18 gauge type 304 stainless steel with brushed finish. Screened graphics in English, French, and Spanish. Will accept biomedical waste including needles, syringes, blades, pins, cotton balls, and bandages.



Globe Non-Contact Infrared Thermometer

Taking forehead temperatures is as simple as pointing and pressing a button. Keep your employees and clients safe by properly checking temperatures. Measuring distance is 3 to 5cm. Requires 2xAAA batteries. Measure Body Temps:

89.6 - 109.2°F / 32.0 - 42.9°C Measure Object Temps: 32 - 140°F / 0 - 60°C







Guardian EyeSafe Faucet-Mounted Evewash

EyeSafe faucet-mounted eyewash converts any faucet into an emergency eyewash station without interfering with normal faucet operation. Faucet not included



Bradley Faucet-Mounted Eyewash

Low-cost eyewash mounts easily to both standard and gooseneck faucets. For eyewash use, leave cold water supply on at all times. Faucet not included



3D Eyewash Station Sign,

Plastic, 3D angle mounted sign. Flush side panels equipped with holes for mounting. 5"W x 6"H per face.



Honeywell

32-000460-0020 w/16oz Bottle 32-000461-0020 w/32oz Bottle

ell Evesaline Wall Stations

Provide immediate flushing of the eye until the injured person can be helped to a primary emergency eyewash device. Highly visible and readily available for emergency flushing and decontamination. Wall station has both English and French instructions. ANSI Z358.1 - ANSI Z358.1

Honeywell

32-000454-0020 16oz Bottle 32-000455-0020 32oz Bottle

★ TOP SELLER

Honeywell Eyesaline Personal Eyewash Bottles

Portable and readily available for use, these emergency eyewash bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency. ANSI Z358.1 - ANSI Z358.1

Protection

fall . spill cleanup . floor signs





853702025 853702050

50'

Degil PRO Series Roofer's Kit

Includes basic full body harness, 2.5ft shock absorbing lanyard, automatic rope grab with dorsal panic model A, and roofer's bracket with D-ring. CSA Z259.1 compliant where applicable. Meets OSHA, CSA, and ANSI requirements.



168-51-25 1" x 60'

Cantech Anti-Slip Tape. General purpose, yellow/black stripes. For indoor applications



168-01-25 1" x 60' 168-01-50 2" x 60'

Cantech Anti-Slip Tape. General purpose, black. For indoor applications

Spill Cleanup



7870100 7870105 18"

Degil PVC Traffic Cone

Non-reflective collar. Heavy base keeps the cone sturdy on the ground.



7551G Universal **7550G** Oil Only

Globe 48" Absorbent Socks

Absorbent socks are flexible tubes used to contain and clean-up spilled fluids. Manufactured with knitted sleeves and contain the highest quality, 100% polypropylene fill available.







7112 25"

Commercial Caution Wet Floor Sign

Bilingual English and French. Improve the safety of patrons and employees. Reduce slip and fall accidents in your facility.



GL(S)BE 7200G

26" 7201G 36"

Commercial Caution Wet Floor Cone

Bilingual English and French. Improve safety of patrons and employees. Reduce slip and fall accidents in your facility.



GL(S)BE

7114G 19-1/2" Pop-Up Safety Cone

Trilingual English, Frencha, and Spanish. Hang the storage tube for easy access to a cone when spills occur. Includes storage tube.

MORE BEYOND THE CATALOG

Visit AMRE online for a full selection of safety supplies and equipment

www.AMREsupply.com





1170066

Klassen Hi-Impact Exit Sign 8" x 12"



G-112

Glow-in-the-Dark Self-Adhesive Exit Sign Vinyl sign will glow for up to eight hours, remaining very visible in normal lighting. 8" x 12"



SIG32A

Glow-in-the-Dark Plastic Exit Sign with 2 Arrows

Plastic sign will glow for up to eight hours, remaining very visible in normal lighting. 8" x 12"





1170457 Reserved Parking, 8" x 12" **1170481** Customer Parking, 8" x 12" **1193104** No Parking, 19" x 24" **1193465** Tow Away Zone, 19" x 24"

Assorted Parking Signs High-Impact Plastic



BL-115No Smoking Sign
Self-Adhesive, 8" x 10"



1170422

No Smoking Sign High-Impact Plastic, 8" x 12"



1150359



1150871

1150472 Please Keep Closed **1150154** Employees Only

1150073 Caution **1150502** Private **1150375** No Soliciting

1150375 No Soliciting **1150359** No Pets

1150820 Authorized Personnel Only **1150871** Receiving

Assorted Directional Worded Signs Metal Adhesive, 2" x 8"



1150529 Pull **1150510** Push

Horizontal Door Access Sign Metal Adhesive, 2" x 8"



1170039

Warning Video Surveillance Sign 8" x 12"

AMRE has a full line of signs to solve any issue!
Check it out online at www.AMREsupply.com







CT3RE9 DANGER Safety Barricade Tape Red - 3" x 1000'



CT3YE1 CAUTION Safety Barricade Tape Yellow - 3" x 1000'

Fire Safety extinguishers . signs



Class A: Ordinary combustibles such as wood, cloth, and paper Class B: Flammable liquids such as gasoline, oil, and oil-based paint

Class C: Energized electrical equipment, incl: wiring, fuse boxes,

circuit breakers, machinery & appliances





Part # **ULC** Rating Size 21008346 1-A, 10-B:Č 2.5 21008347 5.5 3-A, 40-B:C 21008348 10 4-A, 60-B:C 21008349 20 6-A, 80-B:C

Kidde Badger Advantage Series Fire Extinguishers

Aluminum valves, handles and levers are lightweight yet extremely durable and corrosion resistant. Large pull pin and handles are easy to operate with gloves. Heavy duty plated steel siphon tubes are threaded versus crimped providing a secure connection.



Part # Capacity D W **SAS062** 20.5" 5lbs 6 8.5" SD028 10lbs 6.5 10.5 24" 30" SD027 9" 20lbs 14'

Steel Fire Extinguisher Cabinets

Extinguishers are readily available while keeping them safe from potential vandals. Complete with cylinder lock keyed alike. Includes break glass hammer and chain with "break glass" sticker.







Kidde Fire Extinguisher Vehicle Bracket

Steel retention vehicle strap bracket for four and five-pound fire extinguishers (2-A, 10-B:C or 3-A, 40-B:C UL Rated Extinguishers).



Kidde

466294MTL

STI-6200

Size

Class C fires (energized electrical equipment).

Fire Extinguisher Theft Stopper

cable and 9V alkaline battery.

Kidde Kitchen & Garage Home Series Fire Extinguisher

2

ULC Rating

5-B:C

at-a-glance status. Suitable for use on Class B (liquids & gases) and

Home Series red fire extinguisher comes equipped with a tough

metal handle and is fitted with a pressure gauge that provides

If you are fed up with replacing your fire extinguishers, this

tamperproof alarm is the answer. Proven highly effective in helping

prevent theft, misuse or vandalism. If the protected fire extinguisher

is moved from its normal position, the device emits a piercing alarm.

The highly visible stop sign design and the words "STOP, ALARM

WILL SOUND" discourages wrongful use. Includes deactivation


Part #

340358 5.5lbs

Kidde Fire Extinguisher Wall Brackets



23704 10lbs





1183184 Fire Extinguisher Symbol Sign 5-1/2" x 5-1/2"



1150774 Horizontal Fire Extinguisher Sign Metal Adhesive, 2" x 8"



SI57 3D Fire Extinguisher Sign Plastic, 3D angle mounted sign. Flush side panels equipped with holes for mounting. 4"W x 12"H per face



3D Fire Extinguisher Sigr Plastic. 3D angle mounted sign. Flush side panels equipped with holes for mounting. 5"W x 6"H per face



Fire Safety plans . logs . pull stations . signs



AA65 Padlock

AA12 Keyed for Peel Region

Ensure firefighters have quick and easy access to your building's important information. Weather-resistant and includes highly visible reflective graphics, key tags, mounting screws/wall anchors and two (2) padlocks. 13" x 13" x 4"D

NOTE: Boxes being installed in the City of Toronto require Padlocks (AA65). Boxes being installed in the Region of Peel requires Keys for Peel Region (AA12). Check with your local Fire Department for locking system requirements.



FLB291

Fire Log Book #291 Canadian Edition

This nationally accepted log book has over 100 pages of forms to record all your fire protection equipment maintenance duties. Step-by-step procedures detail the inspections and tests for: Fire Alarm, Emergency Lighting, Exit Lights, Emergency Power Systems, Fire Separation, Portable Fire Extinguishers.



Please consult with local authorities regarding rules & regulations of replacing and/or repairing fire alarm monitoring systems.



MS-401

Mircom Manual Pull Fire Station

Non-coded, single action metal pull station initiates an alarm when pulled. Abrasion resistant label with large, raised letters provides clear, legible instructions.





STI-1100 With horn STI-1200 Without horn

STI Stopper II Protective Pull Station Cover

Protective cover helps stop false alarms. Ideal for schools, hospitals, nursing homes, stores, hotels, and public buildings. Fits virtually all manual pull stations. Horn model has choice of 95dB or 105dB alarm.

GL-004K 10/Pack Mircom 10/Pack FA06 Couch/IBM 27165P GE/Edwards Each

Replacement Pull Station Glass Break Rods



BL167

Fire Door Keep Closed Self-Adhesive Sign



SI01 Vinyl Sticker ★ TOP SELLER SI01P Plastic SI01SA Silver Aluminum

Emergency Procedure Sign

For use in buildings with a single-stage fire alarm and an elevator. 4" x 7"



SI02 Vinyl Sticker SI02P Plastic

★ TOP SELLER

SI02S Silver Aluminum Emergency Procedure Sign


For use in buildings with a single-stage fire alarm and NO elevator. 4" x 7"





M18 Battery and Charger sold separate!









2724-21HD

M18 FUEL Cordless Blower

Has the power to clear from 15 ft, gets to full throttle in under 1 second, and is up to 4 lbs lighter than competitors. Variable speed trigger for increased control. Moves air at 120 MPH & 450 CFM. Includes (1) High Output 8.0 Battery, Rapid





M18 FUEL String Trimmer Kit POWERSTATE Brushless Motor delivers up to 6,200 RPM with up to a 16" cutting swath, and gives you the power to maintain speed in demanding applications without bogging down. 0.080" / 0.095" line diameter. Includes (1) High Output XC8.0 Battery,

Rapid Charger.





49-16-2712 .80" x 150" 49-16-2713 .95" x 250'

Milwaukee Trimmer Line

Utilizes high grade polymers and a full mass, twisted design, provides longer life, greater cutting power, and longer run-time.





2726-21HD

M18 FUEL Cordless Hedge Trimmer


Has the power to cut 3/4" branches, cuts up to 30% faster, and provides up to 2 hours of run-time per charge. Slide-crank mechanism and all-metal gear case providing unmatched durability and longer life. 24" blade trims more material in a single pass. Includes (1) High Demand 9.0 Battery, Rapid Charger.



A FRIENDLY REMINDER

Check online for seasonal items that are available at your branch

www.AMREsupply.com



Lawn Care

hoses . spreaders . sprinklers . sprayers

Hoses



SWan Good

HH58050 5/8" x 50' HH58100 5/8" x 100' Heavy Duty Garden Hose Crush resistant brass couplings. Weather and abrasion resistant.



swan Better

HC34050 3/4" x 50' HC34100N 3/4" x 100' Contractor Grade Heavy Duty Hose

Crush resistant machined brass couplings. Protective spiral collar reduces kinking at the faucet.



swan

Spreader

pattern.

(Orbit)

S010650N

H-CELSGC58050 5/8" x 50" H-CELSGC58100 5/8" x 100' Maxlite Premium Rubber Hose Crush proof extra large couplings. Lead free, drinking water safe.



HSP58050 50' Flat Sprinkler/Soaker Hose Vinyl 3-tube construction. Good for new grass lawns and around trees and shrubs



swan

H-ELSP38050 503 SoakerPRO Soaker Hose Slow soak rate 0.5-1gal per hour. Lead-free and eco-safe.



H008694

Metal Hose Hanger Holds 150' of 5/8" hose



S010590G 6lb capacity Hand Spreader Covers 1000 sq.ft. 6'-8' spread



CH-81008A 80lb capacity Chapin Broadcast Spreader Enclosed gear system withstands the elements. Rugged powdercoated steel frame. Includes snow/ rain cover and salt grate.





S010703 8 Pattern Sprinkler



S010653 Gear Drive Sprinkler, 3 Setting

OS-58895N

coverage spray



Commercial Grade Pulse Sprinkler Covers up to 85', adjustable full or part circle, can connect multiple in series



N000603

4" Economy Nozzle Fully adjustable from mist to jet, solid brass



by 4pm for Same Day Shipping to almost anywhere in Canada! *Delivery may vary from courier to coun



OS-91142N

Oscillating Sprinkler w/Poly Base. 3,000 sq.ft. coverage, adjustable coverage spray (full, partial, left, right)



N000525N Adjustable 3-Way Sprayer



Oscillating Sprinkler w/Metal Base

3,600 sq.ft. coverage, adjustable

N000588N Aluminum Spray Gun, 7-Pattern



7-Way Spray Aqua Gun ABS body with comfort grip



OS-56053N

Contractor Grade Spray Nozzle Brass with rubber grip

Lawn Care

hose quick connects . wheelbarrows



Quick Connects



(Orbit)

OS-58117N

Quick Connect Hose Set Brass construction



greenhouse

N000425 1/2" - 5/8" N000425L 5/8" - 3/4" Hose Mender Kits



N000343 Plastic Holland Greenhouse Quick Connect Female Adaptor



N000340 Holland Greenhouse Quick Connect Hose Male Adapter.



N000341 Brass QC System Male Adapter for Garden Hoses



N000342 Brass Holland Greenhouse Quick Connect Female Adapter



N000369 Brass Kit Quick Change System Adapter Kit for Garden Hoses



2323-B 3/4" Hose Cap





ULN531RW Washer, 12/Pack 18-066 Screen Washer Hose Washers. Deluxe 100% rubber quality washers to fit all garden & wash machine hoses.



N000435

Zinc Inline Hose Shut-Off Female x male garden hose thread



N000335 Zinc 202-WV Brass Y- Hose Shut-Off Use and control 2 hoses with

1 faucet

ULN530 No Shutoff

greenhouse



N000439 Brass 4-Way Hose Shut Off



greenhouse

ULN529D 1/2" Male ULN529E 1/2" Female

1/2" Male/Female **ULN529B** 5/8" Male N000415 N000416 5/8" Female N000417 5/8" Male/Female 3/4" Male/Female **ULN529C**

Solid Brass Hose Repair Couplings Grooved tangs with stainless

steel clamps



W000430N 6 cu.ft. Poly Lite Wheelbarrow Light weight, narrow design. 1-piece steel



W000429N 6 cu.ft. Steel Tray Wheelbarrow 14" flat free tire, wood handles



Lawn Care shovels . rakes . pruners



G-TBPG12D30" Poly Grain Scoop
D-shaped handle,
14-1/2" x 18-1/2" poly blade.



GAG08D45" Aluminum Scoop
D-shaped handle, 13" x 17-3/8" aluminium blade.



G000312HW 40" Round Mouth Shovel D-shaped handle, 8-1/2" x 11" steel blade



G000310HW 59" Round Mouth Shovel Hardwood handle, 8-1/2" x 11" steel blade



G000321HW
7" x 11-1/2"
G000316HW
9" x 11"
40" Square Mouth Shovel.
D-shaped handle



G000314HW 59" Square Mouth Shovel Hardwood handle, 9" x 11" steel blade



G000322HW47" Garden Hoe
Medium duty, 6" x 3-1/2" steel
blade.



R00018024" Landscapers Rake
Aluminum handle, 2-1/4" teeth with 1-1/8" striking edge.



R00020322" Steel Spring Rake
Hardwood handle, 22 tines
with back spring support.



R000225 24" R000227 30" 48" Poly Lawn Rake Fan shape with bracing provides strength and flexibility.



G000318HW 59" Bow Rake Ash wood handle, 13-3/4" steel head, 14 tines.



Pruners

greenhous



C006823 10" Sliding Saw
Triple ground teeth cut on push and pull stroke.



\$005465Telescopic Hedge Shear, 34"



Bypass Pruner 5/8" capacity. Non-stick coated carbon steel blade.



P011230Heavy Duty Bypass Pruners
Non-stick Teflon coated blade.







NPP21KD 21"
NPP26KD 26"
APP30KD 30"
Snow Shovel, poly blade hardwood handle



APP21KDR 21" (w/wear strip) **APP26KDR** 26" (w/wear strip)
Snow Shovel, yellow poly blade with a galvanized steel wear strip



Nordic Steel Pusher.
Blade 10" 40-1/4" hardwood handle with poly 'D' grip for strength and moisture resistance.



YPP24EAKD 24"
Yukon Ergonomic Snow
Shovel. Ergo non-slip
aluminum handle. Extra blade
support ribs for strength



9010W-M

YFSW9 9" (Extra Heavy Duty Industrial)
LHSW7 7" (Medium duty)
Steel Ice Chipper, 48" varnished hardwood
handles for strength and moisture resistance.
Industrial has forged and tempered steel
blade. Medium Duty is stamped & tempered

steel blade. Industrial by Garant.



MY-533 26" Snow Brush with Scraper.



SOS5.5GY 500lb 30"L x 24"W x 24"H SOS11GY 1000lb 42"L x 29"W x 30"H Salt & Sand Bins have a double wall lid and moulded in hasp to keep contents dry & secure. Heavy-duty construction. Water tight and impact resistant. Grey



9010W-L Large Watson Extreme Winter Gloves 3M Thinsulate™ C40 lining. Heavyweight microfibre foam padded palm. Fingers and knuckle bar, Snug-fitting neoprene

wrist with secure Velcro® closure.

Thinsulate

9502-M Medium **9502-L** Large **9502-XL** X-Large

North of 49 Gloves 3M Thinsulate™ LiteLoft lining is a high density lightweight material, maximum warmth in cold climates.



Thinsulate

 9503-M
 Medium

 9503-L
 Large

 9503-XL
 X-Large

 North of 49 mitts

3M Thinsulate™ LiteLoft lining is a high density lightweight material to ensure maximum warmth in cold climates.







Pest Control insect, bed bug



44808 544g Doktor Doom Jet Foam Wasp & Hornet Killer Gives rapid knockdown and

residual kill of wasps and hornets returning to the treated nest. Reaches nests up to 8ft away.



99204 450g

Doktor Doom Wasp & Hornet Nest Annihilator Gives rapid contact kill and

residual kill of wasps and hornets returning to the treated nest. Reaches nests more than 15 feet above the ground.



22109 500g Doktor Doom Go Green Sleep

Tight Bed Bug Spray A professional strength insecticide for use as household pest control. Indoor use approved.



22103 500g

Doktor Doom Go Green Residual Cockroach Spray

A professional strength insecticide for use as household pest control. Indoor use approved.



44404

150g

400g Doktor Doom Go Green Total Release Fogger

Fogger flushes out insects from their hiding places and kills them on contact. 1oz covers up to 1000cu.ft.



99506 550g

Doktor Doom Professional Insect

A professional strength insecticide for use as a household pest controller. For indoor use.



99309 375g

Doktor Doom Ant Nest & Ant

Use as a spot or crack and crevice treatment to control insects. For indoor and outdoor



99206 544a

Doktor Doom Residual Foam Ant

Foam formula is designed to reach ants where they hide. For indoor and outdoor use.



99502 3.8L

Doktor Doom Indoor/Outdoor Residual Insect

This ready-to-use liquid formula comes with sprayer to make application as simple as possible. Approved for use in all provinces (Indoor use only in ON and NS)



99202 600g

Doktor Doom Go Green Pyrethrin Insecticide Powder

Lightly coat affected area with powder for maximum efficacy against common insects. Use indoors or outdoors. Approved for use in all provinces



99208 200a

99300 1Kg

Doktor Doom Go Green Baited Insecticide Dust

Patented manufacturing process combines two food-grade additives, one of which attracts the insects, the other is a

digestive ingredient. Use indoors or outdoors. Approved for use in all provinces



Use with Insecticide Powder or Diatomaceous Earth and make application a breeze!

99403

Doktor Doom Pest Pistol

Use to dust tiny cracks and crevices, or project clouds of a powdered insecticide to cover large voids.

Pest Control

bed bug . mouse . moth . fly





CM-812SD

Catchmaster Pantry Pest & Moth Traps

Adhesive trap targets common flour and grain moths by utilizing a professional strength lure.



CATCHMASTER

CM-912R

Catchmaster Gold Stick Fly & Wasp Trap Perfect for those who prefer inconspicuous fly control.



CATCHMASTER

CM-9144SD

Catchmaster Scented Bug & Fly Ribbon Specially formulated and lightly scented, these bug and fly catchers are for household and farm use.



CATCHMASTER

CM-724

Catchmaster Crawling Pest & Insect Traps Glue boards contain a specially-formulated scent to attract insects.



330431 Black White 330394

ClimbUP Insect Interceptor

An innovative tool to safely monitor bed bugs. Bugs approaching the bed climb up exterior surface and fall into the outer pitfall ring.



CM-48-72

Dead End Mouse & Insect Baited Glue Traps Ready-to-use baited glue traps catch rodents and common pests.



CATCHMASTER

CM-102

Catchmaster Mouse & Insect Glue Traps These heavy duty traps are professional strength and require no additional baits.



CM-402

Catchmaster Rat, Mouse, & Snake Glue Traps. Larger size trays have the same strong formula that the pro's use.



CATCHMASTER

CM-606

Catchmaster PRO Series Multi-Catch Mouse Trap. Designed for maximum reliability and ease-of-use. Traps 10-12 mice per setting and can be used with or without the glue board. Includes multi-catch trap and 1 glue board.



CATCHMASTER

CM-602

Catchmaster Snap Mouse Traps With the easy-to-use expanded trigger makes setting and catching a 'snap'.



453106 Mice Trap 453103 Rat Trap

Bell Labs TRAPPER T-Rex Snap Mouse Traps. Better trigger sensitivity and more powerful trap velocity, TRAPPER T-Rex's patented interlocking teeth capture mice and rats with unmatched holding power.



Little Pete Slim Multi-Catch Mouse Trap Humane live catch trap allows users to catch mice without bait or poisons. Slim style to fit in tighter areas. Traps up to 15 mice.

Tools



T28B

9mm Mini Auto-Lock Knife. Heavy duty plastic body, positive lock system.



T130B

18mm Auto-Lock Knife. Heavy duty plastic body, positive

lock system.



T00703

18mm Ratchet Lock Knife. Ratchet wheel lock, 2 extra blades store inside body.



Milwaukee Fastback Utility Knife. One handed blade opening for easy activation. Comes with 5 utility blades.





TASK'

T208B

Poly Retractable Scraper. Uses regular square razor blades.



TASK'

RS-300

Metal Retractable Scraper. Includes 6 razor blades.



48-22-0012

Milwaukee Compact Handsaw. Ideal for cutting in tight spaces. Adjustable blade length.



4254

LynCar 12" Super Handsaw. Tension wheel for tighter blade. Stores extra blades in the body.



2420-21 w/ 1 Battery

M12 HACKZALL Recip Saw

At only 11" long and 2.6 lbs, this cordless recip saw is designed to give you the best cuts in tight spaces. Powerful motor delivers 0-3,000 strokes per minute and a 1/2" stroke length.

Includes battery, charger, and carrying case.



2621-20 Bare Tool

M18 SAWZALL Reciprocating Saw

Unmatched durability, speed, and run-time. The all metal gearing provides ultimate performance and protection against jobsite conditions. Slim front end design provides improved ergonomics, offering maximum comfort and control.



2680-20 Bare Tool

M18 4-1/2" Cordless Cut-Off/Grinder

The speed, durability, and ease-of-use to handle industrial applications. 4-pole motor gives you maximum power when cutting or grinding. Paddle switch for comfort and ease-of-use.





2630-20 Bare Tool

M18 6-1/2" Cordless Circular Saw

A high-performance tool that delivers the most durability in a cordless saw. Powerful 3,500 RPM motor letting you quickly and easily cut through tough materials.

Looking for replacement blades? Check AMRE online for our full selection!

www.AMREsupply.com



Drivers

screwdrivers, drills, tools kits







48-22-2132

Milwaukee 9-in-1 Multi-Bit Driver

Includes 1/4" nut driver, #1 and #2 Phillips, 3/16" and 1/4" Slotted, and SQ#1, SQ#2, and SQ#3 Square.



48-22-2322 Ratcheting

Milwaukee 9-in-1 Ratcheting Multi-Bit Driver

Includes 1/4" nut driver, #1 and #2 Phillips, 3/16" and 1/4" Slotted, SQ#1, SQ#2, and SQ#3 Square, and loop maker.



151

Megapro Original 15-in-1 Driver

Includes 1/4" hex driver, #0, #1, #2, and #3 Phillips, #4 and #6" Slotted, SQ#0, SQ#1, SQ#2, and SQ#3 Square, and T10, T15, T20, and T20 Torx.



151TP Tamperproof Megapro Tamperproof 15-in-1 Driver

Includes 1/4" hex driver, #6, #8, #10, and #12 Spanner, 1/8", 9/64", 5/32", and 3/16" Hex-Pin, and T10, T15, T20, T25, T27, and T30 Torx-Pin.



MEGAPRO

151HX Hex (Allen)

Megapro Hex (Allen) 15-in-1 Driver

Includes 1/4" hex driver, 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", and 1/4" Standard Hex, and #2, #3, #4 #5, #5.5, and #6 Metric







Compact, lightweight and durable. 175 in-lbs. of torque provides you with the power to handle tough applications. Variable speed trigger and 0-500 RPM provides you with unrivaled fastening control while 15+1 clutch settings to prevent over-tightening of fasteners. Includes two batteries, charger, and carrying case.



2553-22 w/ 2 Batteries

M12 FUEL 1/4" Hex Impact Driver Kit Outputs over 1,300 in. lbs. of torque. POWERSTATE™ Brushless Motor delivers up to 0-3,300 RPM with constant power output. 4-Mode DRIVE CONTROL provides greater control over output speed and power for greater versatility. Includes two batteries, charger, belt hook, and carrying



2902-22 w/ 2 Batteries M18 1/2" Brushless Hammer Drill Kit

Small and lightweight allowing for excellent control over the drill in overhead or tight spaces. Delivers 725 in. lbs. of torque and 0-550/0-1,800 RPM. Built with an all-metal gear case and 1/2" metal chuck. Includes two batteries, charger, side handle, belt hook, and carrying case.



M18 Cordless LITHIUM-ION 2-Tool Combo Kit

Includes two batteries, charger, belt hook, and carrying case.



2697-22CT

M18 Cordless LITHIUM-ION 2-Tool Combo Kit

1/4" Hex Impact Driver 2656-20 Includes two batteries, charger, belt hook, and carrying case.



Trust amre for competitive pricing.

Check AMRE online for a full selection of Milwaukee Tools and Batteries!

www.AMREsupply.com



★ TOP SELLER

★ TOP SELLER

Hand Tools

pliers . hammers . tape measures



P009657 Bent Nose P009672 Long Nose P009682

Diagonal P009677 Needle Nose

5" Shopro Mini Pliers

Great for tight spots. Drop forged, chrome vanadium steel.



P009290 6-1/2" Long Nose P009295 8" Long Nose P007990 6" Linesman P007995 8" Linesman

Shopro Pliers

Comfortable TPR grip. Drop forged, chrome vanadium steel.

Diagonal illustrated



SHOPRO

6-1/2" Diagonal TOP SELLER P008040 7-1/2" Diagonal P008045

6" Slip Joint P009730 P009735 8" Slip Joint

Shopro Pliers

Comfortable TPR grip. Drop forged, chrome vanadium steel.



P010005C

Brico Snap Ring Plier Set Comes with 45°, 90°, and 180° convertible tips.



B003451 18" B003501 24"

Brico Heavy Duty Bolt Cutters Hardened & tempered adjustable center cutting edges. Chrome vanadium steel construction.



H005340

Shopro 3-Piece Hex Key Set Includes Metric, Torx and SAE sizes. Chrome vanadium steel construction.



W005460

Shopro 15" Flat Pry Bar Drop forged beveled cutting edges.



H001655 16oz. Brico 16oz Claw Hammer Tempered steel head with

hardwood handle.



H001347 16oz. Shopro 16oz Claw Hammer Drop forged tempered head with fiberglass handle.



03250 5" Carbon Steel Wire Brush With scraper.



MOD-078539 Brico 3-Piece Wire Brush Set Includes nylon, stainless steel and brass bristled brushes.



SHOPRO.

markings.

T001370AST 1" x 25' Shopro Tape Measure Includes both SAE and Metric measurements. Dual sided easy-to-read black and red



48-22-6625 1" x 25' Milwaukee Tape Measure.

To increase productivity on the jobsite, Milwaukee tape measures feature fractional scale for easy reading and offer the longest life by resisting wear when dropped.



1-1/4", Circular 2-1/4", Circular 46-TLMIR1 46-TLMIR2 TLMIR3 Rectangular Telescoping Inspection Mirror Can be adjusted from 11-1/4" to 15-1/4" long, and adjusts into any position for 360° viewing.



SHOPRO.

L003334 48" Shopro Levels Aluminum I-beam construction with 3 solid acrylic block vials.

Flashlights magnetic. headlamps







2108

ROVER Magnetic Flood Light

Versatile personal floodlight that you can take everywhere and stick anywhere. 300 lumens of TRUEVIEW™ high definition output. Water and dust resistant to withstand the demands of daily use on the jobsite. Includes 2 AA batteries.



Aluminum Penliaht

Delivers 100 lumens of output for brighter, clearer, easier inspections. Innovative protective rubber bite zone at the end of the light allows you to safely direct light while performing two-handed tasks. Waterproof, dustproof, and sealed to withstand the toughest job site conditions. Includes 2 AAA batteries.



6WORKLIGHT

High Intensity LED Worklight

Compact, pocket-sized and produces a powerful floodlight to let you see your work. Water resistant with a magnetic swivel clip and magnetic base. Includes 3 AAA batteries.





1251L

Energizer Industrial LED Flashlight

Provides 35 lumens of light in an intense beam on objects up to 45 meters away. Ideal for wet areas, this flashlight is weatherproof and shockproof and is a great choice for demanding job site conditions.





EPMZH21E

Vision HD Metal LED Flashlight

Commercial-grade aluminum alloy gives you confidence for any task. Bright 400 lumens with a 115 meter beam. Impact and water resistant. Includes 2 AA batteries.



TUF2AAPE

Hard Case LED Tasklight

The toughest flashlight you'll use. Perfect for close-up jobs, this LED task light is always at hand and ready to perform. Deliver 20 lumens of light with a 105 meter beam. Waterproof and shatterproof.

Includes 2 AA batteries.





EVGPLN45H

Eveready Floating LED Lantern

Bright and dependable, the EVEREADY Floating Lantern is a great choice for everyday needs. READYFLEX™ technology runs on 2 or 4 D batteries. Long-lasting LED technology, delivers 80 lumens. Includes 2 D batteries.





HDDIN32E

Vision HD+Focus LED Headlight

A brilliant way to use your head. Comfortable, secure and durable, this headlamp is the perfect solution for any job or activity that demands the use of both hands. Three LED headlamp light modes delivers 250 lumens. Water resistant and drop tested to stand up to harsh conditions. Includes 3 AA batteries.



2111-21

REDLITHIUM USB Head Hat Headlamp

Hard hat light delivers professionals 475 lumens of TRUEVIEW™ high definition output and is capable of all-day runtime, more recharges, and 3X faster charging via USB. Water, dust, and drop resistant body and lens allow it to withstand the toughest conditions. Includes USB cable.



Plumbing Tools

wrenches . tube cutters . plungers

Tube Cutters



48-22-4260 1/2" 48-22-4261 3/4"

Milwaukee Close Quarters **Tube Cutter**

Optimized for tough cuts in tight spaces. Chrome rollers deliver best in class rust protection.



4351 1/8" - 7/8" 4350 1/8" - 1-1/8" 4354 1/4" - 2-1/2"

LynCar Adjustable Tube Cutters



2471-20 Bare Tool M12 Copper Tubing Cutter

Cuts up to 10X faster than conventional cutters and gives you up to 200 cuts on a single charge thanks to ultra-efficient gearing. Runs at 500 RPM, giving you unmatched cutting speed and automatically adjusts the diameter to cut Type K, L and M copper pipes from 3/8" to 1" (OD from ½" to 1-1/8").

Sink & Toilet Plungers







Q1102A LX-83007-EF

PART#	DESCRIPTION	USE
Q1100A	4" Red Rubber	Sink
LX-83002-5E	5" Red Rubber	Toilet
Q1102A	Beehive Black Rubber	Toilet
LX-83007-EF	Corrugated Plastic Funnel Nose Low-Flow	



PPC-024 CAK-1 Adapter Kit Original Pressure Plumber

By sending short burst of chemicals that expands upon contact with water, eliminating clogs by unclogging build up in your plumbing. Each can has 24 shots.



ULN1190 Zip-It Drain Cleaning Tool



4555 Tub Drain and Spud Wrench



Installs and removes drains. Fits 1-1/2" and 2" closet spuds.



4573 9"-16" Telescoping Basin Wrench



T140 Spring-Loaded Basin Wrench



ULN1110 Step Seat Wrench

For the installation and removal of faucet seats.



ULN1124 Ratching Seat Wrench For easy installation and removal

of faucet seats.



1701 4-Way Sillcock Key Sizes 1/4" to 9/32" and 5/16" to 11/32".



Big Yank Handle Puller Removes large and small handles.

Drain Cleaning

snakes . augers





R-15SM 1/4" x 15ft 1/4" x 25ft R-25SM

★ TOP SELLER


Spin Thru Hand Snake Surprising quality in a low-priced tool. Cables are economy grade for light duty occasional use with a rugged, steel drum. Easy grip handle for easy rotation.



CP-25SM 1/4" x 25ft

Deluxe Power Spin-Thru Snake

A great drain cleaner upgrade. The Deluxe Power Spin-Thru is equipped with a spindle so it can be attached to an electric drill making cleaning faster and easier.



Economy Toilet Auger

5/8" dia galvanized steel tube with 3/8" cable. Plastic bowl guard with regular head.

Professional Flexicore Toilet Auger

3/4" dia. steel tube with 1/2" double layer Flexicore cable. Protective vinyl guard and regular head.

T6FL 6ft Telescopic Professional Toilet Auger

1-1/8" dia. steel tube with 1/2" double layer Flexicore cable. Protective vinyl guard with regular head. Extends from 3 feet to 6 feet.

TU4 Professional Urinal Auger

1-1/4" dia. steel tube with Super-Flex cable. Protective rubber bumper with regular head.



2576-21 6' Toilet Kit, w/ 1 Battery 2574-21 4' Urinal Kit, w/ 1 Battery

M12 TRAPSNAKE Auger Kits

The M12™ TRAPSNAKE™ Driver is the first powered unit optimized for the challenges of porcelain fixtures, delivering the power and speed to work through tough clogs in tight traps. Optimized electronics protect the fixture from the auger and allow you to feel when engaged with a blockage to aid in retrieving. Includes driver, battery, and charger.



MRP-B 3/8" x 75ft Mini-Rooter Pro Drain Cleaner

Inexpensive, light weight machine has lots of time-saving features. For instance, you can remove the drum in seconds for more portability or to switch to a different diameter cable – with no mess and no lost time. Clears 1-1/4" to 3" lines and most 4" lines. Holds 75 ft. of 3/8" or 50 ft. of 1/2" Flexicore®cable. Built in 6" wheels for easy transport,





2571-21 w/ 1 Battery M12 Drain Snake Kit

The ultimate service plumbing solution for tough jobs through 2-1/2" drain lines. It weights only 10 lbs. and is the lightest professional drain cleaner on the market. Its unique, hybrid design provides you with the benefits of both handheld and floor based drain cleaners in one machine. Removable inner drum helps prevent cable bind up and contains mess inside the drum. Includes 1 battery, charger, 25' bulb cable, and 20L bucket.



2572B-21 w/ 1 Battery

M12 AIRSNAKE Drain Cleaning Air Gun Kit

Cordless air gun allows you to clear clogged drains while leaving fixtures and drain covers intact. Designed for 1"-4" drain lines and has the power to clear up to 35 ft. past vent stacks and tees. The variable pressure dial gives you complete control when working on delicate pipe systems. Includes battery, charger, 5 attachments, 4 connectors, 10" extension, and carrying case.





2772A-21* w/1 Battery & Charger M18 FUEL Drain Snake for 5/16" to 3/8" Cables

Represents the next level in performance for handheld machines. The POWERSTATE™ Brushless Motor provides more clearing power than corded competitors for tough jobs through 3" drain lines. MILWAUKEE® CABLE DRIVE™ locking feed system maintains the selected feed speed, and its twist lock design auto-adjusts to all compatible cable sizes, giving you the best cable grip when feeding and working the clog.



★ TOP SELLER

Soldering

torches, solder, brushes



31315 2yds **3103** 5yds **3102** 10yds **ULN1038** 25yds

120 Grit Open Mesh Cloth
A good basic abrasive product for the preparation of copper tubing and fittings for solder. 1-1/2" wide.



568-001 5yds **3109** 10yds

3109 10yas Premium 180 Grit Open Mesh Cloth

Best grade for cleaning and preparing copper tubing and fittings for soldering. 1-1/2" wide.



Solid Wire

<u>Oatey</u>

Part# Size 50192 0.5lb 5 20019 1lb 5

Type 50/50 Wire Solder 50/50 Wire Solder

★ TOP SELLER

Lead Free Solder

Part# Size Type
23000 0.5lb Silver Solder
23001 1lb Silver Solder



5114 1/2" **5116** 3/4" **5118** 1"

Copper Fitting Brushes



5150 1/2" and 3/4" 4-in-1 Tube Brush




Oate

30712

1/2" Acid Brush

Designed for applying liquid or paste fluxes to piping prior to soldering.



59502 12" x 12" ASP Solder Flame Blanket Blanket protects wood, painted, or metal surfaces from the heat and flame of a torch.



73-200 190g Handy Flux SLS
For low temperature brazing of both ferrous and non-ferrous metals and alloys.



48420 48g

Oatey #5 Lead-Free Solder

Paste. Cleans and fluxes at the same time. Effective on all metals except aluminum, magnesium and stainless steel.



★ TOP SELLER

45804 473mL Mega Bubble Leak Detector

Detects leaks quickly on all types of tubing, valves, cylinders, pressure tanks or other systems under air, gas, or oxygen pressure.



O TurboTorch

MT-2 400g *MAP-Pro Gas Cylinder* Ideal for medium to heavy soldering and brazing. Flame temperature in air = 3600F.



TurboTorch

PT-1 400g *Propane Gas Cylinder* Ideal for general soldering. Flame temperature in air = 3450F.



TurboTorch

Oatey

0386-0860

P-10 Extreme Pencil Flame Torch
Operates on any standard
MAP-Pro and Propane
400g cylinder. Solid brass
construction for lasting durability.
Flame control valve for precise
heat adjustments.



O TurboTorch

0386-1293

Extreme Self-Lighting Torch
Operates on any standard
MAP-Pro and Propane 400g
cylinder. Extreme series
generates more heat than other
hand torches for faster brazing
times and less gas consumption.

Lubricants grease . oil . graphite



Sprays



WD40 12oz WD-40 Lubricant

Protects metal from rust and corrosion, penetrates stuck parts, displaces moisture, and lubricates just about anything. Also great when it comes to removing grease, grime, rust, and other marks from most surfaces.

Grease



Sprayon

A00100 11oz Sprayon White Lithium Grease

A high solids white grease that provides excellent lubrication for metal-to-metal applications. An excellent corrosion inhibitor for unpainted metal.



★ TOP SELLER MO98 4oz

Zoom Spout Oiler

A paraffin base, non-gumming, high quality lubricating oil. Bottle has a flexible, 14" telescoping pull out spout to help access hard to reach areas.



RED-1-14 14oz

Phillips 66 Multiplex Red #1 Lithium Multi-complex Grease. Excellent high temperature performance.

Outstanding wear protection. Good load carrying capacity. Excellent resistance to water washout



L312 11oz

Liquid Wrench Super Lubricant

Fast penetrating solvent frees rusted and frozen bolts and parts. Rust inhibitor protects metal parts from corrosion while added Cerflon increases lubricity.



17-130 1.25oz 17-131 8oz

Lith-Ease White Lithium Grease

A high quality, multi-purpose grease that is long-lasting, with excellent water and heat resistance, corrosion protection and film strength.



RB75 4oz Rust Buster Solvent

Quickly removes rusted bolts, screws, shafts, piping and other types of frozen connections and assemblies. Bottle has a flexible, 14" telescoping pull out spout to help access hard to reach areas.



RED-2-14 14oz

Phillips 66 Multiplex Red #2 Lithium Multi-complex Grease. High-performance, multi-purpose, extreme pressure (EP) lithium complex grease developed to satisfy the severe lubrication requirements of heavily loaded plain and rolling element bearings operating at moderate to high temperatures.



S00206 10oz

Sprayon

Sprayon All Purpose Silicone Lubricant

An economical lubricant for applications where petroleum based products are not desired. 5% silicone formula protects against air and moisture to retard oxidation and corrosion.



★ TOP SELLER

3155 2oz

LynCar Faucet & Valve Grease

Specially formulated for use on all metal faucets and valve stems carrying air, steam, and hot or cold water. Can be used on potable water.



GRAPHITE 4.5g

Lucky Line Graphite Powder

A high-quality dry lubricant with needlenosed tube makes small applications easy. Provides a thin layer of air and water between surfaces for lubrication.



1133G 18" whip hose & coupler Mallory Heavy Duty Pistol Grip Grease Gun Fast, one-hand operation with similar features and benefits of Lincoln lever-type grease guns. Exclusive "Flip-Over" follower allows a superior seal for either cartridge or bulk loading applications.





Sealer & Paints



10024 254168

369g - Odourless 10936C 3.78L

Kilz Original

Blocks most stains including water, smoke, ink, and grease, and seals pet and smoke odors. Use on interior surfaces.



10027S 284g Kilz UpShot

Unique interior stain sealer that has vertical spray tip for easy ceiling application.



29941 3.78L Kilz 2 Latex Primer & Sealer.

Fast drying, water-base, multi-purpose primer-sealer-stainblocker that can be topcoated with latex or oil-base paint.



1509213 20oz Lawson Ceiling Tile Paint

A quick way to touch up and restore water-stained, smoke-stained or air vent discolored ceiling tiles to their original appearance.



KRYLON

340g 43201 Krylon Appliance Epoxy

Durable, scrubbable paint updates the look of your appliances. Resists household cleaners.



41501 Glossy White 41502 Flat White 41508 Semi Gloss White 41601 Glossy Black 41602 Ultra Flat Black

Krylon Industrial Acryli-Quik Acrylic Lacquer Specifically formulated for industrial maintenance and touch-up applications.



BS-1 Basic White

AS-1 American Standard White

Porc-a-Fix

One-step process to repair unsightly chips, scratches and other imperfections in porcelain tubs, sinks, toilets, washers, dryers, kitchen appliances and tile.

Line Striping



Samuel

Line Striping Machine

Applies crisp, even 2"-4" lines on any hard surface. Holds 6



Samuel

Z-606

Line Striping Wand Use for easy stenciling or line touch-ups.



Saving.

20-786 Highway Yellow 20-782 Highway White 20-789 Handicap Blue K08304 Coverup Black

Line Striping Paint

Long lasting traffic marking paint specifically formulated for line striping. Approximately 250' per can (4" wide stripe).



Z-503

Reusable Handicap Parking Lot Stencil

48" x 48"



Z-501 Reusable Letter & Number Stencils

3" tall. Includes 0-9 and A to Z.

Paint brushes . trays . rollers





Brushes



HB250004 1-1/2" HB250005 HB250007 3" Ovation Flat Paint Brush 100% polyester.

HB223704 1-1/2 **HB223705** 2" **HB223706** 2-1/2" Ovation Angle Paint Brush 100% polyester.



HB285003 HB285005 HB285007 3 HB285010 Foam Paint Brush

High density polyurethane foam with bevelled end.



71164 946mL Dap DryDex Spackling Contains a patented Dry Time

Indicator causing the product to change color when optimum dry time is achieved. Interior and exterior use.

Rollers



HM005304 HM005305 Refill, 2/Pack Mini-Foam Roller & Handle Use with melamine,

semi-gloss & enamel paint, polyurethanes, & varnishes. 4" wide.



HB021795 1/4" x 9-1/2" 3/8" x 9-1/2" **HB021796 HB021717** 5/8" x 9-1/2" **HB021798** 3/4" x 9-1/2"

Infinity Lint Free Roller Refill Contractor quality woven lint free fabric provides maximum pick-up and release. 1-1/2" plastic core.



1/4" x 9-1/2" **HB021767 HB021769** 3/8" x 9-1/2" 1-1/4" x 9-1/2" **HB021774**

Poly-Pro Roller Refill Professional quality blended fabric for professional finish. 1-1/2" plastic core.



HB021746 9-1/2" Professional Grade Roller Cage 5-wire cage with heavy duty wire

Trays



HZ020440 Mini Roller Tray No liner required, solvent resistant.



HZ020400 2qt Tray HZ020576 2qt Liner Plastic Tray & Liner Solvent resistant polypropylene tray. 9-1/2" wide.

Scrapers



DYN10320 1-1/2" **DYN11278** 2" 3" **DYN10322 DYN10324** 4" Flexible Putty Knives Full tang for maximum strength.



DYN10321 5-in-1 Painters Tool Use as a paint roller cleaner, crack cleaner, paint can opener, scraper and spreader.

Sanding



★ TOP SELLER

AG562601 Fine/Medium AG582602 Medium/Coarse Sanding Sponge

Great for angled, contoured, and flat surfaces. Four sides for longer wear and greater accuracy.





AZ480110 9' x 12' AZ460401 9' x 400' box Plastic Drop Cloths Standard weight, 1mm thick. For interior and exterior use.



B003155 72" x 80" Moving Blanket & Dust Cover Protect fragile surfaces from scuffs and scratches as well as large items both during moving and in storage.



Adhesives plumbing . epoxy . super glue

Cements



Oatey

31540 118mL 31541 236mL 31542 473mL

31543 946mL

ABS Cement

Medium bodied yellow cement for ABS pipe and fittings up to 6" diameter.

★ TOP SELLER



31505 118mL 31513 946mL

PVC Cement

Epoxies

Heavy-bodied gray cement for PVC pipe and fittings up to 12" diameter.

Oatey

31532 118mL 236mL 31531 31530 473mL

PVC to ABS Transition Cement

Medium-bodied white cement for use in joining ABS to PVC pipe and fittings up to 6" diameter.



Oatey

48003 14oz 48004 5lb

Plumber's Putty Sealing Compound

Made of easily workable soft, pliable material. Stays flexible and will not crack or shrink.



★ TOP SELLER

31270 Oatey Fix-It Stick Epoxy Putty

Convenient multi-purpose compound. Steel filled material, mixes in the hand and hardens in minutes.



4200602 25mL

Gorilla Epoxy

Easy-to-use syringe keeps the epoxy resin & hardener separate, so it is easy to dispense. Incredibly strong and durable.





EPAGE

★ TOP SELLER

01541-2 250mL

Pres-Tite Blue Contact Cement

Brush & Can premium grade solvent-based adhesive that offers a high strength bond resistant to heat, creep, water and oil.



EPAGE.

01453-2 946mL

Pres-Tite Blue Contact Cement

Premium grade solvent-based adhesive that offers a high strength bond resistant to heat, creep, water and oil.

Thread Locker



LOCTITE

32242 6mL

Loktite Threadlocker Blue 242

Designed for the locking and sealing of threaded fasteners which require normal disassembly with standard hand tools.

Joint Compounds



Oatey

15821 118mL

Hercules Megaloc Multi-Purpose

Thread Sealant. Multi-purpose thread sealant made with DuPont Kevlar. For use on metals, including steel, stainless steel, brass, copper, aluminum and plastics.



Oatey

threads

48006 8 oz. Oatey Grey Pipe Joint Compound.

Non-hardening grey paste seals and lubricates threaded joints. For use on water, steam or air lines. Non-separating and non-toxic material. Not for use on plastic



Oatey

158069 8 oz.

Flexible blue, non-hardening, non-separating, non-toxic paste, no odor, easy clean-up. Use on PVC, CPVC, ABS, polyethylene, polypropylene, iron, steel, copper or brass threads up to and including 2".



Oatey Great Blue Pipe Joint Compound.

Adhesives

plumbing, epoxy, super glue, wood



Super Glues



SUPER77 24oz 3M Super 77 Spray Adhesive

Versatile, fast-drying adhesive that bonds a wide range of lightweight materials.



SPRAY90 24oz

3M Hi-Strength 90 Spray Adhesive

A very strong, fast-drying, contact-like adhesive, ideal for bonding decorative laminates. Its variable valve provides a precise spray pattern width of 1" to 4".



6341502 396g Gorilla Spray Adhesive

Heavy duty, multi-purpose spray that is easy to use. Forms a clear, permanent bond that is moisture resistant and can be used on projects both indoors and out.



5100502 4 x 3g Single Use Tubes Original Gorilla Glue

Industrial holding power & versatility. Water activated polyurethane formula expands into materials to form an incredibly strong bond to virtually anything.



5100201 60mL 5100402 118mL 51008T 236mL

Original Gorilla Glue

Industrial holding power & versatility. Water activated polyurethane formula expands into materials to form an incredibly strong bond to virtually anything.



7900301 2 x 3g Single Use Tubes

Gorilla Super Glue

High strength and quick set time make this the go-to adhesive for a variety of projects. Stands up to wear and tear.



7805201 20mL Gorilla Super Glue

High strength and quick set time make this the go-to adhesive for a variety of projects. Stands up to wear and tear.



7710101 20g Gorilla Super Glue Gel

Easy-to-use, thicker, and more controlled formula great for multiple surfaces and vertical applications.



EPAGE ★ TOP SELLER

00254-0 400mL

Carpenters Glue

Ready-to-use, multi-purpose, high tack, polyvinyl acetate woodworking adhesive.



Dynamic Goo Gone. Removes sticky,



6212002 118mL 6200201 236mL 6205201 532mL

Gorilla Wood Glue

Easy-to use, water-based adhesive, with Gorilla strength. Incredibly water resistant and dries a natural color that offers an invisible bond line for your projects.



EDAGE.

1673141 212g

No More Nails Instant Grab Construction Adhesive. Premium-quality, latex-based adhesive for interior construction & multi-purpose use. Formulated to provide high-strength & water-resistant bonds.



gummy, greasy, gooey problems! Defeat the toughest stains. Goo Gone can be used on hard surfaces, carpeting, upholstery, clothing, and more.



Adhesives

construction , tub wall , wood

Adhesives





8110003 266mL Gorilla Construction Adhesive A tough, versatile, all-weather adhesive provides a long-lasting, heavy duty bond. Perfect for interior and exterior projects.



★ TOP SELLER

1403221 295mL PL Premium Construction Adhesive

A revolutionary construction adhesive that is 3X stronger than ordinary construction adhesives. Offers twice the coverage of conventional adhesives and therefore much less adhesive is required.



PL400 295mL Subfloor & Deck Construction Adhesive

An interior & exterior, heavy-duty premium quality adhesive, designed for structural projects that require strength & durability



EPAGE.

02001-0 177mL (Tube) **02000-0** 266mL

No More Nails All-Purpose Construction Adhesive

A premium quality, latex-based adhesive for interior construction and multi-purpose use. Its high instant grab formulation instantly holds projects in place without the need for nailing or bracing.



EPAGE.

★ TOP SELLER

1469892 266mL No More Nails ULTRA Construction Adhesive

A premium quality, heavy duty, adhesive for both indoor and outdoor projects. Extremely high instant grab that instantly holds projects in place without the need for nailing or bracing.



★ TOP SELLER

PL700 295mL

Tub Surround Adhesive Specifically designed to bond most bathroom and shower enclosures. It is unaffected by moisture, steam, water, heat or cold when fully cured.



PL200 295mL Drywall & Paneling Construction Adhesive

Specially formulated to provide a water-resistant bond that offers rapid bond development, the ability to bridge minor framing irregularities and long-acting adhesion. Minimizes unsightly nails and hammer dents.



Sealants

73446 White, 300mL 73444 Clear, 300mL 73448 Almond, 300mL

DAP Kitchen & Bath 100% Silicone Sealant

Offers long-lasting flexibility and excellent adhesion. Safe for incidental food contact. Cured sealant is mildew resistant.





70790 White, 300mL DAP 3.0 Kitchen & Bath Caulk Specially formulated with KWIKDRY Technology allowing it to be exposed to water and moisture after only three hours without washing out. Won't crack or shrink and provides excellent adhesion.





73382 White, 83mL (Tube) 73376 White, 300mL 73380 Almond, 300mL DAP Silicone Plus Kitchen & Bath Sealant

Forms a long-lasting watertight seal with superior flexibility and adhesion. Low odor which makes it easier to work with especially when it comes to indoor applications.





8160002 White, 300mL 8150002 Clear, 300mL Gorilla 100% Silicone Sealant 30-minute water ready is formulated for interior and exterior use. Won't yellow, shrink or crack.



*Delivery may vary from courier to courier.

Silicones

interior, exterior, caulk



Sealants





786DC Translucent White, 300mL DOW786WH White, 300mL Dow Corning Bath & Kitchen Silicone Sealant. Designed to seal non-porous surfaces where conditions of high humidity and temperature extremes exist. Remains permanently flexible without shrinking, cracking, crumbling or drying out.





74853 White, 162mL 74855 Clear, 162mL DAP Kwik Seal Kitchen & Bath Caulk. An easy-to-use, all-purpose caulk bonds like a glue and seals like a caulk. It is specially formulated to provide a waterproof seal around tubs, sinks, showers & countertops.





73461 White, 300mL Clear, 300mL 73473 DAP 100% Silicone Rubber Sealant. Superior quality, multi-purpose sealant. Offers long-lasting flexibilty and excellent adhesion. Provides a weatherproof, watertight seal that resists cracking, crumbling and chalking.





★ TOP SELLER

73358 Clear, 83mL (Tube) 73352 Clear, 300mL 73350 White, 300mL

DAP Silicone Plus Premium Silicone Rubber Sealant. Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting waterproof seal that won't shrink or crack. Low odor, cures to a tough rubbery solid.





73635 White, 300mL DAP Alex Painters Acrylic Latex Caulk. All purpose acrylic latex painter's caulk. Applies smoothly and easily for interior and exterior use.





74225 White, 162mL (Tube) 74233 White 300mL **74235** Clear, 300mL

DAP Alex Plus Acrylic Latex Caulk Plus Silicone. Superior quality, multi-purpose acrylic latex caulk plus silicone. Highly flexible and durable with excellent adhesion.





★ TOP SELLER

74082 White, 300mL 74118 Clear, 300mL DAP Dynaflex 230 Premium Latex Sealant. Outstanding durability, adhesion & flexibility. Easy tooling, paintability, low odor and easy water clean up. A permanently flexible, crack-proof seal that is ideal for sealing out water and air leaks to improve the energy

efficiency of a home.



SC10123

Caulking Tool Kit

Makes caulking quick, easy and clean. Includes scraper, flexo-tip applicator, and finishing tool.



SC10004

Heavy Duty Caulking Scraper Tough, stainless steel blades.





Brico 9" Heavy Duty Skeleton Caulking Gun

Heavy duty skeleton frame for extra strength. Stop drip action can be turned on or off instantly.



AJ200126

Dynamic 9" Heavy Duty Caulking Gun

Sturdy cradle for easy loading and built-in seal punch. Ratcheting rod prevents slippage.



Sealants foam . specialty . ladders

Sealants



30901-1 Limestone, 300mL PL Polyurethane Concrete & Masonry Sealant

A high performance, one component, polyurethane sealant designed for easy gunning. Seals cracks in foundation walls, concrete floors and expansion joints.





74816 Gray, 300mL DAP Polyurethane Concrete & Masonry Sealant

A commercial grade sealant specially formulated to provide a permanent, waterproof seal when filling exterior gaps and cracks in concrete, stone and masonry.





KK0205 304mL

Imperial Hi-Temperature Silicone Sealant. Flexible waterproof seal that will withstand moisture, heat and vibration. Can be used for extended periods at temperatures up to 260°C (500°F) and for shorter periods as high as 316°C (600°F).





★ TOP SELLER

71064 Gray, 300mL DAP Fire Stop Fire-Rated Silicone Sealant

Single component, neutral cure silicone classified for sealing fire-rated service penetrations and construction joints in horizontal and vertical fire separations.





71062 White, 340g Daptex Latex Multi-Purpose Foam Sealant. Innovative latex polymer foam technology seals out drafts, eliminates energy loss and prevents pest infiltration.





TNF12 12oz DAP MaxFill Triple Expanding

Sealant. Expanding one-component foam sealant formulated to fill larger gaps and voids. Weather-resistant bond seals out drafts for interior and exterior use.





TNF12 12oz TNF20 20oz

Touch 'n Foam MaxFill Expanding Sealant

Formulated to fill gaps and voids all around the home creating an airtight, weather-resistant bond that seals out drafts while blocking insects and other pests.





TNF-MIN 12oz Touch 'n Foam HomeSeal

applications. Suited for smaller

Minimum Expanding Sealant An all-purpose foam that can be used for both indoor and outdoor cracks and voids - wherever you need to control air leakage to prevent energy loss.





TNF-FIREBREAK Touch 'n Foam FireBreak Foam Sealant. An easy-to-use fire block foam sealant that resists flaming twice as long as the competition and prohibits oxygen flow into service penetrations where fire may quickly spread.



Step Ladder 330lbs



SHOPRO.


S011840 2 Steps - Grey S011845 3 Steps - White Shopro Steel Step Ladder

Max 330lbs load. Steel frame with powder coating. Wide metal steps for sure-footed. Safety non-slip HDPE steps. Slim profile for easy storage.

F486 Series GRADE 1 - 300lbs



F486 Fiberglass Stepladder Industrial Series, Type 1A, CSA Grade 1, 300lbs rated. Non-conductive fiberglass rails. Double riveting on each step. Extra heavy duty full 3" serrated aluminum steps with heavy duty slip resistant feet.





LA1120 Ladder-Aide Slim, Type 3/Type 2 Ladder-Aide PRO, Type 3/Type 1A Ladder-Aide. Quick, easiest, and safest way to use your extension and combination ladders on stairs. Compact and portable unit doesn't require permanent installation on your ladder. Micro-adjustable height within

Tape

construction . plumbing . duct





3M

30924 1" 7100200958 1-1/2" 30948 2" 3M PaintPro Masking Tape

Special adhesive formula gives this tape characteristics of both rubber and acrylic adhesives. The tape bonds quickly but won't damage surfaces to which it's applied.



3M

30224 1" **30236** 1-1/2" **30248** 2"

3M Utility Masking Tape

This low cost utility grade masking tape can be used in a wide variety of applications. It's aggressive adhesive sticks well to flat surfaces and may tear fragile surfaces when removed.



89-21-48X45 1-7/8" x 148' **ADT4850X** 2" x 164'

Aluminium Foil Tape

Coated with a very strong acrylic adhesive that forms a bond that strengthens with time. Ideal for all duct sealing with high holding power.





106425 2-7/8" x 75' Gorilla Tough & Wide Duct Tape

Bigger and tougher - this tape covers more surface area and creates a stronger bond! Withstands moisture, UV rays and temperature changes.



GORILLA

105629 Black 1-7/8" x 90' **6025001** White 1-7/8" x 90'

Gorilla Duct Tape

3X stronger for a hold that lasts. Made with double-thick adhesive, strong reinforced backing, a tough all-weather shell and UV resistance to prevent yellowing.



3M

★ TOP SELLER

219-2X60 1-7/8" x 150'

3M Duct Tape

Polyethylene coated cloth backed tape with a specially formulated pressure sensitive adhesive.



★ TOP SELLER

330-01 11/16" x 66' Cantech Electrical Tape

Special vinyl film backing coated with a non-corrosive adhesive. Excellent conformability.





0205 2-3/8" x 217'

Tuck Tape

Designed for sealing joints of sheathing materials. Adheres to plastic, metal and smooth surfaces.





★ TOP SELLER

213-503 White 1/2" x 480' **31402D** Pink 1/2" x 260' **Yellow** 1/2" x 480'

Thread Seal Tape

- White is standard grade for water
- Pink is industrial grade for water
- Yellow is used on gas lines





6127002 1-7/8" x 27' Gorilla Clear Repair Tape

Fix, patch, seal, hold, and protect almost any surface with a crystal-clear appearance for a perfect fix every time.



EPAGE.

778548 3/4" x 59'

LePage No More Nails Mounting Tape
A super strong, double-sided tape for fast, clean, and durable mounting indoors and outdoors. One roll can hold up to 50 kg.





6069301 1" Squares, 24/Pack Clear **6065102** 60" Clear

6155002 60" Black Gorilla Mounting Tape

A double-sided tape that mounts in an instant, for a long-lasting, weatherproof bond. The industrial strength double-sided tape delivers a heavy duty bond that holds up to 15 pounds.

The Login to see your exclusive account pricing!



Need an answer now? Simple. Easy. Text Us!

Skip the phone lines & text your local branch counter directly. Send questions, photos, videos - even your order!

Give it a try today

Richmond	604-273-7377
Surrey	604-575-9727
Edmonton North	
Edmonton South	
Calgary	403-243-6662
Saskatoon	

Winnipeg	204-775-8409
Hamilton	905-560-2673
London	
Windsor	519-250-0000
Scarborough	416-412-7278
Mississauga	



Website

www.amresupply.com All of the tools you need at a click of a button.



Convenience

Walk-in and pickup your order or ship the same day Canada wide!



Support

Industry trained professionals dedicated to helping you. Multilingual operators ready to take your call!



to almost anywhere in Canada! *Delivery may vary from courier to courier.



CUSTOMER CARE

PH: 1.800.661.9891 FAX: 1.877.456.3336 customercare@amresupply.com

CREDIT & BILLING

PH: 1.888.440.4880 amre.receivables@wolseleyinc.ca



EDMONTON S. 5020 - 75 St

(780) 461-2929 Mon-Fri 7:30am-5:30pm Sat 9am-4pm

SURREY

#101, 5433 - 152 St (604) 575-9727 Mon-Fri 8:00am-5:00pm Sat 9am-1pm

HAMILTON

16 Brockley Drive (905) 560-2673 Mon-Fri 8:00am-5:00pm Sat 9am-1pm

EDMONTON D/T

11413-120 St (780) 426-2673 Mon-Fri 7:30am-5:30pm Sat Mon-Fri 8:00am-5:00pm Sat 9am-4pm

SASKATOON

411A - 50th St. E. (306) 955-2673 Mon-Fri 8:00am-5:00pm Sat Closed

SCARBOROUGH

2161 Midland Ave. (416) 412-7278 Mon-Fri 8:00am-5:00pm Sat 9am-4pm

CALGARY

#101, 5760 - 9th Street SE (403) 243-6662 9am-4pm

WINNIPEG

1370 Sargent Ave. (204) 775-8409 Mon-Fri 8:00am-5:00pm Sat 8am-4pm

WINDSOR

Unit 1, 5900 Rhodes Dr. (519) 250-0000 Mon-Fri 8:00am-5:00pm Sat 9am-1pm

RICHMOND

7671 Alderbridge Way (604) 273-7377 Mon-Fri 8:00am-5:00pm Sat 9am-4pm

LONDON

1761 Oxford St. East (519) 451-2300 Mon-Fri 8:00am-5:00pm Sat 9am-1pm

MISSISSAUGA

Unit 5 - 4800 **Eastgate Parkway** (905) 625-1267 Mon-Fri 8:00am-5:00pm Sat 9am-1pm





AMRE National Call Center Mon-Fri 8am-8pm | Sat 9am-6pm (EST)



Large to Small Building Maintenance Solutions We supply Canadians, Pros and Homes

































Log on for Wholesale Pricing











AMRE National Call Center Mon-Fri 8am-8pm | Sat 9am-6pm (EST) 1.800.661.9891 www.amresupply.compo@om

AMRE Supply reserves the right to change, substitute, or discontinue products if the product illustrated becomes no longer available. For more information, contact Customer Care.