PRODUCT SPECIFICATIONS / INFO





515PV

Description

15 Amp, 125 Volt, NEMA 5-15P, 2P, 3W, Plug, Straight Blade, Commercial Grade, Grounding - Yellow

Grounding: Grounding Amperage: 15 Amp

> Voltage: 125 Volt NEMA: 5-15P Pole: 2

Product Features




NEMA: 5-15P



Wire: 3 Cord Range: .245 - .655 Wire Gauge: 18-12 AWG Blades/Contacts: Brass Body Material: PVC Assembly Screws: Steel, Zinc Plated Color: Yellow Standards and Certifications: UL/CSA Warranty: 10-Year Limited

Features and Benefits

- Triple-drive heady screws Standard, Phillips, Robertson
- NEMA configuration number & rating molded on face of device for easy identification
- · Deep-slotted, backed out terminal screws draw backwire clamps securely for maximum conductivity
- Husk & module keyed for easy alignment during wiring
- Built-in cord grip adjusts automatically for use with No. 18-3 through No. 12-3 cords
- Rugged PVC body resists moisture and chemicals; suited for outdoor cords
- Unique dimpled body design provides a secure grip
- Speed-thread assembly screws tighten with just a few quick turns
- Backed by a Limited 10-Year Warranty





SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:	
JOB NUMBER:		

Leviton Manufacturing Co., Inc. 201 North Service Road, Melville, NY 11747 Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

Leviton Manufacturing of Canada, Ltd. 165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 · FAX: 1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2007-2009 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

