PRODUCT SPECIFICATIONS / INFO





Color: Yellow

5256-VA

Description

15 Amp, 125 Volt, NEMA 5-15P, 2P, 3W, Plug, Straight Blade, Industrial Grade, Grounding, Python Angle - Yellow

Product Features



NEMA: 5-15P







Cord Range: .250 - .650 Wire Gauge: 18-10 AWG Blades/Contacts: Solid Brass

Grounding: Grounding Feature: Python

Amperage: 15 Amp Voltage: 125 Volt NEMA: 5-15P Pole: 2 Wire: 3

Body Material: Nylon

Assembly Screws: Steel, Zinc Plated

Color: Yellow

Standards and Certifications: UL/CSA

Warranty: 2 Year Limited



Features and Benefits


- Tough high-impact body
- · Hinged design delivers fast, easy installation and assembly
- Triple-drive screws for easy wiring Standard, Phillips, Robertson
- Wide Cord Clamp Range, 18-3 SVT-10-3 ST, (.250"-.650")
- Backed by a 2-Year Warranty

Electrical Specifications	
Temperature Rise	Max 30C after 250 cycles OL at 200 percent rated current
Dielectric Voltage	Withstands 2000V per UL498
Current Interrupting	Certified for current interrupting at full rated current
Material Specifications	
Body Material	Nylon
Blades/Contacts	Brass


Assembly Screws Steel, Zinc Plated	
Standards and Certifications	
NEMA	WD-6
ANSI	C-73
UL	Listed
CSA C22.2 No. 42	File LR-406
NOM	057

Environmental Specifications		
Flammability	Rated V-2 per UL94	
Operating Temperature	-40C to 60C	
Mechanical Specifications		
Product ID	Ratings and NEMA I.D. permanently marked on device	
Terminal Accom.	18-10 AWG	
Terminal ID	Brass-Hot, Green- Ground, Silver- Neutral	
Cord Range	.250656	

Dimensional Diagram



Wiring Diagram



5-15R

SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:
JOB NUMBER:	

Leviton Manufacturing Co., Inc. 201 North Service Road, Melville, NY 11747

Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-

Friday): 1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 ·

FAX: 1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2007-2009 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

