



**Color:** Yellow



**NEMA:** 5-15P



## 5259-VY

### Description

15 Amp, 125 Volt, NEMA 5-15R, 2P, 3W, Connector, Straight Blade, Industrial Grade, Grounding, Python - Yellow

### Product Features

Grounding: Grounding

Feature: Python

Amperage: 15 Amp

Voltage: 125 Volt

NEMA: 5-15P

Pole: 2

Wire: 3

Cord Range: .250 - .650

Wire Gauge: 18-10 AWG

Blades/Contacts: Solid Brass

Body Material: Nylon

Assembly Screws: Steel, Zinc Plated

Color: Yellow

Standards and Certifications: UL/CSA

Warranty: 2 Year Limited

### Features and Benefits

- Tough high-impact body
- Hinged design delivers fast, easy installation and assembly
- Triple-drive screws for easy wiring - Standard, Phillips, Robertson
- Wide Cord Clamp Range, 18-3 SVT-10-3 ST, (.250"-.650")
- Backed by a 2-Year Warranty

Electrical Specifications	
Temperature Rise	Max 30C after 250 cycles OL at 200 percent rated current
Dielectric Voltage	Withstands 2000V per UL498
Current Interrupting	Certified for current interrupting at full rated current


Material Specifications	
Body Material	Nylon
Blades/Contacts	Brass
Assembly Screws	Steel, Zinc Plated

Standards and Certifications	
NEMA	WD-6
ANSI	C-73
UL	Listed
CSA C22.2 No. 42	File LR-406
NOM	057


Environmental Specifications	
Flammability	Rated V-2 per UL94
Operating Temperature	-40C to 60C

Mechanical Specifications	
Product ID	Ratings and NEMA I.D. permanently marked on device
Terminal Accom.	18-10 AWG
Terminal ID	Brass-Hot, Green-Ground, Silver-Neutral
Cord Range	.250 - .656

## Dimensional Diagram



## Wiring Diagram



5-15R

### SPECIFICATION SUBMITTAL

JOB NAME: <input style="width: 90%;" type="text"/> JOB NUMBER: <input style="width: 90%;" type="text"/>	CATALOG NUMBERS: <input style="width: 60%;" type="text"/> <input style="width: 40%;" type="text"/> <input style="width: 60%;" type="text"/> <input style="width: 40%;" type="text"/>
--	---

**Leviton Manufacturing Co., Inc.**

201 North Service Road, Melville, NY 11747

Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

**Leviton Manufacturing of Canada, Ltd.**

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 ·

FAX: 1-800-824-3005 · [www.leviton.com/canada](http://www.leviton.com/canada)

**Leviton S. de R.L. de C.V.**

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · [www.leviton.com.mx](http://www.leviton.com.mx)

**Visit our Website at: [www.leviton.com](http://www.leviton.com)**

© 2007-2009 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

**Leviton has a global presence.**

If you would like to know where your local Leviton office is located please go to:

[www.leviton.com/international/contacts/](http://www.leviton.com/international/contacts/)

