



**Low Consumption Closet  
Combination**  
Vitreous China

**FEATURES**

• **31172 Cranada II**

**Bowl:** 3352 Cranada Pro® II regular rim vitreous china (6.0 lpf), rim jet flush action with bolt caps.

**Tank:** 3742 Cranada® 12" [438] roughing-in vitreous china tank and cover with flushvalve, float valve with backflow preventer, and color coordinated trip lever.

• **31173 Cranada II**

**Bowl:** 3352 Cranada® Pro II regular rim vitreous china (6.0 lpf), rim jet flush action with bolt caps.

**Tank:** 3743 Cranada® 12" [438] roughing-in insulated vitreous china tank and cover with flushvalve, float valve with backflow preventer, and color coordinated trip lever.

• **31182 Cranada II**

**Bowl:** 3372 Cranada® Pro II elongated rim vitreous china (6.0 lpf), siphon action with bolt caps.

**Tank:** 3742 Cranada® 12" [438] roughing-in vitreous china tank and cover with flushvalve, float valve with backflow preventer, and color coordinated trip lever.

• **31183 Cranada II**

**Bowl:** 3372 Cranada® Pro II elongated rim vitreous china (6.0 lpf), siphon action with bolt caps.

**Tank:** 3743 Cranada® 12" [438] roughing-in insulated vitreous china tank and cover with flushvalve, float valve with backflow preventer, and color coordinated trip lever.

**NOTES**

- Fixture conforms to CSA B45 standard.
- Seat supplied by others.

**WATER ECONOMY FACTS**


Average Litres Per Flush	20 PSI	50 PSI	80 PSI
31172, 31173 Regular Rim (lpf)	5.67	5.97	6.00
31182, 31183 Elongated Rim (lpf)	5.29	5.56	5.82
TRAPWAY.....	2" [51]		
WATER SURFACE.....	5" [127] x 8" [203]		
WATER SEAL.....	2 5/8" [67]		

# CRANADA® PRO II ULF

12" [438mm] Rough-In Low Consumption Combination  
Vitreous China

**31172 / 31173**

**31182 / 31183**



**IMPORTANT:** Roughing-in dimensions may vary  $\frac{1}{2}$ " [13mm] and are subject to change or cancellation without prior notice. No responsibility is assumed for use of superseded or voided leaflets.