

TYPE "J" COUPLING FLANGE

IMPORTANT REMINDER



NOTE: Not to be used with hytel sleeves.

DIMENSIONS

Flange Size	Dimensions (inches)								*Wt (lbs.)
	C	D	E	G	H	L	T	X	
3J	51/64	2.062	13/32	3/8	1 1/2	1 31/32	25/64	5/8	0.3
4J	55/64	2.460	27/64	5/8	1 5/8	2 11/32	7/16	5/8	0.4
5J	1 3/64	3.250	29/64	3/4	1 7/8	2 27/32	19/32	59/64	0.9
6J	1 5/16	4.000	9/16	7/8	2 1/2	3 1/2	3/4	1 3/32	1.2

* Approximate weight for each flange

STOCK BORES

Flange Size	Stock Bore (inches)	Keyseat
3J	3/8 · 1/2 5/8 · 3/4 · (7/8)	none 3/16 x 3/32
4J	1/2 5/8 · 3/4 · 7/8 15/16 · 1	none 3/16 x 3/32 1/4 x 1/8
5J	1/2 5/8 · 3/4 · 7/8 15/16 · 1 · 1 1/8	none 3/16 x 3/32 1/4 x 1/8
6J	5/8 · 3/4 · 7/8 15/16 · 1 · 1 1/8 · 1 3/16 · 1 1/4 1 3/8	3/16 x 3/32 1/4 x 1/8 5/16 x 5/32

() = Price and availability on request
All finished bores come with 2 setscrews





