

# SAFETY DATA SHEET

Issue Date 24-Mar-2016 Revision Date 23-Mar-2016 Version 1

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Javelin Surface Protecting Bowl Cleaner

Other means of identification

Product Code JL1030T06 Synonyms None

Details of the supplier of the safety data sheet

Company Name Lawson Products, Inc.

8770 W. Bryn Mawr Ave. Suite 900

Chicago, IL 60631-3515

(773) 304-5050

Emergency telephone number

Emergency Telephone 888-426-4851

# 2. HAZARDS IDENTIFICATION

# Classification

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Category 4
Skin corrosion/irritation	Category 1
Serious eve damage/eve irritation	Category 1

#### Label elements

# **Emergency Overview**

# **Danger**

#### **Hazard statements**

May be harmful if swallowed Harmful if inhaled Causes severe skin burns and eye damage



Appearance Opaque Pink Physical state Liquid Odor Pleasant

#### **Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Drink 1 or 2 glasses of water

Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

**Unknown Acute Toxicity** 

1E-06% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Hydrochloric Acid	7647-01-0	5-10	*
Nonylphenol Ethoxylate	9016-45-9	1-5	*
2-(2-methoxypropoxy)propano	34590-94-8	1-5	*
Ethanol	64-17-5	<0.1	*
Propargyl Alcohol	107-19-7	<0.1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

# First aid measures

**General advice** Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

**Inhalation** Remove to fresh air. Call a physician or poison control center immediately. If not breathing.

give artificial respiration. If breathing is difficult, give oxygen.

**Immediate medical attention is required.** Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Revision Date 23-Mar-2016

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

symptomatically.

# 5. FIRE-FIGHTING MEASURES

# Suitable extinguishing media

Self-protection of the first aider

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

# **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take

up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric Acid 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m³ Ceiling: 5 ppm Ceiling: 7 mg/m³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m³
2-(2-methoxypropoxy)propano 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m³ (vacated) STEL: 90* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³
Propargyl Alcohol 107-19-7	TWA: 1 ppm S*	(vacated) TWA: 1 ppm (vacated) TWA: 2 mg/m³ (vacated) S*	TWA: 1 ppm TWA: 2 mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

**Respiratory protection**Do not breathe gas/fumes/vapor/spray. Ensure adequate ventilation, especially in confined

areas. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Liquid
Appearance Opaque Pink

ColorPinkOdorPleasant

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH <1 Specific Gravity 1.043

**Viscosity** <25 cP @ 25°C

Melting point/freezing point No Information available

Flash point None

Boiling point / boiling range
Evaporation rate
Flammability (solid, gas)

210 °F °C / 410 Degrees
No Information available
No data available

Flammability Limits in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No Information available
No Information available
No Information available
No Information available

Water solubility Complete

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

Other Information

Density Lbs/Gal 8.70 VOC Content (%) 1.03

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

# **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

# **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** Harmful by inhalation, ingestion, in contact with eyes and skin.

**Inhalation** Harmful by inhalation. Breathing of vapor can cause respiratory irritation and inflammation.

Breathing of mist or liquid can cause burns to the respiratory tract.

Eye contact Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness.

**Skin Contact** Corrosive. Contact with skin may cause severe irritation and burns. Avoid contact with skin

and clothing.

**Ingestion** Ingestion causes acute irritation and burns to the mucous membranes of the mouth,

trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrochloric Acid 7647-01-0	= 700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat) 1 h
Nonylphenol Ethoxylate 9016-45-9	= 2590 mg/kg (Rat) = 1310 mg/kg (Rat)	= 1780 μL/kg(Rabbit)= 2 mL/kg( Rabbit)	-
2-(2-methoxypropoxy)propano 34590-94-8	= 5400 μL/kg ( Rat )	= 9500 mg/kg(Rabbit)	-
Ethanol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Propargyl Alcohol 107-19-7	= 20 mg/kg ( Rat )	= 16 mg/kg(Rabbit)	= 1040 ppm(Rat)1 h

### Information on toxicological effects

**Symptoms** No Information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No Information available.
No Information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Ethanel has been shown to be coreinagenic in long term studies only when consumed as

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrochloric Acid	-	Group 3	-	X
7647-01-0				
Ethanol	A3	Group 1	Known	X
64-17-5				

IARC (International Agency for Research on Cancer)

Group 3 -Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Target organ effects

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Avoid repeated exposure. Possible risk of irreversible effects. Central nervous system, EYES, Respiratory system, Skin.

**Aspiration hazard** No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 1E-06% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 2,567.00

 ATEmix (dermal)
 40,156.00

 ATEmix (inhalation-gas)
 6,166.42

 ATEmix (inhalation-dust/mist)
 5.48

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

1.1895% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydrochloric Acid	-	282: 96 h Gambusia affinis mg/L	-
7647-01-0		LC50 static	
Nonylphenol Ethoxylate	-	5: 96 h Fish mg/L LC50	-

9016-45-9			
2-(2-methoxypropoxy)propano	-	10000: 96 h Pimephales promelas	1919: 48 h Daphnia magna mg/L
34590-94-8		mg/L LC50 static	LC50
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus	10800: 24 h Daphnia magna mg/L
64-17-5		mykiss mL/L LC50 static 100: 96 h	EC50 9268 - 14221: 48 h Daphnia
		Pimephales promelas mg/L LC50	magna mg/L LC50 2: 48 h Daphnia
		static 13400 - 15100: 96 h	magna mg/L EC50 Static
		Pimephales promelas mg/L LC50	
		flow-through	
Propargyl Alcohol	<u>-</u>	1.49 - 1.56: 96 h Pimephales	32: 24 h Daphnia magna mg/L
107-19-7		promelas mg/L LC50 flow-through	EC50

#### Persistence and degradability

No Information available.

# **Bioaccumulation**

Bioaccumulative potential.

Chemical Name	Partition coefficient
2-(2-methoxypropoxy)propano	-0.064
34590-94-8	
Ethanol	-0.32
64-17-5	

Other adverse effects No Information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Propargyl Alcohol	P102	-	-	-
107-19-7				

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Propargyl Alcohol 107-19-7	-	P102	-	-

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Ethanol	Toxic
64-17-5	Ignitable

# 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

# DOT

**UN/ID No.** UN1760

Proper shipping name Corrosive liquids, n.o.s.

Hazard Class
Packing Group

Special Provisions B2, IB2, T11, TP2, TP27

**Description** UN1760, Corrosive liquids, n.o.s. (contains Hydrochloric Acid), 8, II

Emergency Response Guide 154

Number

**TDG** 

**UN/ID No.** UN1760

Proper shipping name Corrosive liquids, n.o.s.

Hazard Class
Packing Group

**Description** UN1760, Corrosive liquids, n.o.s. (Contains Hydrochloric Acid), 8, II

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Hydrochloric Acid - 7647-01-0	1.0
2-(2-methoxypropoxy)propano - 34590-94-8	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric Acid 7647-01-0	5000 lb	-	-	Х

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrochloric Acid	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ
Propargyl Alcohol	1000 lb	-	RQ 1000 lb final RQ
107-19-7			RQ 454 kg final RQ

# **US State Regulations**

#### **California Proposition 65**

WARNING: This product contains a chemical known to the state of California to cause cancer. WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

# **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrochloric Acid 7647-01-0	X	X	X
2-(2-methoxypropoxy)propano	X	X	X

34590-94-8			
Ethanol 64-17-5	X	Х	X
Propargyl Alcohol 107-19-7	Х	X	X

#### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not Applicable

# **16. OTHER INFORMATION**

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection C

Issue Date24-Mar-2016Revision Date23-Mar-2016

**Revision Note** 

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**