







Deactivation and re-start of working function simply with a command on handle. It includes brush and suction delayed stop for irregular working stages. Motor gear box, suction motor and electric components of high quality; chassis, screws and bolts protected by anti-corrosion treatments; tanks in anti-shock plastic material of maximum thickness to ensure long life.

The Hurricane 550 XTT is designed with devices that make the product very functional, thanks to the intuitive, noiseless, comfortable and easy to use components.

Attached hose for easier dumping of collection tank.

Easy for the operator to find the ordinary maintenance areas that are clearly indicated in yellow.

"V" shape parabolic squeegee assures high — performance on any kind of surface with low management cost.



Integrated hopper to collect small solid debris.

Brush pressure with self-levelling and self-adjusting head. This mechanical system allows for an always perfect adherence between brush and floor.





The Hurricane 550 XTT allows working performances at the highest level, with important management savings and consideration of the environment. The system boasts great ergonomics, ease of maintenance, all in a reliable and high quality product.




The 17/18 gallon tank capacity in a minimum external space makes this model very unique and convenient. It has a longer running time with less time lost due to re-filling.



It includes an anti-foam system with special electromechanical suction motor protection. Automatic suction stops when the tank is full.





In addition to cleaning the surfaces, the cylindrical brushes sweep small solid debris into a removable tray. It eliminates the need to presweep the floors, giving you greater productivity and fewer clogs in the squeegee.

















550 XXT Hurricane Series

Cylindrical Automatic Scrubber

Innovative

Our machines are designed with innovative technologies to increase productivity while lowering the cost of cleaning. The intuitive control panel and superior maneuvrability makes it easy to use for any operator.

Cylindrical Brushes

In addition to cleaning the surfaces, the cylindrical brushes sweep solid debris into a removable tray. It eliminates the need to pre-sweep the floors giving you greater productivity and fewer clogs in the squeegee.

Easy Check

Easy Check. Easy for the operator to find the ordinary maintenance areas that are clearly indicated in yellow. It includes brushes with maximum consumption indicator.

Specifications	Hurricane 550 XTT
Model Number	19365
Productivity (Theoretical at max speed)	24 865 ft²/h (2310 m²/h)
Scrubbing Width	22" (55 cm)
Squeegee Width	32" (81.5 cm)
Numbers of brushes	2 x 4" Roller (1 x 10 cm)
Brush/Pad Speed	1360 rpm
Brush Motor Power	2 x 850 W
Motor Type	2-stages (480 W)
Water Lift at Squeegee	48" (123 cm)
Traction Motor	Yes
Solution Tank Capacity	18 Gal (70 L)
Recovery Tank Capacity	20 Gal (75 L)
Power Supply	24 V (2 x 12 V)
Maximum Speed	4.2 km/h
Unit Weight (Without Batteries)	220 lbs (100 kg)
Unit Size (L x W x H)	47" x 25" x 38" (119 cm x 64 cm x 96 cm)
Run Time	2.2hrs
Noise Levels	72 dB

