

LED Linear Luminaires

STANDARD®

## LED Striplight

LSS series






Traditional **Fluorescent strip luminaires** are found in almost all commercial, industrial and residential buildings. The LSS LED Series of luminaires are your best choice to replacing traditional fluorescent luminaires with energy efficient LED. Standard's highly efficient LSS series is your best choice to save energy without compromising on style, quality and functionality.

## The Simplest Solution

The **LSS series** is an integrated solution for quick and easy installation. Equipped with a keyhole opening which makes installation easy for surface applications. Prefer a suspended installation? Installation is just as easy with the V-hooks provided. Easy access to wiring to make electrical connection, no need to remove the lens or open the luminaire.

All units have knock outs for each row-mount installation where several units are required in an application.



Order Code	Description	Wattage (W)	Voltage (V)	Frequency (Hz)	Color temperature (K)	Lumens	Beam angle (°)	Average life of hours (L70)	Case QTY
65034	LSS/2FT/20W/40K/120-277/STD	20	120-277	50/60	4 000	2 600	160	100 000	1
65035	LSS/4FT/41W/40K/120-277/STD	41	120-277	50/60	4 000	5 330	160	100 000	1
65036	LSS/8FT/78W/40K/120-277/STD	78	120-277	50/60	4 000	10 140	160	100 000	1




















## LED Shoplight


**LSHOP Series** 



The STANDARD 4-foot **LED shoplight** delivers 4,000 lumens of brilliant white light of the highest quality, equivalent to 2 fluorescent tubes, but consumes 48% less energy! Furthermore, no maintenance is required due to its average lifetime of 50,000 hours, which is 45.6 years based on an average daily use of 3 hours.

It is the perfect luminaire to illuminate your work area or a storage room. Thanks to its lightweight design and supplied mounting hardware, it is simple to install. Simply pull on the chain to make your work area a well lit, highly productive area.

## The simplest installation



The **LSHOP series** is an integrated solution for quick and easy installation. Equipped with an keyhole, it is the fastest way to surface mount this workshop light. This is just as easy for suspended installation; with adjustable suspension cables included then just make the electrical connection. No need to remove the lens or open the luminaire.

Order Code	Description	Wattage	Voltage	Frequency	Color tewmperature	Lumens	Beam angle	Average life of hours	Case QTY
		(W)	(V)	(Hz)	(K)		(°)	(L70)	
65032	LSHOP/40W/40K/120-277/ND/STD	40	120	60	4 000	4 000	180	54 000	1













