# Glass and Masonry Cleaner (Sprayer)

#### **SECTION 1. IDENTIFICATION**

Product Identifier Glass and Masonry Cleaner

Other Means of KK0047, KK0051 (Imperial brand) NOTE: KK0050, KK0331 Glass & Masonry Cleaner (aerosol) is a

Identification different formulation. Refer to the MSDS for that product.

**Recommended Use** Please refer to Product label.

**Restrictions on Use** None known.

Manufacturer / Kel Kem Ltd. 1333 Cornwall Road, Oakville, Ontario, Canada L6J 7T5

**Supplier** 905-829-5888

Emergency Phone No. CANUTEC, 613-996-6666, 24 Hours (Collect)

**SDS No.** 1620

# **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Corrosive to metals - Category 1; Acute toxicity (Oral) - Category 4; Acute toxicity (Dermal) - Category 4; Skin corrosion/irritation - Category 1A; Aquatic hazard (Acute) - Category 1; Aquatic hazard (Chronic) - Category 2

#### **GHS Label Elements**







Signal Word: Danger

#### Hazard Statement(s):

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

### Precautionary Statement(s):

Prevention:

P234 Keep only in original container. P260 Do not breathe dusts or mists.

P264 Wash hands and skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Response:

Product Identifier: Glass and Masonry Cleaner KK0047, KK0051

Date of Preparation: February 9, 2017 rev 2 Page 1 of 8

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTRE/doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P310 Immediately call a POISON CENTRE/doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor. P390 Absorb spillage to prevent material damage.

P391 Collect spillage.

#### Storage:

Store in a well ventilated place. Keep cool. Keep container tightly closed. Store locked up.

#### Disposal:

Dispose of contents/container in accordance with applicable regional, national and local laws and regulations.

#### Note:

1-5

% of the mixture consists of ingredient(s) of unknown acute toxicity.

#### Other Hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Mixture:

Chemical Name	CAS No.	%	Other Identifiers
Benzenesulfonic acid, hexadecyl(sulfophenoxy)-, disodium salt	65143-89-7	1-5	
Tetrasodium ethylenediaminetetraacetate	64-02-8	1-5	
Alcohols, C6-12, ethoxylated, liquids	68439-45-2	1-5	
Potassium hydroxide	1310-58-3	1-5	

#### **Notes**

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

# **SECTION 4. FIRST-AID MEASURES**

#### **First-aid Measures**

#### Inhalation

Take precautions to ensure your own safety before attempting rescue (e.g. wear appropriate protective equipment). Remove source of exposure or move to fresh air. Keep at rest in a position comfortable for breathing. DO NOT move about unnecessarily. Symptoms of pulmonary edema may be delayed. Avoid mouth-to-mouth contact by using a barrier device. Immediately call a Poison Centre or doctor.

### **Skin Contact**

Avoid direct contact. Wear chemical protective clothing if necessary. Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Quickly and gently blot or brush away excess chemical.

Product Identifier: Glass and Masonry Cleaner KK0047, KK0051

Date of Preparation: February 9, 2017 rev 2 Page 2 of 8

Immediately rinse skin with lukewarm, gently flowing water for at least 30 minutes. Call a Poison Centre or doctor if you feel unwell or are concerned. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely.

#### **Eye Contact**

Avoid direct contact. Wear chemical protective gloves if necessary. Quickly and gently blot or brush chemical off the face. Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for at least 30 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a Poison Centre or doctor. If eye irritation persists, get medical advice/attention.

# Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Avoid mouth-to-mouth contact by using a barrier device. Immediately call a Poison Centre or doctor.

#### Most Important Symptoms and Effects, Acute and Delayed

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### **Immediate Medical Attention and Special Treatment**

#### **Target Organs**

Eyes, skin, digestive system, respiratory system.

#### **Special Instructions**

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### Medical Conditions Aggravated by Exposure

None known.

# **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

#### Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

# Unsuitable Extinguishing Media

None known.

# Specific Hazards Arising from the Chemical

Does not burn.

In a fire, the following hazardous materials may be generated: very toxic carbon monoxide, carbon dioxide; very toxic, flammable formaldehyde; corrosive chemicals.

# Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills. See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

# Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Evacuate downwind locations. Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area.

#### **Environmental Precautions**

Do not allow into any sewer, on the ground or into any waterway.

### Methods and Materials for Containment and Cleaning Up

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers,

Product Identifier: Glass and Masonry Cleaner KK0047, KK0051

Date of Preparation: February 9, 2017 rev 2 Page 3 of 8

water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

# **SECTION 7. HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

### **Conditions for Safe Storage**

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Benzenesulfonic acid, hexadecyl(sulfophenoxy)-, disodium salt	Not established	Not established	Not established	Not established		
Tetrasodium ethylenediaminetetraacetate	Not established	Not established	Not established	Not established		
Alcohols, C6-12, ethoxylated, liquids	Not established	Not established	Not established	Not established		
Potassium hydroxide	Not established	2 mg/m3	Not established	2 mg/m3		

### **Appropriate Engineering Controls**

General ventilation is usually adequate. For large scale use of this product: provide eyewash and safety shower if contact or splash hazard exists.

#### **Individual Protection Measures**

#### **Eye/Face Protection**

Wear chemical safety goggles and face shield when contact is possible.

#### **Skin Protection**

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: nitrile rubber.

# **Respiratory Protection**

Not normally required if product is used as directed. For non-routine or emergency situations: wear a NIOSH approved air-purifying respirator with an appropriate cartridge.

Product Identifier: Glass and Masonry Cleaner KK0047, KK0051

Date of Preparation: February 9, 2017 rev 2 Page 4 of 8

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

# **Basic Physical and Chemical Properties**

Appearance Cloudy liquid.
Odour Not available
Odour Threshold Not available

**pH** > 13

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/RangeNot availableFlash PointNot applicableEvaporation RateNot availableFlammability (solid, gas)Not applicable

**Upper/Lower Flammability or** 

**Explosive Limit** 

Not applicable (upper); Not applicable (lower)

Vapour Pressure
Not available
Vapour Density (air = 1)
Not available
1.04 1.06 at 20

Relative Density (water = 1) 1.04 - 1.06 at 20 °C

**Solubility** Not available in water; Not available (in other liquids)

Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot applicableDecomposition TemperatureNot available

Viscosity Not available (kinematic); Not available (dynamic)

Other Information

Physical State Liquid

Molecular Weight Not available

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity None

known. Chemical Stability Normally

stable.

# Possibility of Hazardous Reactions

Decomposes in the presence of increased temperature.

**Conditions to Avoid** 

None known.

# **Incompatible Materials**

Metals (e.g. aluminum), organic acids (e.g. acetic acid), oxidizing agents (e.g. peroxides), strong acids (e.g. hydrochloric acid), strong bases (e.g. sodium hydroxide), reducing agents (e.g. hydroquinone). Corrosive to: aluminum alloys.

#### **Hazardous Decomposition Products**

Toxic, corrosive chemicals; very toxic, flammable formaldehyde; very toxic carbon monoxide, carbon dioxide.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Likely Routes of Exposure

Product Identifier: Glass and Masonry Cleaner KK0047, KK0051

Date of Preparation: February 9, 2017 rev 2 Page 5 of 8

Skin contact; eye contact.

# **Acute Toxicity**

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Benzenesulfonic acid, hexadecyl(sulfophenoxy)-, disodium salt	Not available	7744 mg/kg (rat)	Not available
Tetrasodium ethylenediaminetetraacetate	Not available	> 2000 mg/kg (rat)	Not available
Alcohols, C6-12, ethoxylated, liquids	Not available	Not available	Not available
Potassium hydroxide	Not available	273 mg/kg (male rat)	> 1260 mg/kg (rabbit)

LC50: Not applicable.

LD50 (oral): Not applicable. LD50 (dermal): Not applicable.

#### Skin Corrosion/Irritation

Human experience and animal tests show skin corrosion.

#### Serious Eye Damage/Irritation

Human experience and animal tests show serious eye damage.

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May be harmful based on human experience and animal tests. Severe nose and throat irritation. Symptoms may include coughing, shortness of breath, difficult breathing and tightness in the chest. (Potassium hydroxide).

# **Skin Absorption**

No information was located.

#### Ingestion

Toxic, can cause death based on human experience. Severe irritation or burns to the mouth, throat and stomach. Permanent damage can result.

# **Aspiration Hazard**

No information was located.

# STOT (Specific Target Organ Toxicity) - Repeated Exposure

Cause Following skin contact: dermatitis. Symptoms may include dry, red, cracked skin (dermatitis).

# Respiratory and/or Skin Sensitization

Not known to be a skin sensitizer. No information was located.

# Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Benzenesulfonic acid, hexadecyl(sulfophenoxy)-, disodium salt	Not Listed	Not designated	Not Listed	Listed
Tetrasodium ethylenediaminetetraacetate	Not Listed	Not designated	Not Listed	Not Listed
Alcohols, C6-12, ethoxylated, liquids	Not Listed	Not designated	Not Listed	Not Listed
Potassium hydroxide	Not Listed	Not designated	Not Listed	Not Listed

#### Reproductive Toxicity

# **Development of Offspring**

Product Identifier: Glass and Masonry Cleaner KK0047, KK0051

Date of Preparation: February 9, 2017 rev 2 Page 6 of 8

No information was located.

**Sexual Function and Fertility** 

No information was located.

**Effects on or via Lactation** 

No information was located.

**Germ Cell Mutagenicity** 

No information was located.

Interactive Effects

No information was located.

# **SECTION 12. ECOLOGICAL INFORMATION**

# **Toxicity**

# **Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Benzenesulfonic acid, hexadecyl(sulfophenoxy)-, disodium salt	Not available	Not available		
Tetrasodium ethylenediaminetetraaceta te	41 mg/L (Lepomis macrochirus (bluegill); 96-hour)	Not available		
Alcohols, C6-12, ethoxylated, liquids	Not available	Not available		
Potassium hydroxide	80 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour)	Not available		

# **Chronic Aquatic Toxicity**

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
Benzenesulfonic acid, hexadecyl(sulfophenoxy)-, disodium salt	Not available		Not available	
Tetrasodium ethylenediaminetetraaceta te	Not available		Not available	
Alcohols, C6-12, ethoxylated, liquids	Not available		Not available	

# Persistence and Degradability

No information was located.

**Bioaccumulative Potential** 

No information was located.

**Mobility in Soil** 

No information was located.

Other Adverse Effects

There is no information available.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Product Identifier: Glass and Masonry Cleaner KK0047, KK0051

Date of Preparation: February 9, 2017 rev 2 Page 7 of 8

#### **Disposal Methods**

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14. TRANSPORT INFORMATION**

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide)	8	II
US DOT	3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide)	8	II

Environmental

for User

Marine Pollutant (Alcohols, C6-12, ethoxylated, liquids)

Hazards
Special Precautions

Please note: In containers of 1 L (1Kg) capacity or less this product is classified as a "Limited

Quantities""Consumer Commodity" under TDG regulations.

In containers of 1 L (1Kg) this product is qualified as a "consumer commodity" ORM-D under

DOT

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

**USA** 

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

#### SECTION 16. OTHER INFORMATION

SDS Prepared By Kel Kem Ltd.

Phone No. 905-829-5888

Date of Preparation November 26, 2015

Date of Revision February 9, 2017 rev 2

#### **Additional Information**

Ingredients present (intentionally added ingredients) at a concentration of greater than one percent (1%) shall be listed in descending order of predominance. Ingredients present at a concentration of not more than one percent shall be listed but may be disclosed without respect to order of predominance.

**Disclaimer**Notice to the Reader: The information is provided in good faith and is correct to the best of Kel Kem Ltd.'s knowledge as of the date hereof and is designed to assist our customers; however Kel Kem Ltd. makes no representation as to its completeness or accuracy. Final determination of suitability of any material is the sole responsibility of the user. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Kel Kem Ltd. disclaims all expressed or implied warranties or representations.

Product Identifier: Glass and Masonry Cleaner KK0047, KK0051

Date of Preparation: February 9, 2017 rev 2 Page 8 of 8