



Integra-D

Integra Series

Floor Preparation Machine

Code: 20" (19936) / 28" (19937)

The Integra-D was carefully designed with the user in mind.

A removable and adjustable handle, reduced vibration and easily stackable weights set this machine apart. The Integra-D offers practically dust-free and completely chemical-free floor scrubbing and stripping application.



A uniquely designed floating head completely eliminates any vibrations through the handle – preventing directional drift and making steering effortless.

Safety trigger ensures the machine does not engage until operator is ready.

Electrical certification for US and Canada.

Adjustable handle for ease of use.

Removable handle for ease of transportation.

Ingeniously designed to pick up 80% more grinding residue at the source and on the first pass than the competitor.

Includes the Fast Track Kit, for maximum dust pick up, reducing cleanup and saving time.

Fast Track is CRI Certified and equipped with HEPA Media Filtration System.

Dual vacuum intake for full coverage of dust pick up and eliminating any airborne dust during use.

1/4" weights allow for easy stacking and lifting.




Proudly made in Canada



Removable Handle + 1/4" Weights = Easy Transportation

There are many times where you must transport a floor machine to another location but there is no van or truck available to do so. The Integra-D comes apart in just a few minutes and fits in most small cars.



The Integra-D boasts the latest orbital technology to provide practically dust free floor scrubbing and stripping.

Using orbital scrubbing technology and chemical-free floor finish removal, you can adequately prepare your floors to maximize the adherence of floor finish. Floors will shine like new and look fresher, longer.

Orbital scrubbing technology benefits:

Time-Saver

Your floors are stripped 75% faster than the conventional method.

Budget-Friendly

Eliminates the need for strippers and neutralizers.

Improves Indoor Air Quality

As 80% more grinding residue is being picked up on the first pass, no airborne dust is being generated.

No Disruption

You can quickly strip floors without disrupting operations. Its low noise level, no need to use water and no harsh chemical smell makes it ideal for use in all environments.

Safer Stripping

Eliminates chemical exposure, offers better air quality and reduces the risk of slip and fall accidents.

All you need is a surface preparation pad.

See the Integra-D in action!

Visit our YouTube Channel for promotional and instructional videos:

www.youtube.com/user/dustbane1908



Integra-D

Integra Series

Floor Preparation Machine

Chemical-Free Floor Scrubbing

Gives operators the ability to remove multiple layers of finish, without using chemicals.

Superior Dust Pickup

Used in combination with the Fast Track Kit, it's ingeniously designed to pick up 80% of grinding residue at the source and on the first pass. Practically dustless scrubbing and stripping, with less clean up, to increase your productivity.

Innovative

The uniquely designed floating head completely isolates any vibration through the handle – eliminating directional drift and making steering effortless. Incorporating 4 and 8 independent isolators, the Integra-D can run hour after hour with no operator complaints. The sliding weights and removable handle make for easy transportation.



Specifications		Integra-D 20	Integra-D 28
Model Number		19936	19937
Productivity	VCT	2500 ft ² /h (232 m ² /h)	3375 ft ² /h (314 m ² /h)
	Gym	5000 ft ² /h (465 m ² /h)	7500 ft ² /h (697 m ² /h)
Scrubbing Width		14" x 20" (36 cm x 51 cm)	14" x 28" (36 cm x 71 cm)
Scrubbing Pressure		0.59 psi	0.60 psi
Motor Power		1.5 hp	1.5 hp
Oscillations		3450 rpm	3450 rpm
Voltage		120 V	120 V
Removable Handle		Yes	Yes
Adjustable Handle		Yes	Yes
Weight (Assembled)		165 lbs (75 kg)	235 lbs (107 kg)
Maximum Weight Capacity		Scalable to application	Scalable to application
Removable Weights		Yes (Sliding)	Yes (Sliding)
Weights		2 x 6.7 lbs (3.0 kg) / 6 x 10.1 lbs (4.6 kg)	2 x 10.6 lbs (4.8 kg) / 6 x 17.7 lbs (8.0 kg)
Frame		11 gauge steel	11 gauge steel
Axle		3/4 mechanical tube + 1/3 solid axle	3/4 mechanical tube + 1/3 solid axle
Wheels		(2) 2" x 6" (2 x 15 cm)	(2) 2" x 6" (2 x 15 cm)
Isolators		4	8
Power Cord		50' (15 m) / 14 gauge	50' (15 m) / 14 gauge
Unit Size (L x W x H)		14.5" x 20.5" x 49" (37 cm x 52 cm x 124 cm)	14.5" x 28.5" x 49" (37 cm x 72 cm x 124 cm)
Noise Level		67 dB	67 dB
Approval		Electrical Certification	Electrical Certification



Dustbane Products Ltd.
 25 Pickering Pl., Ottawa, ON K1G 5P4
www.dustbane.ca