

# SAFETY DATA SHEET

Issuing Date 21-Jan-2016 Revision Date 21-Jan-2016 Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

Product Name Lith-Ease White Lithium Grease- WL-8

Other means of identification

Product Code(s) WL-8

Synonyms Lith-Ease White Lithium Grease

Recommended use of the chemical and restrictions on use

**Recommended Use**LITH-EASE is a high-quality, multi-purpose white lithium grease for automotive, marine,

shop, farm, and home use. It is a long-lasting lubricant with excellent water and heat resistance, rust and corrosion protection, and high film strength. Won't melt, freeze, gum, or

run off. Provides superior performance in all weather and all temps.

Uses advised against No information available

Supplier's details

**Supplier Address** AGS Company

P.O. Box 729 Muskegon, MI

49443

TEL: 800-253-0403

**Emergency telephone number** 

**Emergency Telephone** 

800-255-3924

Number

## 2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

Skin Sensitization Category 1

GHS Label elements, including precautionary statements

**Emergency Overview** 

## Signal Word Hazard Statements

Warning

May cause an allergic skin reaction



Appearance White.

Physical State Solid (compressed).

Odor Petroleum.

#### **Precautionary Statements**

#### Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves.

#### **General Advice**

· Specific treatment (see supplemental instructions on the administration of antidotes on this label)

#### Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- · Wash contaminated clothing before reuse.

#### Storage

None

#### Disposal

• Dispose of contents/container to an approved waste disposal plant.

## **Hazard Not Otherwise Classified (HNOC)**

Not applicable.

#### Other information

Toxic to aquatic life with long lasting effects.

92.6% of the mixture consists of ingredient(s) of unknown toxicity.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Synonyms**

Lith-Ease White Lithium Grease

Chemical Name	CAS-No	Weight %	Trade secret
Zinc oxide	1314-13-2	3 -7	*
Titanium dioxide	13463-67-7	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## **Description of necessary first-aid measures**

**Eye Contact** 

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, call a physician.

Revision Date 21-Jan-2016

**Skin Contact** 

Wash skin with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

Inhalation Move to fresh air.

Ingestion Clean mouth with water and afterwards drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

## **Specific Hazards Arising from the Chemical**

May cause sensitization by skin contact.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin,

eves and clothing.

**Environmental Precautions** 

**Environmental Precautions** Avoid release to the environment. Dispose of contents/container to an approved waste

disposal plant. Collect spillage. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. **Methods for Cleaning Up** 

## 7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Handling

skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Storage

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Revision Date 21-Jan-2016

Incompatible Products None known based on information supplied.

## **Control parameters**

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Zinc oxide	STEL: 10 mg/m <sup>3</sup> respirable	TWA: 5 mg/m³ fume	IDLH: 500 mg/m <sup>3</sup>
1314-13-2	fraction	TWA: 15 mg/m³ total dust	Ceiling: 15 mg/m³ dust
	1 5		TWA: 5 mg/m <sup>3</sup> dust and fume
		(vacated) TWA: 5 mg/m3 fume	STEL: 10 mg/m <sup>3</sup> fume
		(vacated) TWA: 10 mg/m³ total	
		dust	
	(vacated) TWA: 5 mg/m <sup>3</sup>		
	respirable fraction		
		(vacated) STEL: 10 mg/m³ fume	
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7		(vacated) TWA: 10 mg/m³ total	· ·
		dust	

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection None required for consumer use. Risk of contact, wear: Safety glasses with side-shields. None required for consumer use. Repeated or prolonged contact: Gloves should be worn. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures** 

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical StateSolid (compressed).AppearanceWhite.OdorPetroleum.Odor ThresholdNo information available.

Property	<u>Values</u>	Remarks/ - Method
pH	No data available	None known
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	No data available	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Specific Gravity	0.9	None known
Water Solubility	Insoluble in water.	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/wate	erNo data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known

\_\_\_\_\_

Flammable Properties Not flammable

**Explosive Properties**No data available **Oxidizing Properties**No data available

Other information

VOC Content (%) No data available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

## Possibility of hazardous reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

## **Conditions to avoid**

None known based on information supplied.

## **Incompatible materials**

None known based on information supplied.

## **Hazardous decomposition products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information There is no data available for this product Vapors may irritate throat and respiratory system.

**Eye Contact** May cause temporary eye irritation.

**Skin Contact**Based on components: May cause allergic skin reaction

**Ingestion** There is no data available for this product.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Titanium dioxide	> 10000 mg/kg (Rat)	-	> 6820 mg/m <sup>3</sup>

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

## Delayed and immediate effects and also chronic effects from short and long term exposure

**Sensitization** May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. This product contains titanium dioxide which is classified as an IARC 2B carcinogen based on laboratory studies where animals were exposed to titanium dioxide dust. This is not a relevant route of exposure for this product since it is a paste with little to no chance of producing dust.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		X

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product

**Acute Toxicity** 92.6% of the mixture consists of ingredient(s) of unknown toxicity.

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Zinc oxide	Selenastrum capricornutum	Oncorhynchus mykiss		Daphnia magna
1314-13-2	72-hour EC50: 0.14 mg/l	96-hour LC50: 0.14 mg/l		48-hour EC50: 0.07 mg/l

Persistence and Degradability No information available.

**Bioaccumulation** No information available.

Other Adverse Effects
No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** 

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

ICAO Not regulated

<u>IATA</u> Not regulated

IMDG/IMO Not regulated

## 15. REGULATORY INFORMATION

\_\_\_\_\_

### **International Inventories**

## Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Zinc oxide	1314-13-2	5	1.0

## SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc oxide		X		

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## U.S. State Regulations

## **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Titanium dioxide	13463-67-7	Carcinogen

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Zinc oxide	X	X	X		

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

	16. OTHER INFORMATION						
NFPA	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards -			
<u>HMIS</u>	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal Protection X			

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 21-Jan-2016 21-Jan-2016

**Issuing Date** 

**Revision Date** 

Revision Date 21-Jan-2016

**Revision Note** 

Initial Release.

## **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**