

CRETE^{Rx}_{TM}



Polished Concrete & Terrazzo
Maintenance System

BETCO[®]



CRETE_{Rx}TM

The Right Prescription

The Crete Rx™ System uses advanced technology at every stage of polished concrete floor maintenance. The removal of staining and etching with LiquiGrind's technology and the continual cleaning and progressive gloss build from Densiclean are the foundation of the system. Sealant Infused Cleaning Pads ensures a better looking concrete floor.

A Simple System with Extraordinary Results

Betco's Crete Rx™ System is the simplest concrete system on the market. Achieve better looking floors, with a deep gloss and stain resistance in less time. This system effectively combines the right cleaner, sealant infused pads, proper tooling and equipment to make your floor investment easy and affordable.

Crete Rx sealant infused cleaning and burnishing pads takes the guesswork out and ensures superior "Crete Gloss" every time.

Great Gloss No Finish Necessary

Unlike other systems, the Crete Rx system uses one process for every level of concrete maintenance. No more complicated diamond polishing pad selection or process. This system offers significant reduction in tooling inventory – the Crete Rx System requires only 2 tools - the polishing and honing tools.

Superior Stain Protection

The Crete Rx System effectively cleans and enhances gloss by continually filling porous concrete with sealant into the concrete itself. This protectant layer repels stains, etching and other unsightly marks.




1



Crete Rx LiquiGrind

This proprietary nanoparticle abrasives provides maximum surface area coverage for increased cutting effectiveness. Excessive wear and etching is easily removed when LiquiGrind and the Crete Rx Honing Tool are used. LiquiGrind penetrates the porous concrete while working with the Crete Rx Honing tool to grind out excessive wear and staining.

2



Crete Rx Sealant Infused Technology

Sealant Infused (SI) Cleaning and Burnishing Maintenance Pads take polished concrete maintenance to the next level. Sealant Infused pads continually fill porous concrete with sealant, pushing the sealant into the concrete itself, not just a topical film. This provides excellent protection and deep gloss without floor finish.

3



Stain and Etch Prevention

Once sealant infused technology is used, there are no more open pores or available sites for penetrations into the concrete to stain, etch or mark.

4



Daily Maintenance

With the unique chemistry in Betco's Densiclean product, free lime content in polished concrete is greatly reduced, thus also reducing labor time spent on dust mitigation compared to standard neutral cleaners.

Choose What's Right For You



Interim Maintenance

Floor Condition

- Moderate wear
- Minimal gloss

- Dry scrub with polishing tool and Stain Defense
- Follow with Routine Maintenance procedures



Step 1

Dry scrub with SI polishing tool



Step 2

Apply Stain Defense penetrating sealer



Step 3

Burnish with SI Burnishing pad



Step 4

Scrub using SI Cleaning pad & Densiclean cleaner*

Routine Maintenance

Floor Condition

- Minimal wear
- Moderate gloss

- Clean with autoscrubber & Sealant Infused pads
- Daily maintenance
- Sealant resin is ground into floor to build gloss and stain protection



Step 1

Scrub using SI Cleaning pad & Densiclean cleaner*

Reset Step

Floor Condition

- Excessive finish build-up
- Pitting
- Extreme wear

- Utilize Reset tool and LiquiGrind to "reset" concrete floors
- Follow with Restorative Maintenance procedure



Reset

Scrub with LiquiGrind & Reset tool.

Restorative Maintenance

Floor Condition

- Excessive wear
- Stain & etch
- No gloss

- Honing tool and LiquiGrind used to remove toughest stain and etching/wear
- Follow with Interim & Routine Maintenance procedures



Step 1

Scrub with LiquiGrind & honing tool



Step 2

Apply Densifier



Step 3

Dry scrub with SI polishing tool



Step 4

Apply Stain Defense penetrating sealer



Step 5

Burnish with SI Burnishing pad



Step 6

Scrub using SI Cleaning pad & Densiclean cleaner*

Crete Rx™ System Products



Crete Rx™ LiquiGrind	Crete Rx™ Densifier	Crete Rx™ Stain Defense	Crete Rx™ DensiClean	Tool Holder	Crete Rx™ Honing Tool	Crete Rx™ Polishing Tool	Crete Rx™ Reset Tool	Crete Rx™ Counter Rotating Plate (CRP)	Crete Rx™ Tool Adapter Pad (TAP)
Ready-to-use Honing Compound	Ready-to-use Densifying Compound	Ready-to-use Penetrating Sealer	Cleaner Concentrate with Densifier	-	-	-	-	-	-
5 gal. (18.9 L)/Pail	5 gal. (18.9 L)/Pail	5 gal. (18.9 L)/Pail	12 Quarts (946 mL)/cs.	3/cs.	3/cs.	3/cs.	3/cs.	1 EA	1 EA
167005-00	167105-00	167205-00	67912-00	E84130-00	E84133-00	E84134-00	E84132-00	E84143-00	E80001-00
Coverage Rate: 1,000 sq.ft./gal	Coverage Rate: 2,000 sq.ft./gal	Coverage Rate: 4,000 sq.ft./gal	Coverage Rate: 1:256	-	Coverage Rate: 4,000 sq.ft./tool	Coverage Rate: 8,000 sq.ft./tool	Coverage Rate: 4,000 sq.ft./tool	-	-
<ul style="list-style-type: none"> Nanoparticle abrasive Removes wear and etching easily Works with honing tool to grind out excessive wear and staining 	<ul style="list-style-type: none"> Nanoparticle silicate chemistry strengthens and hardens polished concrete Concrete surface exhibits improved abrasion and chemical resistance 	<ul style="list-style-type: none"> Penetrating polymers seal off open pores Resists staining and etching Interacts with Sealant Infused polymers Creates uniform, continuous protective surface 	<ul style="list-style-type: none"> Advanced cleaning formula with proprietary silicate chemistry Interaction with free lime in concrete cuts down on dust mitigation time spent Suspends the toughest soils and maintains a safe pH 	<ul style="list-style-type: none"> Universal magnetic tool holder with velcro backing to accept the honing or polishing tools 	<ul style="list-style-type: none"> Channels LiquiGrind nanoparticles Hones concrete surface Velcro autoscrubber pad attachment 	<ul style="list-style-type: none"> Sealant Infused tool Pushes resin to fill pores and build a gloss barrier in concrete Effective in dry polishing process Velcro autoscrubber pad attachment 	<ul style="list-style-type: none"> Quickly smooths out rough, worn areas of polished concrete Requires minimal passes Prepares floor for honing tool Velcro autoscrubber pad attachment 	<ul style="list-style-type: none"> Enhances performance of floor machines on small areas and in stain remediation Adds 26 Lbs & 960 RPM of counter rotating motion Ultra durable for many uses 	<ul style="list-style-type: none"> Gives autoscrubbers and floor machines Crete Rx capability Can equip single or dual disk autoscrubbers up to 32-inch Ultra durable for many uses





Crete Rx™ Concrete Stain Removal Kit	Sealant Infused (SI) Cleaning and Burnishing Pads	Foreman® AS26HD AS32HD	Crete Rx™ CP30																				
<i>Ready-To-Use Quartz of Crete Rx Products</i>	<table border="1"> <tr><td>11" (5 pads/cs.)</td><td>E84111-00</td></tr> <tr><td>12" (5 pads/cs.)</td><td>E84112-00</td></tr> <tr><td>13" (5 pads/cs.)</td><td>E84113-00</td></tr> <tr><td>15" (5 pads/cs.)</td><td>E84115-00</td></tr> <tr><td>16" (5 pads/cs.)</td><td>E84116-00</td></tr> <tr><td>17" (5 pads/cs.)</td><td>E84117-00</td></tr> <tr><td>20" (5 pads/cs.)</td><td>E84120-00</td></tr> <tr><td>21" (5 pads/cs.)</td><td>E84121-00</td></tr> <tr><td>24" (5 pads/cs.)</td><td>E84124-00</td></tr> <tr><td>27" (2 pads/cs.)</td><td>E84127-00</td></tr> </table>	11" (5 pads/cs.)	E84111-00	12" (5 pads/cs.)	E84112-00	13" (5 pads/cs.)	E84113-00	15" (5 pads/cs.)	E84115-00	16" (5 pads/cs.)	E84116-00	17" (5 pads/cs.)	E84117-00	20" (5 pads/cs.)	E84120-00	21" (5 pads/cs.)	E84121-00	24" (5 pads/cs.)	E84124-00	27" (2 pads/cs.)	E84127-00	<i>Concrete & Terrazzo Polishing Machine</i>	<i>Concrete & Terrazzo Polishing Machine</i>
11" (5 pads/cs.)	E84111-00																						
12" (5 pads/cs.)	E84112-00																						
13" (5 pads/cs.)	E84113-00																						
15" (5 pads/cs.)	E84115-00																						
16" (5 pads/cs.)	E84116-00																						
17" (5 pads/cs.)	E84117-00																						
20" (5 pads/cs.)	E84120-00																						
21" (5 pads/cs.)	E84121-00																						
24" (5 pads/cs.)	E84124-00																						
27" (2 pads/cs.)	E84127-00																						
12 variety Qts/cs		1 / skid	1 / skid																				
92411-00		E29900-00	E29800-00																				
-	Coverage Rate: 200,000 sq.ft./pad	Coverage Rate: Up to 32,000 or 39,000 ft² / hr	Coverage Rate: Up to 3,375 ft² / hr																				
<ul style="list-style-type: none"> • 6 Qts Liquigrind, 4 Qts Densifier, 2 Qts Stain Defense • Combines all Crete Rx Polishing System products into one convenient place • Ideal for stain remediation projects 	<ul style="list-style-type: none"> • Continuously fill porous concrete with advanced resin polymers deep into the concrete pores • Provides excellent protection and deep gloss without topical coatings 	<ul style="list-style-type: none"> • Rugged design - Built for tough environments • 175 Lbs of down pressure 	<ul style="list-style-type: none"> • Machine that hones and polishes previously polished concrete • Significantly reduces the number of passes to perform system – typically only 1-2 • Creates highest depth of gloss 																				



Cleaning Innovations That Matter.

888-GO BETCO | betco.com

©2017 Betco Corporation
All Rights Reserved.
400 Van Camp Road
Bowling Green, Ohio 43402
Item #92390-92



11/2017