

# Safety Data Sheet

# **MELTZ ALL**

# **SECTION 1. IDENTIFICATION**

Product Identifier MELTZ ALL

Other Means Of

Sodium Chloride/Calcium Chloride Blend, De-Icing Salt,

Identification

Recommended Use De-Icing

**Restrictions on Use** Not for Ingestion

Initial Supplier Identifier NSC Minerals Ltd.

2241 Speers Ave Saskatoon, SK CANADA S7L 5X6

www.nscminerals.com
Email: nsc@nscminerals.com

**Emergency Telephone** 

Number

1-306-934-6477 / 1-888-668-7258

# **SECTION 2. HAZARD IDENTIFICATION**

**Classification** Not classified as a dangerous substance or mixture according to the Globally

Harmonized System (GHS)

Label Elements Keep out of reach of children. Harmful if swallowed. Avoid skin and eye contract.

Other Hazards

# SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Common Name / Salt,

Synonyms

Salt, Sodium Chloride, NaCl, Raw Salt, De-Icing Salt, Rocanville Coarse

INGREDIENT NAME	% (W/W)	CAS NO.
Sodium Chloride	85-95%	7647-14-5
Calcium Chloride	5 – 15%	10043-52-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, which the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Other Identifiers Eco-Friendly

# SECTION 4. FIRST AID MEASURES

# 4.1 FIRST AID BY ROUTE OF EXPOSURE

**General** If medical advice is needed, have product container or label at hand.

**Inhalation** If inhaled, remove to fresh air and keep at rest in a position comfortable for

breathing. Give oxygen or artificial respiration if needed. Obtain medical attention if

breathing difficulty persists.

**Skin Contact** Wash Skin thoroughly with mild soap and water. Obtain medical attention if

irritation develops or persists.

Eye Contact Immediately rinse with water for a prolonged period (15 minutes) while holding the

eyelids wide open including upper and lower lids. Obtain medical attention if pain

and irritation develops or persists.

English Page 1 of 6

SDS – MELTZ ALL NSC Minerals Ltd.

**Ingestion** Do not induce vomiting. Administer water if patient is conscious. Ingesting salt will

usually cause purging of the stomach by vomiting. Seek medical attention if a large

amount is swallowed. Get medical advice and attention if you feel unwell.

# 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

**Symptoms/injuries** Irritation to eyes, skin and respiratory tract.

Symptoms/injuries after

inhalation

Overexposure may be irritating to the respiratory system.

Symptoms/injuries after

skin contact

May cause skin irritation.

Symptoms/injuries after

eye contact

ingestion

May cause eye irritation.

Symptoms/injuries after

If a large quantity has been ingested : Abdominal pain; Diarrhea; Nausea; Vomiting;

Tingling in hands and feet; Weak pulse; Circulatory disturbances

**Chronic symptoms** Prolonged inhalation of dust may cause respiratory irritation.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No additional information.

# **SECTION 5. FIRE-FIGHTING MEASURE**

#### 5.1 EXTINGUISHING MEDIA

Suitable Extinguishing

Media

Not Flammable. Use extinguishing media appropriate for surrounding fire.

**Unsuitable** None known.

**Extinguishing Media** 

# 5.2 SPECIFIC HAZARDS ARISING FROM PRODUCT

**Fire Hazard** Under conditions of fire this material may produce toxic fumes.

**Explosion Hazard** Product is not explosive

**Reactivity** Stable at ambient temperature and under normal conditions of use.

#### 5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

**Fire-fighting** Keep Upwind. Under conditions of fire this material may produce: Potassium oxides;

**Instructions** Hydrogen chloride; Chlorine gas

Protection during fire-

fighting

Wear full fire-fighting turn out gear (full Bunker gear) and respiratory protection

(SCBA).

**Other Information** Do not allow run-off from fire fighting to enter drains or water courses.

#### SECTION 6. ACCIDENTAL RELEASE MEASURE

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

**General Measures** Do not breathe fumes from fires or vapors from decomposition

Protective Equipment Wear suitable

Wear suitable protective clothing, gloves and eye/face protection including tight fitting

**for Emergency & Non-** goggles in areas of high dust concentration. Wear NIOSH approved respiratory protective equipment when workplace conditions warrant use of respirator.

**Emergency Procedures** If possible, stop flow of product. Contain and collect as any solid. Ventilate area.

# **6.2 ENVIRONMENTAL PRECAUTIONS**

If spill could potentially enter any waterway, including intermittent dry creeks, contact the U.S. COAST GUARD NATIONAL RESPONSE CENTER at 800-424-8802. In case of accident or road spill notify CHEMTREC at 800-424-9300 (in USA) or CANUTEC at 613-996-6666 (in Canada). In other countries call CHEMTREC at (International code) +1-703-527-3887.

English Page **2** of **6** 

SDS - MELTZ ALL NSC Minerals Ltd.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING-UP

For Containment Contain and collect as any solid. Do not allow into drains or water courses or dispose

of where ground or surface waters may be affected.

Methods for Cleaning Recover the product by vacuuming, shovelling or sweeping. Avoid generation of dust

Up during clean-up of spills. If uncontaminated, recover and reuse as product.

# **6.4 REFERENCE TO OTHER SECTIONS**

No additional information available.

# SECTION 7. HANDLING AND STORAGE

# 7.1 PRECAUTIONS FOR SAFE HANDLING

Additional Hazards when processed:

When heated, material emits irritating fumes.

Precautions for safe handling:

Handle in accordance with good industrial hygiene and safety procedures. Avoid contact with skin and eyes. Do no eat, drink or smoke when using this product.

Always wash hands after handling the product.

Emergency eye wash fountains should be available in the immediate vicinity of any Hygiene Measures:

potential exposure.

# 7.2 CONDITIONS FOR SAFE STORAGE

**Storage Conditions:** Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture and

preferably below 70% relative humidity.

Special Rules on

Avoid contact with aluminum or carbon steel to minimize corrosion.

Packaging:

# SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **8.1 CONTROL PARAMETERS**

Highly soluble – No ACGIH TWA, Particulate Not Otherwise Specified (PNOS) not appropriate for highly soluble material.

# **8.2 EXPOSURE CONTROLS**

Ensure adequate ventilation (especially in confined areas), eye wash stations. Appropriate

engineering controls:

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Hand Protection: Impermeable protective gloves.

Eye Protection: Protective goggles and safety glasses

Skin and Body Emergency eye wash fountains and safety showers should be available in the Protection: immediate vicinity of any potential exposure. Wear suitable protective clothing. Wash

contaminated clothing before reuse. Handle in accordance with good industrial

hygiene and safety practice. Wash clothing frequently.

Footwear: Normal

Use NIOSH-approved air-purifying or supplied-air respirator where airborne **Respiratory Protection:** 

concentrations of dust are expected to exceed exposure limits.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** Solid

**Appearance** Crystalline Solid Color White Pink Crystals

English Page 3 of 6 SDS - MELTZ ALL NSC Minerals Ltd.

Odour None

Odour Threshold No Data Available

6-8 pН

**Relative Evaporation** Rate (Butylacetate=1)

No Data Available

**Melting Point** 1473.8ºF (801°C) Freezing Point No Data Available **Boiling Point** 2669°F (1465°C) Flash Point No Data Available Self-Ignition Not Flammable

temperature:

Decomposition

No Data Available

Temperature: Flammability

Not Flammable

(solid/gas):

Vapour Pressure:

No Data Available

**Relative Vapor Density** 

at 20ºC:

No Data Available

Relative Density: 2.14

Density: No Data Available

26% Solubility:

Log Pow or Log Kow No Data Available Viscosity No Data Available

**Explosive Properties** None Known **Oxidizing Properties** None Known Not Explosive **Explosive Limits** 

9.2 OTHER INFORMATION

**VOC Content** No Data Available

71-77lbs/ft3 (1137-1234kg/m3) **Bulk Density** 

Molecular Formula NaCl

**SECTION 10. STABILITY AND REACTIVITY** 

Stable at ambient temperature and under normal conditions of use. Reactivity

**Chemical Stability** Stable at standard temperature and pressure.

Possibility of Hazardous

Reactions

Hazardous polymerization will not occur.

**Conditions to Avoid** Protect from moisture.

**Incompatible Materials** Contact with acids liberates toxic gas (chlorine). Lithium, interhalogens (bromide,

triflourite, etc.), acids, oxidizing agents, zinc.

Hazardous Decomposition

**Products** 

Contact with strong acids may produce hydrogen chlorine gas.

English Page 4 of 6 SDS - MELTZ ALL NSC Minerals Ltd.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

**Acute Toxicity** Not Classified

SODIUM CHLORIDE (7647-14-5)

LC50 3g/kg LD50 (oral) >10g/kg LD50 (dermal) >42g/m3 (Exposure time: 1h)

Skin Corrosion / Mild

Irritation

Serious Eye Damage /

Irritation

Mild - Salt dust can cause eye irritation.

STOT (Specific Target

Organ Toxicity) - Single

**Exposure** 

STOT (Specific Target

Organ Toxicity) -Repeated Exposure Not Classified

Not Classified

Aspiration Hazard Not Classified Respiratory and/or Skin

Sensitization

Not Classified

Reproductive Toxicity Not Classified Not Classified Germ Cell Mutagenicity Carcinogenicity Not Classified

**Target Organ Effects** Kidneys, Eyes, Skin, Respiratory system.

#### SECTION 12. ECOLOGICAL INFORMATION

The product is not classified as environmentally hazardous. However, this does not Eco toxicity

exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

**Environmental Fate** No Data Available No Data Available Toxicity **Degradation Products** No Data Available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Sewage Disposal This material may be hazardous to the aquatic environment. Keep out of sewers and

Recommendations waterways.

Waste Disposal Place in an appropriate container and dispose of the contaminated material at a

Recommendations licensed site.

Additional Information Dispose of waste material in accordance with all local, regional, national, and

international regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

# In accordance with DOT / TDG / ADR / RID / ADNR / IMDG / ICAO / IATA

UN number - No dangerous good in terms of transport regulations.

UN proper shipping name - Not applicable

**Overland Transport** No additional Information available. No Additional Information available. Transport by Sea Air Transport No Additional Information available.

English Page 5 of 6 SDS – MELTZ ALL NSC Minerals Ltd.

#### **SECTION 15. REGULATORY INFORMATION**

#### 15.1 US FEDERAL REGULATIONS

Sodium Chloride (7647-14-5) – Listed on the United States TSCA (Toxic Substances Control Act) Inventory

#### **15.2 US STATE REGULATIONS**

The following states have an OSH program approved by OSHA. If you are located in any of these states you may be under state jurisdiction rather than federal jurisdiction and your state may have more stringent requirements than OSHA. You should consult your state regulations to ensure compliance.

Alaska	Indiana	Nevada	Puerto Rico	Virginia
Arizona	lowa	New Mexico	South Carolina	Washington
California	Kentucky	*New Jersey	Tennessee	Wyoming
*Connecticut	Maryland	*New York	Utah	
Hawaii	Michigan	North Carolina	Vermont	
*Illinois	Minnesota	Oregon	*Virgin Islands	

<sup>\*</sup>The state plans in these states apply only to public sector employees. In these states private sector employers are subject to USOL – OSHA jurisdiction. All other state plans apply to both public and private sector employers.

# Sodium Chloride (7647-14-5) – U.S. Texas – Effects Screening Levels – Short Term & Long Term

#### **SECTION 16. OTHER INFORMATION**

NFPA Health Hazard 1 – Exposure could cause irritation but only minor residual injury

even if not treatment is given.


**NFPA Fire Hazard** 0 – Materials that will not burn.

**NFPA Reactivity** 0 – Normally stable, even under fire exposure conditions, and

are not reactive with water.

Date of Latest Revision March, 2018

Prepared by NSC Minerals Ltd



The data contained herein is believed to be accurate and reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its sustainability for a given situation. Such data relates only to the specific product described and not to such product in combination with any other product. We disclaim all liability for any actions taken or forgone on reliance upon such data. Users should make their own investigation to determine the suitability of the information for the particular purposes.

English Page 6 of 6