Technical Information Bulletin



PRO LED Lamps

| Date: | ı | Name of distributor: | |
|---------------------------|---|----------------------|--|
| In hands date of project: | | Client #: | |
| Project name/Number: | ı | Name of end user: | |

ORDERING INFORMATION

Order code: 66277

Description: A19/9.8W/40K/GU24/PRO/STD

UPC: 69549662773

Case quantity: 6 / 48

PERFORMANCE DATA

Shape: A19 Base: GU24 Watts(W): 9.8 Volts (VAC): 120 Colour temperature (K)**: 4 000 Average life (L70 hours): 25 000 Initial lumens (lm)*: 868 Initial lumens per watt (lm/W): 89 CRI: 86 Beam angle: 220 0.99 Power factor:

-20 °C to 45 °C (-4 °F to 113 °F) Operating temperature range:
























This lighting equipment complies with Canadian standard ICES-005 for use in residential applications

CAUTIONS

- Turn power off before inspection, installation, or removal.
 Risk of electrical shock do not use where directly exposed to water or weather.
 Suitable for use in totally enclosed luminaires.
 Suitable for use in damp locations.
 Do not open no user serviceable parts inside.
 Use only on 120 VAC, 60Hz circuits.
 This device is not intended for use with emergency exit fixtures or emergency exit lights.
 Suitable for use with dimmers.
 For complete warranty and dimmer information visit www.standardpro.com.
 3 Years Limited Warranty.

| Qty | Description | Price | |
|-------------------|--|------------------|--|
| | | | |
| I accept the spec | cifications of the luminaire configuration | mentioned above. | |
| Name: | | | |
| Company: | | | |
| Signature: | | Date: | |

This lighting equipment complies with Canadian standard ICES-005 for use in residential applications. Data is based upon tests performed in a controlled environment and representative of relative performance. Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.

