

acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

SECTION 1: Identification

1.1 Product identifier

Trade name Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Alternative number(s) 09623

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer Use (Car Air Freshener)

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

e-mail: energizer@custhelp.com Website: http://data.energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labeling

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

Canada: en Page: 1 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regula-

tions.

- Hazardous ingredients for labelling

Coumarin, benzyl salicylate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
benzyl benzoate	CAS No 120-51-4	10-<25	Acute Tox. 4 / H302	<u>(1)</u>
isopentyl acetate	CAS No 123-92-2	1-<5	Flam. Liq. 3 / H226	&
Allyl Caproate	CAS No 123-68-2	<1	Flam. Liq. 4 / H227 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331	
benzyl salicylate	CAS No 118-58-1	<1	Eye Irrit. 2 / H319 Skin Sens. 1B / H317	<u>(1)</u>
Coumarin	CAS No 91-64-5	<1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Sens. 1 / H317	

For full text of abbreviations: see SECTION 16.

Canada: en Page: 2 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Canada: en Page: 3 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

Canada: en Page: 4 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

- Ventilation requirements
Use local and general ventilation.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
CA	particulate not otherwise regu- lated		OEL (AB)		10					i, partic le	OHS Code
CA	particulate not otherwise regu- lated		OEL (AB)		m					r, partic le	OHS Code
CA	particulates not otherwise classi- fied (PNOC)		PEV/ VEA		10					noAs b_less 1Sil	Regu- lation OHS
CA	3-methylbutyl acetate (iso- pentyl acetate) (isoamyl acetate)	123-92-2	OEL (AB)	50	266	100	532				OHS Code
CA	isoamyl acetate	123-92-2	PEV/ VEA	50	266	100	532				Regu- lation OHS
CA	isopentyl acetate	123-92-2	OEL (BC)	50		100					"BC Regu- lation"
CA	isopentyl acetate	123-92-2	OEL (ON- MoL)	50		100					MoL
CA	polyvinyl chlor- ide (PVC)	9002-86- 2	OEL (BC)		1					r	"BC Regu- lation"

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

inhalable fraction

noAsb_less1S contains no asbestos and less than 1% free crystalline silica

particle as airborne particles respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

Canada: en Page: 5 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

 $\frac{\text{Notation}}{\text{TWA}}$

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
benzyl benzoate	120-51-4	DNEL	102 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
benzyl benzoate	120-51-4	DNEL	2.6 mg/kg	human, dermal	worker (industry)	chronic - system- ic effects
benzyl benzoate	120-51-4	DNEL	5.1 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Allyl Caproate	123-68-2	DNEL	4.3 mg/kg	human, dermal	worker (industry)	chronic - system- ic effects
Allyl Caproate	123-68-2	DNEL	15 mg/m³	human, inhalatory	worker (industry)	chronic - system- ic effects
benzyl salicylate	118-58-1	DNEL	3.17 mg/m ³	human, inhalatory	worker (industry)	chronic - system- ic effects
benzyl salicylate	118-58-1	DNEL	0.9 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
Coumarin	91-64-5	DNEL	0.84 mg/kg	human, dermal	worker (industry)	chronic - system- ic effects
Coumarin	91-64-5	DNEL	0.741 mg/ m³	human, inhalatory	worker (industry)	chronic - system- ic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
benzyl benzoate	120-51-4	PNEC	0.0168 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.00168 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	100 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	10.66 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	1.07 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	2.12 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

Canada: en Page: 6 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Allyl Caproate	123-68-2	PNEC	0.117 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.0117 ^{µg} / _I	aquatic organisms	marine water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	4.46 ^{µg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.446 ^{µg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	47.56 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.825 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	1.17 ^{µg} / _l	aquatic organisms	water	intermittent re- lease
benzyl salicylate	118-58-1	PNEC	0.0103 ^{mg} / _l	aquatic organisms	water	intermittent re- lease
benzyl salicylate	118-58-1	PNEC	80 ^{mg} / _{kg}	aquatic organisms	water	short-term (single instance)
benzyl salicylate	118-58-1	PNEC	0.001 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
benzyl salicylate	118-58-1	PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
benzyl salicylate	118-58-1	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
benzyl salicylate	118-58-1	PNEC	0.583 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
benzyl salicylate	118-58-1	PNEC	0.058 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
benzyl salicylate	118-58-1	PNEC	1.41 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Coumarin	91-64-5	PNEC	0.0056 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
Coumarin	91-64-5	PNEC	0.00056 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)
Coumarin	91-64-5	PNEC	10 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)

Canada: en Page: 7 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Coumarin	91-64-5	PNEC	0.207 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.0207 ^{mg} / kg	aquatic organisms	marine sediment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.0217 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)
Coumarin	91-64-5	PNEC	0.056 ^{mg} / _l	aquatic organisms	water	intermittent re- lease

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance

Canada: en Page: 8 / 18



Physical state

acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

solid

Color	Conforms to Standard
Odor	Conforms to standard
Other safety parameters	
pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	270.2 °C
Flash point	93.33 °C
Evaporation rate	not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined
Vapor pressure	1.57 Pa at 25 °C
Density	not determined
Vapor density	this information is not available

Partition coefficient

Relative density

Solubility(ies)

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not relevant (solid matter)
Explosive properties	not explosive (GHS of the United Nations, annex 4)
Oxidizing properties	none

not determined

information on this property is not available

Canada: en Page: 9 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

9.2 Other information

Solvent content	84.8 %
Solid content	15.2 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Canada: en Page: 10 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
benzyl benzoate	120-51-4	oral	500 ^{mg} / _{kg}
Allyl Caproate	123-68-2	oral	100 ^{mg} / _{kg}
Allyl Caproate	123-68-2	dermal	820 ^{mg} / _{kg}
Allyl Caproate	123-68-2	inhalation: vapour	3 ^{mg} / _l /4h
Coumarin	91-64-5	oral	293 ^{mg} / _{kg}
Coumarin	91-64-5	dermal	300 ^{mg} / _{kg}
Coumarin	91-64-5	inhalation: dust/mist	4h/ _ا /4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Canada: en Page: 11 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

Canada: en Page: 12 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport information - National regulations - Additional information (UN RTDG)

not assigned

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
isopentyl acetate	123-92-2		1	5000 (2270)

Legend

"1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

Clean Air Act

none of the ingredients are listed

Canada: en Page: 13 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Polyvinyl Chloride	9002-86-2	stabilizer	
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens
isopentyl acetate	123-92-2	fragrance	
Aldehyde C-18	104-61-0	fragrance	
Allyl Caproate	123-68-2	fragrance	
Coumarin	91-64-5	fragrance	EU Fragrance Allergens
benzyl salicylate	118-58-1	fragrance	EU Fragrance Allergens

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
isopentyl acetate	123-92-2				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
isopentyl acetate	123-92-2	A, O	

Legend

A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part

O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
Polyvinyl Chloride	9002-86-2		
isopentyl acetate	123-92-2		F3

Legend

F3 Flammable - Third Degree

Canada: en Page: 14 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	CAS No	Classification
isopentyl acetate	123-92-2	E

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
isopentyl acetate	123-92-2	Т

Legend

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	2	material that must be moderately heated or exposed to relatively high ambient tem- peratures before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions

Canada: en Page: 15 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

Category	Degree of hazard	Description
Special hazard		

National regulations (Canada)

Domestic Substances List (DSL)

All ingredients are listed.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Australian Inventory of Chemical Substances AICS CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL

ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals **IECSC**

INSQ

ISHA-ENCS KECI

New Zealand Inventory of Chemicals NZIoC

Philippine Inventory of Chemicals and Chemical Substances **PICCS**

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Canada: en Page: 16 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
"BC Regulation"	OHS Regulation: Section 5.48 (British Columbia)
ACGIH®	American Conference of Governmental Industrial Hygienists
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
MoL	Ministry of Labor: Current Occupational Exposure Limits for Ontario Workplaces Required under Regulation 833
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OHS Code	Occupational Health and Safety Code: Occupational exposure limits for chemical substances (Alberta)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

Canada: en Page: 17 / 18



acc. to Hazardous Products Regulations (HPR)

Refresh Tunnel Vent Sticks - Hawaiian Sunrise

Version number: 1.1 Date of compilation: 2020-01-19

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
Regulation OHS	Regulation respecting occupational health and safety: Permissible exposure values for airborne contamin- ants (Quebec)
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Hazardous Products Regulations (HPR).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Canada: en Page: 18 / 18