

# Technical Information Bulletin

## LED Driver



Date: \_\_\_\_\_ Name of distributor: \_\_\_\_\_  
In hands date of project: \_\_\_\_\_ Client #: \_\_\_\_\_  
Project name/Number: \_\_\_\_\_ Name of end user: \_\_\_\_\_

### ORDERING INFORMATION

Order code: 65750  
Description: LED/DRIVER/60W/24V/PLUG/ND/STD  
UPC: 69549657502  
Case quantity: 1 / 36



### PHYSICAL DATA

Product type: Plug-in Power Supply (Driver) - Non dimmable  
Colour of the product: White  
Environment: Dry

### PERFORMANCE DATA

Output Power (W): 60  
Input Voltage (VAC): 100-240  
Output Voltage (V DC): 24  
Input Current (mA): 1 500  
Output Current (mA): 2 500  
Frequency (Hz): 50/60  
Power Factor: >0.5  
Operating Temperature: 0°C / 32°F to 40°C / 104°F  
Waterproof: No  
Minimum load (W): 1.2



Qty	Description	Price

I accept the specifications of the luminaire configuration mentioned above.

Name: \_\_\_\_\_  
Company: \_\_\_\_\_  
Signature: \_\_\_\_\_

Date: \_\_\_\_\_

This lighting equipment complies with Canadian standard ICES-005 for use in residential applications.  
Data is based upon tests performed in a controlled environment and representative of relative performance.  
Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.  
November 15, 2019