Technical Information Bulletin



Dia.: 1 in. (26 mm)

Nominal length : 48 in. (1 200 mm)

Choice LED Linear —

Date:		Name of distributor:	
In hands date of project:		Client #:	
Project name/Number:		Name of end user:	

ORDERING INFORMATION

Order code: 66989

Description: T8/15W/835/48/CHOICE/STD

UPC: 69549669895

Case quantity:

PHYSICAL DATA

Shape: Base: G13 Material: Glass

PERFORMANCE DATA

Bare Lamp Watts (W): 15

Volts (VAC): 120 -277/347 Colour temperature (K)1: 3 500 50 000 Life L70 (hrs): CRI: 82

Starting method: Instant start

Operating temperature range: -25°C to 45°F (-13°C to 113°F)

Order code	Average System Watts (W)			Initial Lumens (Im)²		
	LBF	NBF	HBF ³	LBF	NBF	HBF ³
66989	16	17	26	1 600	1 800	2 300

¹ Typical colour temperature range: +/- 5 % 1 Typical colour temperature range: +/- 10 % ² LBF= Low ballast factor, NBF= Normal ballast factor, HBF= High ballast factor











Please refer to the ballast compatibility list to confirm lamp compatibility with the existing luminaire.

CAUTIONS

THIS LAMP OPERATES ON INSTANT START ELECTRONIC BALLASTS. Direct replacement for 25, 28, 30 and 32 watts lamps only.

Qty	Description	Price			
I accept the specifications of the luminaire configuration mentioned above.					
Name:					
Company:					
Signature:		Date:			

Data is based upon tests performed in a controlled environment and representative of relative performance. Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.

