SAFETY DATA SHEET



1. Product and Company Identification

Product identifier Freez-Kontr'I® 35 (4188-35)

Other means of identification Not available Recommended use Anti-freeze agent Recommended restrictions None known. Manufacturer information Nu-Calgon

> 2611 Schuetz Road St. Louis, MO 63043 US

Phone: 314-469-7000 / 800-554-5499

Emergency Phone: 1-800-424-9300 (CHEMTREC)

See above. Supplier

2. Hazards Identification

Not classified. Physical hazards **Health hazards** Not classified. **Environmental hazards** Not classified. WHMIS 2015 defined hazards Not classified

Label elements

None. **Hazard symbol** Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

Store away from incompatible materials. Storage

None known

Disposal Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

WHMIS 2015: Physical None known

Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/Information on Ingredients

Mixture

Eye contact

CAS number % Chemical name Common name and synonyms 57-55-6 1,2-Propanediol 15-40*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Non-hazardous by WHMIS/OSHA criteria **Composition comments**

US GHS: The exact percentage (concentration) of composition has been withheld as a trade

secret in accordance with paragraph (i) of §1910.1200.

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a

trade secret.

4. First Aid Measures

If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Inhalation Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists. Skin contact

Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical

attention if irritation persists.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing.

Obtain medical attention.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Alcohol resistant foam. Powder. Carbon dioxide.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters
Fire-fighting

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

equipment/instructions

No unusual fire or explosion hazards noted.

Hazardous combustion

May include and are not limited to: Oxides of carbon. Aldehydes.

products

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes,

streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Components	Туре	Value	Form
1,2-Propanediol (CAS 57-55-6)	TWA	155 mg/m3	Vapor and aerosol.
		10 mg/m3	Aerosol.
		50 ppm	Vapor and aerosol.

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Value **Form** Components Type **TWA** 1,2-Propanediol (CAS 10 mg/m3 Aerosol.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

57-55-6)

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

Wear suitable protective clothing. As required by employer code. Other Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

9. Physical and Chemical Properties

Liquid **Appearance** Physical state Liquid. **Form** Liquid. Light blue Color Odor Odorless Odor threshold Not available. Not available. Melting point/freezing point -76 °F (-60 °C) Initial boiling point and boiling

range

359.6 °F (182 °C)

Pour point Not available. Not available. Specific gravity **Partition coefficient** Not available.

(n-octanol/water)

210.2 °F (99.0 °C) Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not available. **Explosive limit - lower (%)** Not available. **Explosive limit - upper (%)** 0.1 mm Hg Vapor pressure

Vapor density 2.6 Relative density 1.04 Solubility(ies) Complete

699.8 °F (371 °C) **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing

10. Stability and Reactivity

Possibility of hazardous

reactions

Reactivity

No dangerous reaction known under conditions of normal use.

This product may react with strong oxidizing agents.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Aldehydes.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting. Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Strong oxidizing agents.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Test Results Components **Species** 1,2-Propanediol (CAS 57-55-6) Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

20800 mg/kg, Millipore

Inhalation

Rabbit LC50 > 317042 mg/m3, 2 Hours, ECHA

Oral

LD50 Dog 19 g/kg

> Guinea pig 19700 mg/kg, ECHA

> > 18.4 g/kg

Mouse 24900 mg/kg, ECHA

23900 mg/kg, HSDB

23.9 g/kg

Rabbit 22.8 g/kg, CCOHS

18 g/kg

Rat 19.4 - 36 g/kg, Millipore

22000 mg/kg, ECHA

21 g/kg, CCOHS

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Exposure minutes Not available. Ervthema value Not available. Oedema value Not available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available. Iris lesion value Not available. Conjunctival reddening Not available.

value

Conjunctival oedema value Not available. Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Mutagenicity

mutagenic or genotoxic.

See below. Carcinogenicity

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Teratogenicity Not available. Specific target organ toxicity single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure

Not an aspiration hazard. **Aspiration hazard**

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Test Results Components **Species**

1,2-Propanediol (CAS 57-55-6)

EC50 Crustacea Daphnia 10000 mg/L, 48 Hours

Aquatic

EC50 > 10000 mg/L, 48 hours Crustacea Water flea (Daphnia magna) Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/L, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Mobility in soil

No data available. Mobility in general Not available. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

This product has been classified in accordance with the hazard criteria of the HPR and the SDS Canadian federal regulations

contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

All chemicals used are on the TSCA inventory.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

No

hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - Minnesota Haz Subs: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed.

US - New Jersey RTK - Substances: Listed substance

1,2-Propanediol (CAS 57-55-6)

US - Texas Effects Screening Levels: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Propanediol (CAS 57-55-6)

US. Rhode Island RTK

1,2-Propanediol (CAS 57-55-6)

US. California Proposition 65

Not Listed.

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Disclaimer

HEALTH 1 1 **FLAMMABILITY** 0 PHYSICAL HAZARD PERSONAL **PROTECTION**



The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 26-October-2018

Version # 01

Effective date 26-October-2018

Prepared by Nu-Calgon Wholesale Inc. Phone: (314) 469-7000

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.